

Оборудование

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cse@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>

SPRAY PAINT GUN

Equipment

Transform your spray paint can into a professional paint gun for an efficient and pain-free paint job.

Allows efficient spraying of large surfaces in an accurate and controlled way.



Ref.		Description	TDS
32556-AA 1031545		CRC SPRAY PAINT GUN BLACK BLISTER CARD	MSDS

PUMPSPRAYER

Equipment

Refillable spraybottle.

The pressure for spraying is generated by a manual pump system. The pressure available in the bottle allows a constant spray pattern for a longer time. The pump sprayer can be used for most CRC bulk products.



Ref.		Description	TDS
30463-AE 1020668		EMPTY PUMP SPRAYER MULTI 11x1 PC	MSDS

MARKER APPLICATOR STICK

Equipment

Accessory for the CRC Marker Paint.

One wheeled cart for easy application of the temporary CRC Marker Paint.



Ref.		Description	TDS
	11508-AA 1030186	MARKERPAINT APPLICATOR STICK	MSDS

HANDSPRAYER

Equipment

Simple refillable spraybottle.

The spray pressure is generated by a trigger movement. The hand sprayer can be used for all CRC bulk products except the cleaners.



	Ref.	Description	TDS
	32168-AA 1031326	EMPTY HANDSPRAYER CRC	MSDS

ACRYLIC PAINT ROUND NOZZLE SET

Equipment

To make every paint job possible, CRC offers a set of 6 round nozzles in different sizes. Can only be used on the Acrylic RAL Paints.

Consists of:

- **2 thin round nozzles:** thin spray jet for paint jobs that require high precision. Optimal spray distance: 1 to 3 cm
- **2 medium round nozzles:** medium spray jet or paint jobs that require medium precision. Optimal spray distance: 5 to 10 cm
- **2 large round nozzles:** Large spray jet for paint jobs on big surfaces. Optimal spray distance: 15 to 25 cm



—

Ref.		Description	TDS
	33291-AA 1032640	ACRYL PAINT ROUND NOZZLE SET MULTI X	MSDS



Part No. 14161

Item# 1004858

SmartWasher® SW-23 Mobile Parts & Brake Washer

Description

An alternative to conventional petroleum-based parts washing systems. This bioremediating unit eliminates the expense and liability of hazardous waste removal. No flash point, and no caustic materials while remaining intensely powerful. For information on spare parts and technical support please contact CRC Technical.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance	40" x 26.5" x 35" (overall dimensions) HDPE	Brand	SmartWasher
Color	None	DOT Proper Shipping Name	Not Regulated
Generic Description	Parts Washer	Item Number	14161
Net Fill	1 Unit	UPC Code	649123000834
Unit Dimensions	43H x 42W x 27D in	Unit Package Description	1 Unit
Units per Case	1	VOC Category	Not Regulated



Part No. 14145

Item# 1004852

SmartWasher® SW-25 Signature Parts Washer

Description

An alternative to conventional petroleum-based parts washing systems. Has an 8"H x 28"W x 17"D sink and side mounted control panel. For information on spare parts and technical support please contact CRC Technical

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Brand SmartWasher

Color None

DOT Proper Shipping Name Not Regulated

Flash point (C) None

Flash point (F) None

Generic Description 28" Parts Cleaner

Item Number 14145

Net Fill 1 Unit

Plastic Safe Yes

Propellant None

UPC Code 649123000605

Unit Dimensions 35.5H x 40W x 26.5D in

Unit Package Description 1 Unit

Units per Case 1

VOC Category Not Regulated



Part No. 14021

Item# 1004773

CRC® Empty Trigger Bottle, 1 Bottle

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

24 oz bottle features volume measurements as well as blank lines and boxes where the user can add their own product and safety information.

Applications

- For Use With Bulk Cleaners

Appearance _____ N/A

Brand _____ CRC

Case# _____ 1004772

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ N/A

Generic Description _____ Empty Trigger Bottle

I 2 of 5 Code _____ 30078254140217

Item Number _____ 14021

Net Fill _____ Unit

Product Lifecycle Status _____ DISC

Propellant _____ N/A

Restricted From Sale In _____ N/A

UPC Code _____ 078254140216

Unit Dimensions _____ 10.25H x 3W x 3D in

Unit Package Description _____ 24 Ounce Sprayer with
Measurement

Units per Case _____ 12

VOC Category _____ Not Regulated



Part No. 14016

Item# 1004771

CRC® Sure Shot® Reusable Sprayer, 1 Sprayer

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An all-metal, one quart, reusable air-pressurized sprayer. For use with most bulk lubricants, solvents and corrosion inhibitors.

Applications

- For Use With Most Bulk Lubricants
- Solvents and Corrosion Inhibitors

Appearance _____ N/A

Color _____ None

Evaporation Rate _____ N/A

Item Number _____ 14016

Product Lifecycle Status _____ DISC

Restricted From Sale In _____ N/A

Unit Dimensions _____ 11.5H x 6.5W x 8D in

Units per Case _____ 1

Brand _____ CRC

DOT Proper Shipping Name _____ Not Regulated

Generic Description _____ Reusable Sprayer

Net Fill _____ Unit

Propellant _____ N/A

UPC Code _____ 078254140162

Unit Package Description _____ 1 Quart Sprayer

VOC Category _____ Not Regulated



Part No. SL4344

Item# 1007963

Sta-Lube® Fluid Oil Pump

Description

Constructed of durable PVC plastic. For all fluid reservoirs including differentials, transmissions and gear cases. Dispenses 1 fl oz of product with each depression. Designed to fit all STA-LUBE quart, half-gallon and gallon containers.

Applications

- For All Fluid Reservoirs
- Half-Gallon and Gallon Containers
- Designed to Fit All Sta-Lube Quart

Appearance _____ N/A

Case# _____ 1007962

Evaporation Rate _____ N/A

I 2 of 5 Code _____ 30072213434409

Net Fill _____ N/A

Restricted From Sale In _____ N/A

Unit Dimensions _____ 15H x 6W x 2D in

Units per Case _____ 6

Brand _____ Sta-Lube

DOT Proper Shipping Name _____ Not Regulated

Generic Description _____ Fluid Oil Pump

Item Number _____ SL4344

Propellant _____ N/A

UPC Code _____ 072213434408

Unit Package Description _____ Pump

VOC Category _____ Not Regulated



Part No. SL46022

Item# 1007965

Sta-Lube® Grease Gun Flex Hose , 1 12" Hose

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Grease Gun Flex Hose - 12"

Appearance _____ N/A

Case# _____ 1007964

Evaporation Rate _____ N/A

I 2 of 5 Code _____ 30072213460224

Net Fill _____ N/A

Propellant _____ N/A

UPC Code _____ 072213460223

Unit Package Description _____ Flex Hose

VOC Category _____ Not Regulated

Brand _____ Sta-Lube

DOT Proper Shipping Name _____ Not Regulated

Generic Description _____ Grease Gun Flex Hose-12"

Item Number _____ SL46022

Product Lifecycle Status _____ DISC

Restricted From Sale In _____ N/A

Unit Dimensions _____ 15H x 2W x 1D in

Units per Case _____ 10



Part No. 14144

Item# 1004851

SmartWasher® SW-28 SuperSink Parts Washer

Description

An alternative to conventional petroleum-based parts washing systems. Has a large 8"H x 41"W x 24"D sink and side mounted control panel. For information on spare parts and technical support please contact CRC Technical.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Brand SmartWasher

Color None

DOT Proper Shipping Name Not Regulated

Evaporation Rate N/A

Film Type N/A

Flash point (C) None

Flash point (F) None

Generic Description 41" Parts Cleaner

Item Number 14144

Net Fill 1 Unit

Propellant N/A

Removal (How To) N/A

UPC Code 649123000629

Unit Dimensions 47H x 47W x 37D in

Unit Package Description 1 Unit

Units per Case 1

VOC Category Not Regulated



Part No. 14710

Item# 1005003

SmartWasher® SW-28XE SuperSink XE Parts Washer

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An alternative to conventional petroleum-based parts washing systems. This bioremediating unit eliminates the expense and liability of hazardous waste removal. No flash point, no toxic solvents and no caustic materials while remaining intensely powerful. Contains 2 brush stations, light kit, and a parts basket. For information on spare parts and technical support please contact CRC Technical

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Brand SmartWasher

DOT Proper Shipping Name Not Regulated

Generic Description Parts Washer

Item Number 14710

Net Fill 1 Unit

Product Lifecycle Status DSEL

UPC Code 649123001077

Unit Dimensions 47H x 42W x 38D in

Unit Package Description 1 Unit

Units per Case 1

VOC Category Not Regulated



Part No. SXM XR

Item# 1007980

CRC® Salt Terminator® Engine Flush, Cleaner & Corrosion Inhibitor, 1 Mixer Unit

Description

Automatically dilutes the Salt Terminator concentrate and siphons it through a standard garden hose. Connect the hose to the marine engine's flushing unit and add extra years of service to outboards, I/O's, jet boars, and personal watercraft.

Applications

- Attach Mixer to A Standard Garden Hose to Dilute Formula For Easy Application on Large Areas
- or Connect The Hose to A Marine Engine Flushing Unit to Flush The Cooling System

Appearance _____ Black housing, red valve and
natural cup

Brand _____ CRC

Case# _____ 1007979

DOT Proper Shipping Name _____ Not Regulated

Generic Description _____ For use with CRC Salt
Terminator SX-32 or SX-128

I 2 of 5 Code _____ 30078254000054

Item Number _____ SXM XR

Net Fill _____ N/A

Restricted From Sale In _____ N/A

UPC Code _____ 078254000053

Unit Dimensions _____ 7.4H x 2.4W x 2.7D in

Unit Package Description _____ 1 Mixer Unit

Units per Case _____ 12



Part No. SL37019

Item# 1007961

Sta-Lube® Heavy Duty Lever Grease Gun, 1 Gun

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Heavy Duty Lever Grease Gun. Standard opening: 1/8" NPT

Applications

Appearance _____ N/A

Brand _____ Sta-Lube

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ N/A

Generic Description _____ Heavy Duty Lever Grease Gun

Item Number _____ SL37019

Net Fill _____ N/A

Product Lifecycle Status _____ DISC

Propellant _____ N/A

Restricted From Sale In _____ N/A

UPC Code _____ 072213370195

Unit Dimensions _____ 2.5H x 4.5W x 14D in

Unit Package Description _____ Gun for 14 Ounce Cartridge

Units per Case _____ 1

VOC Category _____ Not Regulated



Part No. 14124

Item# 1004844

SmartWasher® FL-4 OzzyMat® Multi-Layer Fluid Activation Mat

Description

CRC SmartWasher® is the eco-friendly parts washing system that delivers results, while saving time and money. As part of the 3-prong SmartWasher® cleaning system (mobile parts washers + cleaning fluids + cleaning mats), the OzzyMat® FL-4 Multi-Layer Fluid Activation Mat is specially designed to activate the cleaning process while also trapping contaminants and debris. It typically maintains its efficacy for 30 days and is simple to toss and replace. CRC SmartWasher® takes the guesswork out of cleaning automotive and industrial parts and keeps your business running safely!

Applications

- For Use With Smartwasher Parts Cleaning System

Appearance _____ Solid Filter buff to brown color

Brand _____ SmartWasher

Case# _____ 1004843

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Multi-Layer Filter

I 2 of 5 Code _____ 60649123000270

Item Number _____ 14124

Net Fill _____ 1 Filter

Plastic Safe _____ Yes

Propellant _____ None

Specific Gravity _____ 0.5 to 0.7

UPC Code _____ 649123000278

Unit Dimensions _____ 2H x 12W x 14D in

Unit Package Description _____ 1 Filter

Units per Case _____ 6

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0


VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 14149

Item# 1007983

SmartWasher® FL-3 OzzyMat® Single Layer Fluid Activation Mat

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Works with all grades of fluid. Filters must be used for proper cleaning and operation of the SmartWasher® system.

Applications

- For Use With Smartwasher Parts Cleaning System

Appearance _____ Solid Filter buff to brown color

Brand _____ SmartWasher

Case# _____ 1004854

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Regular Grade Filter

I 2 of 5 Code _____ 60649123000058

Item Number _____ 14149

Net Fill _____ 1 Filter

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Specific Gravity _____ 0.5 to 0.7

UPC Code _____ 078254141497

Unit Dimensions _____ 6.5H x 1W x 12D in

Unit Package Description _____ 1 Filter

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 14300

Item# 1004892

Counter Display Rack

Description

Counter display rack. 12"H x 18"W x 12"L and includes header.

Applications

Brand _____ CRC

Case Weight _____ 5 lbs

Color _____ None

Generic Description _____ Counter display rack

I 2 of 5 Code _____ 30078254143003

Item Number _____ 14300

Product Data Sheet (Spanish) _____

UPC Code _____ 078254143002

Unit Dimensions _____ 7.5H x 18.5W x 14.25D in

Unit Package Description _____ 12H x 18W x 12L in includes header

Units per Case _____ 1



Part No. 14098

Item# 1004835

CRC® Perma-Mend™, 1 UV Light

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

UV Light for the curing of Perma-Mend™ UV Curable Repair Patches. LED 51 Ultraviolet. LED 390 bulb type. 10,000 hours bulb life. 3xAA Alkaline batteries required (Not Included). Push on/off switch type, polycarbonate lens material, single light output mode, body material is aluminum with "O" rings for water resistance.

Applications

- Perma-Mend™ Repair Patches

Brand _____ CRC

Case# _____ 1004834

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Generic Description _____ UV Light

I 2 of 5 Code _____ 30078254140989

Item Number _____ 14098

Net Fill _____ 1 Literight

Product Lifecycle Status _____ DISC

UPC Code _____ 078254140988

Unit Dimensions _____ 6H x 2.38W x 2.38D in

Unit Package Description _____ 1 Light

Units per Case _____ 1

VOC Category _____ Not Regulated



Part No. 14059

Item# 1004794

CRC® RTV Silicone Sealant - Red, 6.5 Wt Oz

Description

For general-purpose sealing, bonding, protecting and waterproofing applications. Red is designed as a high temperature, low odor, non-corrosive gasket sealant.

Applications

- Sealing
- Protection & Waterproofing in HVAC
- Construction
- For Filling Gaps Between Mating Parts
- Pumps
- General Gasket Sealing
- Bonding
- Electrical
- Metal Working
- Gearboxes
- Motors

Appearance	Red Paste	Brand	CRC
Case#	1004793	Color	None
Curing Time	24 Hours	DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity
Dielectric Strength	18 kV/mm	Dry Time Tack Free	20 Minutes
Evaporation Rate	Slow	Federal Specification Number	TT-S-001543A,TT-S-00230-C
Film Type	Curing Silicone Caulk, Red	Flammability Class - CPSC	None
Generic Description	Red Silicone Sealant	I 2 of 5 Code	30078254140590
Item Number	14059	Military Specification Number	Mil-A-46106A
Net Fill	6.5 Wt Oz	Plastic Safe	Yes
Propellant	Nitrogen	Removal (How To)	Scraping or a gasket remover product
Specific Gravity	1.01 to 1.05	UPC Code	078254140599
Unit Dimensions	11.5H x 1.75W x 2.5D in	Unit Package Description	8 Ounce Pressurized Tube with Select-a-BEAD® Nozzle
Units per Case	12	VOC % (Consumer Product def)	<3.0
VOC % (Federal)	<3	VOC Category	Sealant or Caulking Compound
VOC Lbs./Gal. (Federal)	<0.39	VOC g/L (Consumer Product def)	<31
VOC g/L (Federal)	<46.5	VOC lbs/gal (Consumer Prod def)	<0.26
Working Temp (C)	-45.5 to 204.4°C	Working Temp (F)	-50 to 400°F

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>