

Прецизионные очистители

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>



Part No. 10900

Item# 1004744

CRC® Aviation Degreaser, 18 Wt Oz

Discontinued

alternate available Product No. 03109 **ITEM# 1003380**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effective heavy duty, non-flammable cleaner/degreaser. Evaporates quickly and leaves no residue. Airframe Approved Non-HAP Degreaser.

Applications

- Metal Parts
- Electric Motors
- Oxygen Handling Equipment
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors
- Ground Support Equipment
- Spark Plugs & Valves
- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators

Appearance Clear Colorless Liquid

Brand CRC

Case# 1004743

Color None

DOT Proper Shipping Name Aerosols, Non-Flammable,
Limited Quantity

Dielectric Strength 26,800 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC Not a Consumer Product

Flash point (C) None

Flash point (F) None

Generic Description Aviation Degreaser

I 2 of 5 Code 30078254109009

Item Number 10900

KB Value 125

Net Fill 18 Wt Oz

Plastic Safe No

Product Lifecycle Status DISC

Propellant Carbon Dioxide,HFC-134a

Replacement Legacy Num 03109

Replacement Product SKU 1003380

Restricted From Sale In CA, CO, CT, DE, MD, NH, NY, RI,
parts of UT

Specific Gravity 1.33

UPC Code 078254109008

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 49.9

VOC % (Federal) 49.9

VOC Category General Purpose Degreaser -
Aerosol

VOC Lbs./Gal. (Federal) 6.5

VOC g/L (Consumer Product
def) 665

VOC g/L (Federal) 773.7

VOC lbs/gal (Consumer Prod
def) 5.53



Part No. 10480

Item# 1004740

CIC Remover, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Removes grease, oil and dirt from mechanical and electrical equipment.

Applications

All exterior surfaces of the airframe & engine, landing gear, mechanical equipment, motors, switch gears & transformers. Can also be used in removal of corrosion inhibiting compounds (C.I.C.'s) from the internal airframe & faying panels.

Appearance Clear Water-White Liquid

Brand CRC

Case# 1004739

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 42,100 Volts

Dry Time Fully Dry >30 Minutes

Evaporation Rate Slow

Flammability Class - CPSC Flammable

Flash point (C) 85°C

Flash point (F) 185°F

Generic Description CIC Remover

I 2 of 5 Code 30078254104806

Item Number 10480

KB Value 75

Net Fill 15 Wt Oz

Plastic Safe No

Product Lifecycle Status DISC

Propellant Carbon Dioxide

Specific Gravity 0.839

UPC Code 078254104805

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 0

VOC % (Federal) 96.05

VOC Category Single Purpose Cleaner/Degreaser

VOC Lbs./Gal. (Federal) 12.4

VOC g/L (Consumer Product def) 0

VOC g/L (Federal) 1489.3

VOC lbs/gal (Consumer Prod def) 0



Part No. 10322

Item# 1004734

Aviation Next Generation Degreaser, 18 Wt Oz

Description

Non-chlorinated, non-conductive, non-corrosive, non-staining and has no flash point. It quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment.

Applications

Metal parts, ground support equipment, spark plugs & valves, oxygen handling equipment, air tools, mechanical brakes, clutches, chains, wire ropes, bearings, generators & compressors.

Appearance Clear Colorless Liquid

Brand CRC

Case Weight 17 lbs

Case# 1004733

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 39,000 Volts

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Aviation Degreaser

I 2 of 5 Code 30078254103229

Item Number 10322

KB Value 97

Net Fill 18 Wt Oz

Plastic Safe No

Product Data Sheet (Spanish)

Propellant Carbon Dioxide

Removal (How To) Remove with water.

Restricted From Sale In CA, CO, CT, DC, DE, IL, IN, ME, MD, MA, MI, NH, NJ, NY, OH, PA, RI, parts of UT, VA

Specific Gravity 1.276

UPC Code 078254103228

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 81.7

VOC % (Federal) 81.7

VOC Category General Purpose Degreaser - Aerosol

VOC Lbs./Gal. (Federal) 8.68

VOC g/L (Consumer Product def) 1042.5

VOC g/L (Federal) 1042.5

VOC lbs/gal (Consumer Prod def) 8.68



Part No. 10420

Item# 1004738

Aviation Window & Display Cleaner, 14 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Specifically for aircraft glass. Penetrates through film and contaminants to get glass and mirrors clean. Contains no alcohol or ammonia. Plastic safe. Cleans and safe for all electronic displays.

Applications

Electronic displays, galleys, glass, interior surfaces, mirrors, overhead compartments, plexiglas, windows

Appearance Clear Colorless Liquid

Brand CRC

Case Weight 15 lbs

Case# 1004737

Color None

DOT Proper Shipping Name Aerosols, Non-Flammable, Limited Quantity

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Window & Display Cleaner

I 2 of 5 Code 30078254104202

Item Number 10420

Net Fill 14 Wt Oz

PH 9 to 10

Plastic Safe Yes

Product Data Sheet (Spanish)

Product Lifecycle Status DISC

Propellant Propane/Butane

Removal (How To) Remove with water.

Specific Gravity 1

UPC Code 078254104201

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 3.1

VOC % (Federal) 3.1

VOC Category Glass Cleaners - Aerosol

VOC Lbs./Gal. (Federal) 0.26

VOC g/L (Consumer Product def) 31

VOC g/L (Federal) 31

VOC lbs/gal (Consumer Prod def) 0.26



Part No. 02142

Item# 1003225

Contact Cleaner 2000® Precision Cleaner, 5 Gal

Discontinued

alternate available Product No. 03152 **ITEM# 1003422**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effective alternative to 141b-based cleaners when sensitive plastics are not a concern. Evaporates quickly, leaves no residue, has no flash or fire point and contains no Class I or Class II Ozone Depleting Chemicals.

Applications

Contacts, metal switches, motors, relays, generators, edge connectors, busbars, circuit breakers, scales & sensors. Not recommended for use on LEXAN®, Noryl®, or polycarbonate-type plastics.

Appearance Clear Colorless Liquid

Brand CRC

Case Weight 55 lbs

Color None

DOT Proper Shipping Name Not Regulated

Dielectric Strength 30,800 Volts

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

Item Number 02142

KB Value 45

NSF Category Code K2

NSF Number 111213

Net Fill 5 Gal

Plastic Safe No

Product Data Sheet (Spanish)

Product Lifecycle Status DSEL

Propellant None

Replacement Product SKU 1003422

Restricted From Sale In CA

Specific Gravity 1.27

UPC Code 078254021423

Unit Dimensions 13.8H x 11.3W x 11.3D in

Unit Package Description 5 Gallon Pail

Units per Case 1

VOC % (Consumer Product def) 60.5

VOC % (Federal) 60.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 6.4

VOC g/L (Consumer Product def) 768.4

VOC g/L (Federal) 768.4

VOC lbs/gal (Consumer Prod def) 6.4



Part No. 02200

Item# 1003243

CRC® Electronic Component Cleaner, 13 Wt Oz

Description

High purity, fast penetrating formula aggressively dissolves grease, dust, lint, oils, etc. from most non-plastic surfaces. It has no flash or fire point, evaporates rapidly and leaves no residue.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Sensors

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003242

Color None

DOT Proper Shipping Name Aerosols, Flammable, LIMITED QUANTITY

Dielectric Strength 26,100 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Electronic Component Cleaner

I 2 of 5 Code 30078254022001

Item Number 02200

KB Value 64

NSF Category Code K2

NSF Number 139724

Net Fill 13 Wt Oz

Plastic Safe Safe on most plastics. Do NOT use on polycarbonate plastics

Propellant Carbon Dioxide

Restricted From Sale In CA

Specific Gravity 1.27

UPC Code 078254022000

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 66.5

VOC % (Federal) 66.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 7

VOC g/L (Consumer Product def) 730.3

VOC g/L (Federal) 838

VOC lbs/gal (Consumer Prod def) 7



Part No. 03205

Item# 1003461

CRC® NT™ Precision Cleaner, 12 Wt Oz

Description

NT™ Precision Cleaner effectively removes dirt, light oils and other contaminants from electronic equipment. It evaporates quickly and leaves no residue. NT™ Precision Cleaner has no flash point and is an optimal alternative to HCFC 141b-based cleaners when sensitive plastics are not a concern.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales & Sensors
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003460

Color None

DOT Proper Shipping Name Aerosols, Flammable, LIMITED QUANTITY

Dielectric Strength 26,100 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254032055

Item Number 03205

KB Value 45

NSF Category Code K2

NSF Number 126400

Net Fill 12 Wt Oz

Plastic Safe Safe of most plastics. Do NOT use on polycarbonate plastics

Propellant Carbon Dioxide

Restricted From Sale In CA

Specific Gravity 1.27

UPC Code 078254032054

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 66.5

VOC % (Federal) 66.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 7

VOC g/L (Consumer Product def) 838

VOC g/L (Federal) 838

VOC lbs/gal (Consumer Prod def) 7



Part No. 02205

Item# 1003245

CRC® NT™ Precision Cleaner, 12 Wt Oz

Discontinued

alternate available Product No. 03205 **ITEM# 1003461**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

HFE/HFC-based contact cleaning solvent. 141b replacement. No flash or fire point. Fast cleaning action for removal of dirt, light oils and other contaminants.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Sensors

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003244

Color None

DOT Proper Shipping Name Aerosols, Flammable, LIMITED QUANTITY

Dielectric Strength 26,100 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254022056

Item Number 02205

KB Value 64

NSF Category Code K2

NSF Number 126401

Net Fill 12 Wt Oz

Plastic Safe Safe of most plastics. Do NOT use on polycarbonate plastics

Product Lifecycle Status DISC

Propellant Carbon Dioxide

Replacement Legacy Num 03205

Replacement Product SKU 1003461

Restricted From Sale In CA

Specific Gravity 1.27

UPC Code 078254022055

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 66.5

VOC % (Federal) 66.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 7

VOC g/L (Consumer Product def) 838

VOC g/L (Federal) 838

VOC lbs/gal (Consumer Prod def) 7



Part No. 03190

Item# 1003447

CRC® PF Precision Cleaner, 14 Wt Oz

Description

Contact cleaner with effective cleaning action, fast evaporation and leaves no residue. No flash or fire point and is safe to use on all plastics. NSF K2 Registered.

Applications

- Contacts
- Switches
- Relays
- Edge Connectors
- Busbars
- Plastics & Insulators
- Printed Circuit Boards
- Motors
- Generators
- Tape Heads
- Circuit Breakers
- Electromechanical Assemblies and Sensors

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003446

Color None

DOT Proper Shipping Name Aerosols, Non- Flammable,
LIMITED QUANTITY

Dielectric Strength 26360 V

Dry Time Fully Dry Less than 1 Minute

Evaporation Rate Very Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254031904

Item Number 03190

KB Value 9

NSF Category Code K2

NSF Number 122781

Net Fill 14 Wt Oz

Plastic Safe Yes

Propellant HFC-134a

Specific Gravity 1.51

UPC Code 078254031903

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 6

VOC % (Federal) 6

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 0.68

VOC g/L (Consumer Product def) 81

VOC g/L (Federal) 81

VOC lbs/gal (Consumer Prod def) 0.68



Part No. 02190

Item# 1003241

CRC® PF Precision Cleaner, 14 Wt Oz

Description

Contact cleaner with effective cleaning action, fast evaporation and leaves no residue. No flash or fire point and is safe to use on all plastics. NSF K2 Registered.

Applications

- Contacts
- Switches
- Relays
- Edge Connectors
- Busbars
- Plastics & Insulators
- Printed Circuit Boards
- Motors
- Generators
- Tape Heads
- Circuit Breakers
- Electromechanical Assemblies and Sensors

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003240

Color None

DOT Proper Shipping Name Aerosols, Non- Flammable,
LIMITED QUANTITY

Dielectric Strength 26360 V

Dry Time Fully Dry Less than 1 Minute

Evaporation Rate Very Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254021905

Item Number 02190

KB Value 9

NSF Category Code K2

NSF Number 122778

Net Fill 14 Wt Oz

Plastic Safe Yes

Propellant HFC-134a

Specific Gravity 1.51

UPC Code 078254021904

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 6

VOC % (Federal) 6

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 0.68

VOC g/L (Consumer Product
def) 81

VOC g/L (Federal) 81

VOC lbs/gal (Consumer Prod
def) 0.68



Part No. 03140

Item# 1003417

CRC® Contact Cleaner & Protectant, 10 Wt Oz

Description

Cleans away grease, oil, dirt and other contaminants and helps equipment perform like new. Leaves a fine, microscopic corrosion proof and lubricating film.

Applications

- Contacts
- Switches
- Meters
- Control Systems
- Circuit Breakers
- Relays
- Light Bulb Sockets
- Coils Where Lubricating & Corrosion Protection is Required

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003416

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 350 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Moderate

Flammability Class - CPSC Extremely Flammable

Flash point (C) <-17.8°C

Flash point (F) <0°F

Generic Description Contact Cleaner & Protectant

I 2 of 5 Code 30078254031409

Item Number 03140

KB Value 27

NSF Category Code K2

NSF Number 017389

Net Fill 10 Wt Oz

Plastic Safe Safe on Most Plastics (Test small area)

Propellant Hydrocarbon

Removal (How To) Mineral Spirits

Specific Gravity 0.667

UPC Code 078254031408

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 71.85

VOC % (Federal) 71.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 9.3

VOC g/L (Consumer Product def) 479.2

VOC g/L (Federal) 1114.1

VOC lbs/gal (Consumer Prod def) 3.99

Water Washout No



Part No. 03125

Item# 1003404

CRC® HF™ Contact Cleaner, 11 Wt Oz

Description

A petroleum distillate based precision cleaner w/ a flash point 205°F. Consider as alternative to CFC's when applications require higher flashpoints.

Applications

- Contacts
- Switches
- Pcs
- Relays
- Edge Connectors
- Busbars
- Plastics & Insulators
- Printed Circuit Boards
- Telephones
- Motors
- Generators
- Tape Heads
- Circuit Breakers
- Electromechanical Assemblies and Sensors

Appearance _____ Clear Liquid

Brand _____ CRC

Case# _____ 1003403

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 45,700 Volts

Dry Time Fully Dry _____ 10 Minutes

Elastomer Compatibility _____ Buna|Viton|Neoprene

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 96°C

Flash point (F) _____ 204°F

Generic Description _____ Contact Cleaner

I 2 of 5 Code _____ 30078254031256

Item Number _____ 03125

KB Value _____ 27

NSF Category Code _____ K2

NSF Number _____ 017400

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test small
area)

Propellant _____ Carbon Dioxide

Specific Gravity _____ 0.79

UPC Code _____ 078254031255

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 97.16

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 1506.6

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 03126

Item# 1003405

CRC® HF™ Contact Cleaner, 5 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A petroleum distillate based precision cleaner w/ a flash point 205°F. Consider as alternative to CFC's when applications require higher flashpoints.

Applications

- Contacts
- Switches
- Pcs
- Relays
- Edge Connectors
- Busbars
- Plastics & Insulators
- Printed Circuit Boards
- Telephones
- Motors
- Generators
- Tape Heads
- Circuit Breakers
- Electromechanical Assemblies and Sensors

Appearance Clear Liquid

Color None

Dielectric Strength 45,700 Volts

Elastomer Compatibility Buna|Viton|Neoprene

Flammability Class - CPSC Combustible

Flash point (F) 204°F

Item Number 03126

NSF Category Code K2

Net Fill 5 Gal

Product Lifecycle Status DISC

Specific Gravity 0.79

Unit Dimensions 13.8H x 11.3W x 11.3D in

Units per Case 1

VOC % (Federal) 100

VOC Lbs./Gal. (Federal) 12.9

VOC g/L (Federal) 1550.6

Brand CRC

DOT Proper Shipping Name Not Regulated

Dry Time Fully Dry 10 Minutes

Evaporation Rate Slow

Flash point (C) 96°C

Generic Description Contact Cleaner

KB Value 25

NSF Number 017401

Plastic Safe Safe on Most Plastics (Test small area)

Propellant None

UPC Code 078254031262

Unit Package Description 5 Gallon Pail

VOC % (Consumer Product def) 0

VOC Category Electronic Cleaner

VOC g/L (Consumer Product def) 0

VOC lbs/gal (Consumer Prod def) 0



Part No. 02125

Item# 1003215

CRC® HF™ Contact Cleaner, 11 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.



Part No. 03200

Item# 1003455

CRC® Electronic Component Cleaner, 13 Wt Oz

Description

High purity, fast penetrating formula aggressively dissolves grease, dust, lint, oils, etc. from most non-plastic surfaces. It has no flash or fire point, evaporates rapidly and leaves no residue.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales & Sensors Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003454

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 26,100 Volts

Dry Time Fully Dry Fast

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Electronic Component Cleaner

I 2 of 5 Code 30078254032000

Item Number 03200

KB Value 45

NSF Category Code K2

NSF Number 139595

Net Fill 13 Wt Oz

Plastic Safe No

Propellant Carbon Dioxide

Restricted From Sale In CA

Specific Gravity 1.27

UPC Code 078254032009

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 57.5

VOC % (Federal) 57.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 7.4

VOC g/L (Consumer Product def) 730.3

VOC g/L (Federal) 891.6

VOC lbs/gal (Consumer Prod def) 6.1



Part No. 02133

Item# 1008124

CRC® QD® Contact Cleaner, 14 Fl Oz

Description

Suitable for cleaning sensitive electronics and electrical equipment. Evaporates quickly, leaves no residue and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF K2 Registered.

Applications

- Telephones
- Relays
- Tape Heads
- Circuits
- Printed Circuit Boards
- Pcs
- Edge Connectors
- Busbars
- Contacts
- Switches & Breakers

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003221

Color None

DOT Proper Shipping Name AEROSOLS, FLAMMABLE,
LIMITED QUANTITY

Dielectric Strength 30,500 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Very Fast

Flammability Class - CPSC Not a Consumer Product

Flash point (C) <-17°C

Flash point (F) 1.4 °F

Ford Tox No. 174603

Generic Description Contact Cleaner

I 2 of 5 Code 30078254021332

Item Number 02133

KB Value 29

NSF Category Code K2

NSF Number 017209

Net Fill 14 Fl Oz

Plastic Safe Yes

Propellant None

Restricted From Sale In California

Specific Gravity 0.74

UPC Code 078254021331

Unit Dimensions 10H x 2.63W x 3.75D in

Unit Package Description 16 Ounce Non-Aerosol Spray Can

Units per Case 12

VOC % (Consumer Product def) 74.9

VOC % (Federal) 74.9

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 4.6

VOC g/L (Consumer Product def) 554

VOC g/L (Federal) 554

VOC lbs/gal (Consumer Prod def) 4.6



Part No. 03131

Item# 1003408

CRC® QD® Contact Cleaner, 5 Gal

Description

Suitable for cleaning sensitive electronics and without leaving a residue. Evaporates quickly, leaves no residue and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF K2 Registered.

Applications

- Telephones
- Relays
- Tape Heads
- Circuits
- Printed Circuit Boards
- Breakers
- Pcs
- Edge Connectors
- Busbars
- Contacts
- Switches

Appearance Clear Colorless Liquid

Brand CRC

Color None

DOT Proper Shipping Name Flammable liquids, n.o.s. (Hexanes, methyl acetate RQ = 797 LBS), MARINE POLLUTANT

Dielectric Strength 30,500 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Very Fast

Flammability Class - CPSC Not a Consumer Product

Flash point (C) <-17 °C

Flash point (F) 1.4 °F

Generic Description Contact Cleaner

Item Number 03131

KB Value 29

NSF Category Code K2

NSF Number 017408

Net Fill 5 Gal

Plastic Safe Yes

Propellant None

Restricted From Sale In CA

Specific Gravity 0.74

UPC Code 078254031316

Unit Dimensions 16.25H x 11.5W x 11.5D in

Unit Package Description 5 Gallon Pail

Units per Case 1

VOC % (Consumer Product def) 74.9

VOC % (Federal) 74.9

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 4.6

VOC g/L (Consumer Product def) 554

VOC g/L (Federal) 554

VOC lbs/gal (Consumer Prod def) 4.6



Part No. 02131

Item# 1003219

CRC® QD® Contact Cleaner, 5 Gal

Discontinued

alternate available **Product No. 02130** **ITEM# 1003218**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Suitable for cleaning sensitive electronics. Evaporates quickly, leaves no residue and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF K2 Registered.

Applications

- Telephones
- Relays
- Tape Heads
- Circuits
- Printed Circuit Boards
- Breakers
- Pcs
- Edge Connectors
- Busbars
- Contacts
- Switches

Appearance Clear Colorless Liquid

Color None

Dielectric Strength 30,500 Volts

Evaporation Rate Very Fast

Flash point (C) <-17.8°C

Ford Tox No. 174603

Item Number 02131

NSF Category Code K2

Net Fill 5 Gal

Product Lifecycle Status DISC

Replacement Legacy Num 02130

Restricted From Sale In CA

UPC Code 078254021317

Unit Package Description 5 Gallon Pail

VOC % (Consumer Product def) 74.9

VOC Category Electronic Cleaner

VOC g/L (Consumer Product def) 552

VOC lbs/gal (Consumer Prod def) 4.6

Brand CRC

DOT Proper Shipping Name Flammable Liquids, N.O.S.
(Isohexane, Pentafluorobutane),
Marine Pollutant

Dry Time Fully Dry 30 Seconds

Flammability Class - CPSC Extremely Flammable

Flash point (F) <0°F

Generic Description Contact Cleaner

KB Value 29

NSF Number 017209

Plastic Safe Yes

Propellant None

Replacement Product SKU 1003218

Specific Gravity 0.74

Unit Dimensions 16.25H x 11.5W x 11.5D in

Units per Case 1

VOC % (Federal) 74.9

VOC Lbs./Gal. (Federal) 9.7

VOC g/L (Federal) 1161.4



Part No. 10340

Item# 1004736

CRC® Aviation Quick Dry, 11 Wt Oz

Discontinued

alternate available Product No. 03130 **ITEM# 1003407**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A petroleum distillate/alcohol based precision cleaner designed as an alternative to CFC based cleaners. Ideal for applications where lower flashpoint materials can be tolerated. Cost effective, plastic safe & residue free.

Applications

- Avionics
- Switches
- Relays
- Edge Connectors
- Fusible Connecting Devices
- Rheostats
- Printed Circuit Boards
- Motors
- Generators
- Circuit Breakers
- Terminals
- Aircraft Instrumentation & Communications Equipment

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1004735

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dielectric Strength _____ 39,500 Volts

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -9°C

Flash point (F) _____ 16°F

Generic Description _____ Precision Cleaner

I 2 of 5 Code _____ 30078254103403

Item Number _____ 10340

KB Value _____ 28

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ HFC-152a

Removal (How To) _____ Not Applicable

Replacement Legacy Num _____ 03130

Replacement Product SKU _____ 1003407

Specific Gravity _____ 0.66

UPC Code _____ 078254103402

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 74.9

VOC % (Federal) _____ 74.9

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 4.7

VOC g/L (Consumer Product def) _____ 562

VOC g/L (Federal) _____ 562

VOC lbs/gal (Consumer Prod def) _____ 4.7



Part No. 02130

Item# 1003218

CRC® QD® Contact Cleaner, 11 Wt Oz

Description

CRC QD Contact Cleaner is suitable for cleaning sensitive electronics. As a contact cleaner it evaporates quickly, leaves no residue and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF K2 Registered.

Applications

- Telephones
- Relays
- Tape Heads
- Circuits
- Printed Circuit Boards
- Breakers
- Pcs
- Edge Connectors
- Busbars
- Contacts
- Switches

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003216

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 39,500 Volts

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -9°C

Flash point (F) _____ 16°F

Ford Tox No. _____ 125126

Generic Description _____ Contact Cleaner

I 2 of 5 Code _____ 30078254021301

Item Number _____ 02130

KB Value _____ 28

NSF Category Code _____ K2

NSF Number _____ 017374

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Yes

Propellant _____ HFC-152a

Specific Gravity _____ 0.66

UPC Code _____ 078254021300

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 75

VOC % (Federal) _____ 74.9

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 4.7

VOC g/L (Consumer Product
def) _____ 495

VOC g/L (Federal) _____ 562

VOC lbs/gal (Consumer Prod
def) _____ 4.1



Part No. 03070

Item# 1003333

CRC® Contact Cleaner, 14 Wt Oz

Description

Advanced Technology Formula contains no known ozone depleting substances or VOCs. The non-flammable, plastic safe formula is an optimal alternative to CFC, HCFC and flammable contact cleaners. NSF K2 Registered.

Applications

- Connectors
- Relays
- Scales
- Printed Circuit Boards
- Switches
- Timers and Other Sensitive Electronic Equipment

Appearance _____ Colorless Volatile Liquid

Brand _____ CRC

Case# _____ 1003332

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non- Flammable,
LIMITED QUANTITY

Dielectric Strength _____ 28,750 Volts

Dry Time Fully Dry _____ 10 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Contact Cleaner

I 2 of 5 Code _____ 30078254030709

Item Number _____ 03070

KB Value _____ <10

NSF Category Code _____ K2

NSF Number _____ 017390

Net Fill _____ 14 Wt Oz

Plastic Safe _____ Yes

Propellant _____ HFC-134a

Specific Gravity _____ 1.58

UPC Code _____ 078254030708

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod
def) _____ 0



Part No. 02240

Item# 1003249

CRC® Contact Cleaner 2000® VC Precision Cleaner, 13 Wt Oz

Description

Effective alternative to 141b-based cleaners when sensitive plastics are not a concern. Evaporates quickly, leaves no residue, has no flash or fire point and contains no Class I or Class II Ozone Depleting Chemicals.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Sensors

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003248

Color None

DOT Proper Shipping Name Aerosols, Non-Flammable,
Limited Quantity

Dielectric Strength 30,800 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254022407

Item Number 02240

KB Value 64

NSF Category Code K2

NSF Number 140125

Net Fill 13 Wt Oz

Plastic Safe Safe on most plastics. Do NOT
use on polycarbonate plastics

Propellant HFC-134a

Specific Gravity 1.27

UPC Code 078254022406

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 35.8

VOC % (Federal) 35.8

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 3.76

VOC g/L (Consumer Product
def) 451

VOC g/L (Federal) 451

VOC lbs/gal (Consumer Prod
def) 3.76



Part No. 05131

Item# 1003738

CRC® VisiClear® Display & Electronics Screen Cleaner, 6.9 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A unique, high quality, natural water based foam cleaner for all televisions, monitors, notebooks/laptops, camcorders, navigation systems, touch screens, PDSs, scanners, and copy machines. It clings to surfaces and will not drip from vertical surfaces. Works to remove dirt, dust, fingerprints, nicotine, & haze deposits.

Applications

- All Televisions
- Notebooks/Laptops
- Navigation Systems
- Pdas
- Monitors
- Camcorders
- Touch Screens
- Scanners and Copy Machines

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003737

Color None

DOT Proper Shipping Name Aerosols, Non-Flammable,
Limited Quantity

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Screen Cleaner

I 2 of 5 Code 30078254051315

Item Number 05131

Net Fill 6.9 Wt Oz

PH 9 to 10

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Propane/Butane

Removal (How To) Remove with water.

Specific Gravity 1

UPC Code 078254051314

Unit Dimensions 6.88H x 2W x 2D in

Unit Package Description 8 ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 3.1

VOC % (Federal) 3.1

VOC Category Glass Cleaners - Aerosol

VOC Lbs./Gal. (Federal) 0.4

VOC g/L (Consumer Product def) 31

VOC g/L (Federal) 48.1

VOC lbs/gal (Consumer Prod def) 0.26



Part No. 03134

Item# 1003411

CRC® QD® Contact Cleaner, 1 Gal

Discontinued

alternate available Product No. 03130 **ITEM# 1003407**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Suitable for cleaning sensitive electronics and electrical equipment without leaving a residue. Evaporates quickly, leaves no residue and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF K2 Registered.

Applications

- Telephones
- Relays
- Tape Heads
- Circuits
- Printed Circuit Boards
- Breakers
- Pcs
- Edge Connectors
- Busbars
- Contacts
- Switches

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003410

Color None

DOT Proper Shipping Name Flammable Liquids, N.O.S.
(Isohexane, Pentafluorobutane)

Dielectric Strength 30,500 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Very Fast

Flammability Class - CPSC Extremely Flammable

Flash point (C) <-17.8°C

Flash point (F) <0°F

Generic Description Contact Cleaner

I 2 of 5 Code 30078254031348

Item Number 03134

KB Value 29

NSF Category Code K2

NSF Number 017408

Net Fill 1 Gal

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant None

Replacement Legacy Num 03130

Replacement Product SKU 1003407

Restricted From Sale In CA

Specific Gravity 0.74

UPC Code 078254031347

Unit Dimensions 11H x 4W x 6.5D in

Unit Package Description 1 Gallon Can

Units per Case 4

VOC % (Consumer Product def) 74.9

VOC % (Federal) 74.9

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 9.7

VOC g/L (Consumer Product def) 552

VOC g/L (Federal) 1161.4

VOC lbs/gal (Consumer Prod def) 4.6



Part No. 03130

Item# 1003407

CRC® QD® Contact Cleaner, 11 Wt Oz

Description

Suitable for cleaning sensitive electronics and without leaving a residue. Evaporates quickly, leaves no residue and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF P1 Registered.

Applications

- Telephones
- Relays
- Tape Heads
- Circuits
- Printed Circuit Boards
- Breakers
- Pcs
- Edge Connectors
- Busbars
- Contacts
- Switches

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003406

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 39,500 Volts

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -9°C

Flash point (F) _____ 16°F

Generic Description _____ Contact Cleaner

I 2 of 5 Code _____ 30078254031300

Item Number _____ 03130

KB Value _____ 28

NSF Category Code _____ P1

NSF Number _____ 017407

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Yes

Propellant _____ HFC-152a

Specific Gravity _____ 0.66

UPC Code _____ 078254031309

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 75

VOC % (Federal) _____ 74.9


VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 4.7

VOC g/L (Consumer Product
def) _____ 495

VOC g/L (Federal) _____ 562

VOC lbs/gal (Consumer Prod
def) _____ 4.1



Part No. 03135

Item# 1003413

CRC® Super-Soy™ Degreaser, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A unique, biodegradable, heavy duty cleaner/degreaser that is extremely effective for dissolving and removing grease, oil, lubricants, adhesives and tar.

Applications

- Air Tools
- Clutches
- Wire Rope
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Hazy Light Yellow Liquid

Brand _____ CRC

Case# _____ 1003412

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dielectric Strength _____ 18,900 Volts

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 28.9°C

Flash point (F) _____ 84°F

Generic Description _____ Cleaner/Degreaser

I 2 of 5 Code _____ 30078254031355

Item Number _____ 03135

NSF Category Code _____ K1

NSF Number _____ 141172

Net Fill _____ 15 Wt Oz

Plastic Safe _____ May Harm Sensitive Plastics

Product Lifecycle Status _____ DISC

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with water.

Specific Gravity _____ 0.89

UPC Code _____ 078254031354

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 8.2

VOC % (Federal) _____ 94.8


VOC Category _____ General Purpose Degreaser - Aerosol

VOC Lbs./Gal. (Federal) _____ 12.3

VOC g/L (Consumer Product def) _____ 73.3

VOC g/L (Federal) _____ 1470

VOC lbs/gal (Consumer Prod def) _____ 0.6



Part No. 10321

Item# 1004732

CRC® Aviation T-Force® Degreaser, 18 Wt Oz

Description

Effective heavy duty, non-flammable cleaner/degreaser. Evaporates quickly and leaves no residue. Airframe Approved Non-HAP Degreaser.

Applications

- Metal Parts
- Electric Motors
- Oxygen Handling Equipment
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Ground Support Equipment
- Spark Plugs & Valves
- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators & Compressors

Appearance Clear Colorless Liquid

Brand CRC

Case# 1004731

Color None

DOT Proper Shipping Name Aerosols, Non- Flammable,
LIMITED QUANTITY

Dielectric Strength 29,010 Volts

Elastomer Compatibility No

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Aviation Degreaser

I 2 of 5 Code 30078254103212

Item Number 10321

KB Value 91

Net Fill 18 Wt Oz

Plastic Safe No

Propellant Carbon Dioxide,HFC-134a

Removal (How To) Remove with water.

Restricted From Sale In CA, CO, CT, DE, MD, MI, NH, NY, OH,
RI, parts of UT

Specific Gravity 1.276

UPC Code 078254103211

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 42.2

VOC % (Federal) 42.42

VOC Category General Purpose Degreaser -
Aerosol

VOC Lbs./Gal. (Federal) 4.4

VOC g/L (Consumer Product
def) 523

VOC g/L (Federal) 523

VOC lbs/gal (Consumer Prod
def) 4.4



Part No. 02145

Item# 1003228

CRC® XT-2000™ Precision Cleaner, 12 Wt Oz

Discontinued

alternate available Product No. 03155 **ITEM# 1003425**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A non-flammable, low odor, rapidly evaporating precision cleaner for use in electrical and industrial applications. Effectively removes dirt, light oils and other contaminants from electrical and electronic equipment.

Applications

- Light Oils
- Dust
- Flux or Polar Soils From Contacts
- Motors
- Generators
- Busbars
- Scales
- And More
- Dirt
- Fingerprints
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Sensors

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003227

Color None

DOT Proper Shipping Name Aerosols, Non-Flammable,
Limited Quantity

Dielectric Strength 30,200 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254021455

Item Number 02145

KB Value 24

NSF Category Code K2

NSF Number 139245

Net Fill 12 Wt Oz

Plastic Safe Safe on Most Plastics (Test
small area)

Product Lifecycle Status DISC

Propellant HFC-134a

Replacement Legacy Num 03155

Replacement Product SKU 1003425

Specific Gravity 1.38

UPC Code 078254021454

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 23.5

VOC % (Federal) 23.45

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 3

VOC g/L (Consumer Product def) 324.3

VOC g/L (Federal) 363.6

VOC lbs/gal (Consumer Prod def) 2.7



Part No. 03155

Item# 1003425

CRC® XT-2000™ Precision Cleaner, 12 Wt Oz

Description

A non-flammable, low odor, rapidly evaporating precision cleaner for use in electrical and industrial applications. Effectively removes dirt, light oils and other contaminants from electrical and electronic equipment.

Applications

- Light Oils
- Dust
- Flux or Polar Soils From Contacts
- Motors
- Generators
- Busbars
- Scales
- Dirt
- Fingerprints
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Sensors

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003424

Color None

DOT Proper Shipping Name Aerosols, Non- Flammable,
LIMITED QUANTITY

Dielectric Strength 27,780 Volts

Dry Time Fully Dry 30 seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254031553

Item Number 03155

KB Value 19

NSF Category Code K2

NSF Number 139246

Net Fill 12 Wt Oz

Plastic Safe Safe on Most Plastics (Test
small area)

Propellant HFC-134a

Specific Gravity 1.38

UPC Code 078254031552

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 23.4

VOC % (Federal) 23.4

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 2.5

VOC g/L (Consumer Product
def) 302

VOC g/L (Federal) 302

VOC lbs/gal (Consumer Prod
def) 2.5



Part No. 10315

Item# 1004730

CRC® Aviation XT-2000™ Precision Cleaner, 12 Wt Oz

Description

A non-flammable, low odor, rapidly evaporating precision cleaner for use in aviation precision cleaning applications. Effectively removes dirt, light oils, and other contaminants from electrical and electronic equipment.

Applications

- Recommended For The Effective Cleaning of Light Oils
- Dirt
- Dust
- Flux or Polar Soils From Contacts
- Motors
- Generators
- Busbars
- Scales and Sensors
- Fingerprints
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Etc

Appearance Clear Colorless Liquid

Brand CRC

Case# 1004729

Color None

DOT Proper Shipping Name Aerosols, Non- Flammable,
LIMITED QUANTITY

Dielectric Strength 27,780 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254103151

Item Number 10315

KB Value 19

Net Fill 12 Wt Oz

Plastic Safe Safe on Most Plastics (Test
small area)

Propellant HFC-134a

Specific Gravity 1.38

UPC Code 078254103150

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 23.4

VOC % (Federal) 23.4

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 2.5

VOC g/L (Consumer Product
def) 302

VOC g/L (Federal) 302

VOC lbs/gal (Consumer Prod
def) 2.5



Part No. 05610

Item# 1003828

CRC® Mass Air Flow Sensor Cleaner, 4.5 Wt Oz

Description

CRC Mass Air Flow Cleaner was the first item on the market specifically designed to clean the mass air flow (MAF) sensor in your car, which can increase horsepower, enhance fuel efficiency, and improve engine performance. Safe on all car parts and plastic, it dries instantly, removes buildup and debris, and leaves behind no residue or chemical buildup.

Applications

- Mass Air Flow Sensors & Housing

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003827

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 22,600 Volts

Evaporation Rate Very Fast

Flammability Class - CPSC Extremely Flammable

Flash point (C) <-17.8°C

Flash point (F) <0°F

Generic Description Electronic Cleaner

I 2 of 5 Code 30078254056105

Item Number 05610

KB Value 27

Net Fill 4.5 Wt Oz

Plastic Safe Yes

Propellant Carbon Dioxide

Removal (How To) Remove with petroleum distillates.

Specific Gravity 0.67

UPC Code 078254056104

Unit Dimensions 13.34H x 5.41W x 5.41D in

Unit Package Description 4.5 Ounce(127 gr) Aerosol

Units per Case 12

VOC % (Consumer Product def) 95.5

VOC % (Federal) 95.5

VOC Category Single Purpose Cleaner/Degreaser

VOC Lbs./Gal. (Federal) 5.6

VOC g/L (Federal) 667

VOC lbs/gal (Consumer Prod def) 5.6



Part No. 02016

Item# 1003172

CRC® CO® Contact Cleaner, 14 Wt Oz

Description

Formula contains no known ozone depleting substances or VOCs. The non-flammable, plastic safe formula is an optimal alternative to CFC, HCFC and flammable contact cleaners. NSF K2 Registered.

Applications

- Connectors
- Relays
- Scales
- Printed Circuit Boards
- Switches
- Timers and Other Sensitive Electronic Equipment

Appearance _____ Colorless Volatile Liquid

Brand _____ CRC

Case# _____ 1003171

DOT Proper Shipping Name _____ Aerosols, Non- Flammable, LIMITED
QUANTITY

Dielectric Strength _____ 28,750 Volts

Dry Time Fully Dry _____ 10 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Contact Cleaner

I 2 of 5 Code _____ 30078254020168

Item Number _____ 02016

KB Value _____ <10

NSF Category Code _____ K2

NSF Number _____ 017225

Net Fill _____ 14 Wt Oz

Plastic Safe _____ Yes

Propellant _____ HFC-134a

Specific Gravity _____ 1.58

UPC Code _____ 078254020167

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 02017

Item# 1003174

CRC® CO® Contact Cleaner, 10 Fl Oz

Description

Formula contains no known ozone depleting substances or VOCs. The non-flammable, plastic safe formula is an optimal alternative to CFC, HCFC and flammable contact cleaners. NSF K2 Registered.

Applications

- Connectors
- Relays
- Scales
- Printed Circuit Boards
- Switches
- Timers and Other Sensitive Electronic Equipment

Appearance _____ Colorless Volatile Liquid

Brand _____ CRC

Case# _____ 1003173

DOT Proper Shipping Name _____ Aerosols, Non- Flammable, LIMITED
QUANTITY

Dielectric Strength _____ 27,600 Volts

Dry Time Fully Dry _____ 10 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 161568

Generic Description _____ Contact Cleaner

I 2 of 5 Code _____ 30078254020175

Item Number _____ 02017

KB Value _____ <10

NSF Category Code _____ K2

NSF Number _____ 111205

Net Fill _____ 10 Fl Oz

Plastic Safe _____ Yes

Propellant _____ HFC-134a

Restricted From Sale In _____ CA

Specific Gravity _____ 1.58

UPC Code _____ 078254020174

Unit Dimensions _____ 10H x 2.63W x 3.75D in

Unit Package Description _____ 16 Ounce Non-Aerosol Spray
Can

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 03201

Item# 1003457

CRC® Isopropyl Alcohol Cleaner, 12 Wt Oz

Description

A quick drying light-duty precision cleaner for use in industrial, electronic and aviation applications. Its 99% pure formula aggressively dissolves grease, dust, dirt, lint, oils and flux from most non-plastic surfaces.

Applications

- Recommended For Light Duty Cleaning and Degreasing

Appearance _____ Clear Water-White Liquid

Brand _____ CRC

Case# _____ 1003456

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 8,300 Volts/Mil

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 12.2°C

Flash point (F) _____ 54°F

Generic Description _____ Ultra Pure Cleaning Solvent

I 2 of 5 Code _____ 30078254032017

Item Number _____ 03201

KB Value _____ >200

NSF Category Code _____ K1,K2

NSF Number _____ 138013

Net Fill _____ 12 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test small
area)

Propellant _____ HFC-152a

Specific Gravity _____ 0.79

UPC Code _____ 078254032016

Unit Dimensions _____ 7.25H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 74.3

VOC % (Federal) _____ 74.3

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 5.1

VOC g/L (Consumer Product def) _____ 609

VOC g/L (Federal) _____ 609

VOC lbs/gal (Consumer Prod def) _____ 5.1



Part No. 14035

Item# 1004776

CRC® CE™ Precision Cleaner, 12 Wt Oz

Description

A non-flammable, low odor, moderate evaporating precision cleaner designed specifically for dissolving and flushing away carbon dust, polar soils, mineral oils, and non-polar soils as found in elevator rooms and vertical lifts on Precision equipment.

Applications

- Precision Elevator Components
- Relays
- Etc
- Including Electronics
- Switches

Appearance _____ Colorless Volatile Liquid

Brand _____ CRC

Case# _____ 1004775

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Dielectric Strength _____ 27,010 Volts

Dry Time Fully Dry _____ 2 to 3 Minutes

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Precision Cleaner

I 2 of 5 Code _____ 30078254140354

Item Number _____ 14035

KB Value _____ 16

NSF Category Code _____ K2

NSF Number _____ 138950

Net Fill _____ 12 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test
small area)

Propellant _____ HFC-134a

Specific Gravity _____ 1.36

UPC Code _____ 078254140353

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 16.3

VOC % (Federal) _____ 16.28

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 2.1

VOC g/L (Consumer Product
def) _____ 221.7

VOC g/L (Federal) _____ 252.4

VOC lbs/gal (Consumer Prod
def) _____ 1.85



Part No. 14086

Item# 1004820

CRC® Freeze Spray, 10 Wt Oz

Description

CRC Freeze Spray is an aerosol coolant system that instantly freezes surfaces to -60°F, dissipating heat and cooling equipment. It also assists in locating thermal intermittent components, failures and shorts. Safe to use on sensitive components and all surfaces finishes. Freeze Spray is non-flammable, safe on plastics and dries instantly leaving no residue.

Applications

- Coolant on Thermal Intermittent
- Office Equipment
- Video
- Data Processing Equipment
- Lab Equipment
- Plant Machinery
- Computers
- Electronics
- Audio & Communication Equipment
- Circuit Boards
- Clean Rooms
- And More

Appearance Clear Colorless Liquefied Gas

Brand CRC

Case# 1004819

Color None

DOT Proper Shipping Name 1,1,1,2-Tetrafluoroethane or
Refrigerant gas R 134a
LIMITED QUANTITY

Evaporation Rate Very Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Freeze Spray

I 2 of 5 Code 30078254140866

Item Number 14086

KB Value <10

Net Fill 10 Wt Oz

Plastic Safe Yes

Propellant HFC-134a

Recoat As necessary

Removal (How To) Air

Specific Gravity 1.24

UPC Code 078254140865

Unit Dimensions 6.25H x 2.63W x 2.63D in

Unit Package Description 12 Ounce Aerosol with Trigger

Units per Case 12

VOC % (Consumer Product def) 0

VOC % (Federal) 0

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 0

VOC g/L (Consumer Product
def) 0

VOC g/L (Federal) 0

VOC lbs/gal (Consumer Prod
def) 0



Part No. 14085

Item# 1004818

CRC® Duster™ Aerosol Dust Removal System, 8 Wt Oz

Description

A powerful blast of product removes dirt, dust and embedded debris on energized equipment. Non-flammable, safe on all plastics. Not intended for consumer, domestic, commercial, or institutional cleaning purposes.

Applications

- Energized Equipment Use Only

Appearance _____ Clear Liquefied Gas

Brand _____ CRC

Case# _____ 1004817

Color _____ None

DOT Proper Shipping Name _____ 1,1,1,2-Tetrafluoroethane or
Refrigerant gas R 134a
LIMITED QUANTITY

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 192326

Generic Description _____ Aerosol Dust Removal System

I 2 of 5 Code _____ 30078254140859

Item Number _____ 14085

KB Value _____ <10

NSF Category Code _____ K2

NSF Number _____ 017208

Net Fill _____ 8 Wt Oz

Plastic Safe _____ Yes

Propellant _____ HFC-134a

Recoat _____ As necessary

Removal (How To) _____ Air

Restricted From Sale In _____ Energized equipment use only

Specific Gravity _____ 1.24

UPC Code _____ 078254140858

Unit Dimensions _____ 7H x 2.63W x 2.63D in

Unit Package Description _____ 12 Ounce Aerosol with Trigger

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized equipment use

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod
def) _____ 0



Part No. 03150

Item# 1003419

CRC® Contact Cleaner 2000® Precision Cleaner, 13 Wt Oz

Description

Not all contact cleaners are made the same. CRC has a variety of different contact cleaners that serve different purposes. Contact Cleaner 2000® Precision Cleaner is a next-generation electronic contact cleaner that boasts the strongest cleaning performance available for a contact cleaner. If you need a product with superior performance, read on to see if this is the right solution for you.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales & Sensors
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003418

Color None

DOT Proper Shipping Name Aerosols, Flammable, LIMITED QUANTITY

Dielectric Strength 26,100 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254031508

Item Number 03150

KB Value 64

NSF Category Code K2

NSF Number 017391

Net Fill 13 Wt Oz

Plastic Safe Safe on most plastics. Do NOT use on polycarbonate plastics

Propellant Carbon Dioxide

Restricted From Sale In CA

Specific Gravity 1.27

UPC Code 078254031507

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 66.5

VOC % (Federal) 66.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 7

VOC g/L (Consumer Product def) 838

VOC g/L (Federal) 838

VOC lbs/gal (Consumer Prod def) 7



Part No. 02140

Item# 1003224

CRC® Contact Cleaner 2000® Precision Cleaner, 13 Wt Oz

Description

Effective alternative to 141b-based cleaners when sensitive plastics are not a concern. Evaporates quickly, leaves no residue, has no flash or fire point and contains no Class I or Class II Ozone Depleting Chemicals.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Sensors

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003223

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 26,100 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

I 2 of 5 Code 30078254021400

Item Number 02140

KB Value 64

NSF Category Code K2

NSF Number 017213

Net Fill 13 Wt Oz

Plastic Safe Safe on most plastics. Do NOT use on polycarbonate plastics

Propellant Carbon Dioxide

Restricted From Sale In CA

Specific Gravity 1.27

UPC Code 078254021409

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 66.5

VOC % (Federal) 66.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 7

VOC g/L (Consumer Product def) 838

VOC g/L (Federal) 838

VOC lbs/gal (Consumer Prod def) 7



Part No. 03151

Item# 1003421

CRC® Mech Force™ Industrial Degreaser, 14 Wt Oz

Description

An innovative, non-chlorinated heavy duty degreaser that removes oil, grease and other contaminants. This fast evaporation solvent is excellent for use where rapid turnaround is necessary and low flashpoint solvents can be used. It offers a high permissible exposure limit.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales & Sensors
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003420

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 6,600 Volts

Evaporation Rate Fast

Flammability Class - CPSC Flammable

Flash point (C) <-17.8°C

Flash point (F) <0°F

Generic Description Non-Chlorinated Degreaser

I 2 of 5 Code 30078254031515

Item Number 03151

KB Value >200

NSF Category Code K1

NSF Number 149229

Net Fill 14 Wt Oz

Plastic Safe No

Propellant Carbon Dioxide

Restricted From Sale In CA, CO, CT, DE, MD, MI, NH, NY, OH, RI, parts of UT

Specific Gravity 0.74

UPC Code 078254031514

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 46

VOC % (Federal) 46

VOC Category General Purpose Degreaser - Aerosol

VOC Lbs./Gal. (Federal) 6

VOC g/L (Consumer Product def) 368

VOC g/L (Federal) 713.3

VOC lbs/gal (Consumer Prod def) 3.1

Part No. 03152

Item# 1003422

CRC Contact Cleaner 2000 Precision Cleaner 1x5 gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.



Part No. 03153

Item# 1003423

CRC® Contact Cleaner 2000® Precision Cleaner, 55 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effective alternative to 141b-based cleaners when sensitive plastics are not a concern. Evaporates quickly, leaves no residue, has no flash or fire point and contains no Class I or Class II Ozone Depleting Chemicals.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales & Sensors
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics

Appearance Clear Colorless Liquid

Color None

Dielectric Strength 30,800 Volts

Evaporation Rate Fast

Flash point (C) None

Generic Description Precision Cleaner

KB Value 45

NSF Number 111211

Plastic Safe No

Propellant None

Specific Gravity 1.27

Unit Dimensions 35H x 24.5W x 24.5D in

Units per Case 1

VOC % (Federal) 60.5

VOC Lbs./Gal. (Federal) 7.8

VOC g/L (Federal) 938.1

Brand CRC

DOT Proper Shipping Name Not Regulated

Dry Time Fully Dry 30 Seconds

Flammability Class - CPSC None

Flash point (F) None

Item Number 03153

NSF Category Code K2

Net Fill 55 Gal

Product Lifecycle Status DSEL

Restricted From Sale In CA

UPC Code 078254031538

Unit Package Description 55 Gallon Drum

VOC % (Consumer Product def) 60.5

VOC Category Electronic Cleaner

VOC g/L (Consumer Product def) 768.4

VOC lbs/gal (Consumer Product def) 6.4



Part No. 02143

Item# 1003226

CRC® Contact Cleaner 2000® Precision Cleaner, 55 Gal

Discontinued

alternate available Product No. 02140 **ITEM# 1003224**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effective alternative to 141b-based cleaners when sensitive plastics are not a concern. Evaporates quickly, leaves no residue, has no flash or fire point and contains no Class I or Class II Ozone Depleting Chemicals.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Sensors

Appearance Clear Colorless Liquid

Brand CRC

Color None

DOT Proper Shipping Name Not Regulated

Dielectric Strength 30,800 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

Item Number 02143

KB Value 45

NSF Category Code K2

NSF Number 111213

Net Fill 55 Gal

Plastic Safe No

Product Lifecycle Status DISC

Propellant None

Replacement Legacy Num 02140

Replacement Product SKU 1003224

Restricted From Sale In CA

Specific Gravity 1.27

UPC Code 078254021430

Unit Dimensions 35H x 24.5W x 24.5D in

Unit Package Description 55 Gallon Drum

Units per Case 1

VOC % (Consumer Product def) 60.5

VOC % (Federal) 60.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 7.8

VOC g/L (Consumer Product def) 768.4

VOC g/L (Federal) 938.1

VOC lbs/gal (Consumer Prod def) 6.4



Part No. 03132

Item# 1003409

CRC® QD® Contact Cleaner, 55 Gal

Description

Suitable for cleaning sensitive electronics and without leaving a residue. Evaporates quickly, leaves no residue and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF K2 Registered.

Applications

- Telephones
- Relays
- Tape Heads
- Circuits
- Printed Circuit Boards
- Breakers
- Pcs
- Edge Connectors
- Busbars
- Contacts
- Switches

Appearance Clear Colorless Liquid

Brand CRC

Color None

DOT Proper Shipping Name Flammable liquids, n.o.s. (Hexanes,
methyl acetate RQ = 797 LBS),
MARINE POLLUTANT

Dielectric Strength 30,500 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Very Fast

Flammability Class - CPSC Not a Consumer Product

Flash point (C) <-17 °C

Flash point (F) 1.4 °F

Generic Description Contact Cleaner

Item Number 03132

KB Value 29

NSF Category Code K2

NSF Number 017408

Net Fill 55 Gal

Plastic Safe Yes

Propellant None

Restricted From Sale In CA

Specific Gravity 0.74

UPC Code 078254031323

Unit Dimensions 35H x 24.5W x 24.5D in

Unit Package Description 55 Gallon Drum

Units per Case 1

VOC % (Consumer Product def) 74.9

VOC % (Federal) 74.9

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 4.6

VOC g/L (Consumer Product def) 554

VOC g/L (Federal) 554

VOC lbs/gal (Consumer Prod def) 4.6



Part No. 03208

Item# 1003462

NT™ Precision Cleaner, 55 Gal

Description

HFE/HFC-based contact cleaning solvent. 141b replacement. No flash or fire point. Fast cleaning action for removal of dirt, light oils and other contaminants.

Applications

Contacts, metal switches, motors, relays, generators, edge connectors, busbars, circuit breakers, scales & sensors. Not recommended for use on LEXAN®, Noryl®, or polycarbonate-type plastics.

Appearance Clear Colorless Liquid

Brand CRC

Case Weight 613 lbs

Color None

DOT Proper Shipping Name Not Regulated

Dielectric Strength 30,800 Volts

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Precision Cleaner

Item Number 03208

KB Value 45

NSF Category Code K2

NSF Number 126403

Net Fill 55 Gal

Plastic Safe Not on all plastics

Product Data Sheet (Spanish) —

Propellant None

Restricted From Sale In CA

Specific Gravity 1.27

UPC Code 078254032085

Unit Dimensions 35H x 24.5W x 24.5D in

Unit Package Description 55 Gallon Drum

Units per Case 1

VOC % (Consumer Product def) 60.5

VOC % (Federal) 60.5

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 6.4

VOC g/L (Consumer Product def) 768.4

VOC g/L (Federal) 768.4

VOC lbs/gal (Consumer Prod def) 6.4

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>