

Электрическая система

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>



Part No. 1750536

Item# 1750536

CRC® Lectra-Clean® 3000 Electric Parts Cleaner (Retail), 19 Wt Oz

Description

An aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt, & wax without having to remove parts.

Applications

- Designed For Use on Energized Equipment

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1750535

DOT Proper Shipping Name _____ Aerosols, non-flammable, Limited
Quantity

Dielectric Strength _____ 37,500 Volts

Dry Time Fully Dry _____ Fast

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Electrical Parts Cleaner

I 2 of 5 Code _____ 30078254505351

Item Number _____ 1750536

KB Value _____ 95

Net Fill _____ 19 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

UPC Code _____ 078254000121

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod
def) _____ 0



Part No. 1750521

Item# 1750521

CRC® Lectra-Clean® 3000 Electric Parts Cleaner, 19 Wt Oz

Description

An aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt, & wax without having to remove parts.

Applications

- Designed For Use on Energized Equipment

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1750520

DOT Proper Shipping Name _____ Aerosols, non-flammable, Limited Quantity

Dielectric Strength _____ 37,500 Volts

Dry Time Fully Dry _____ Fast

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Electrical Parts Cleaner

I 2 of 5 Code _____ 30078254505207

Item Number _____ 1750521

KB Value _____ 95

Net Fill _____ 19 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

UPC Code _____ 078254000084

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 06113

Item# 1003915

CRC® Marine Premium Dielectric Grease, 3.3 Wt Oz

Description

Best New Packaging in the performance category at the 2015 AAPEX/SEMA Show! Simply turn the dial on the Select-A-BEAD® Nozzle to select the best bead width for your project. A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing & voltage drop. Also ideal for lubricating plastic & rubber. Improves electrical performance in adverse weather conditions. Patented finger-actuated delivery system for smooth, continuous coverage.

Applications

- Electrical Connectors and Contacts
- Breakers
- Shore Power Inlets
- Bulkhead Connectors
- Spark Plugs
- Light Bulbs & Sockets
- Electrical Panels
- Trailer Connectors
- Battery Terminals

Appearance _____ Opaque White Gel

Brand _____ CRC

Case# _____ 1003914

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Dielectric Strength _____ >450 Volts/Mil

Federal Specification Number _____ FDA-CFR-21-178.3570

Film Type _____ Non-Curing Silicone Paste

Flammability Class - CPSC _____ None

Flash point (C) _____ >300°C

Flash point (F) _____ >572°F

Generic Description _____ Premium Dielectric Grease

I 2 of 5 Code _____ 30078254061130

Item Number _____ 06113

Military Specification Number _____ SAE-AS-8660

NLGI Grade _____ 2

Net Fill _____ 3.3 Wt Oz

Oil Separation _____ <1%

Plastic Safe _____ Safe on Most Plastics (Test
small area)

Propellant _____ Nitrogen

Removal (How To) _____ Remove with petroleum
distillates and chlorinated
solvents.

Specific Gravity _____ 0.97

UPC Code _____ 078254061139

Unit Dimensions _____ 8.75H x 2W x 2D in

Unit Package Description _____ 6 Ounce Pressurized Can

Units per Case _____ 12

VOC % (Consumer Product def) _____ <1

VOC % (Federal) _____ <1

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ <0.13

VOC g/L (Consumer Product def) _____ <0.01

VOC g/L (Federal) _____ <15.5

VOC lbs/gal (Consumer Prod def) _____ <0.1

Working Temp (C) _____ -56.7 to 204.4°C

Working Temp (F) _____ -70 to 400°F



Part No. 06102

Item# 1003913

CRC® Marine QD® Electronic Cleaner, 11 Wt Oz

Description

Cleans sensitive electronic components & contacts. Use on electronic engine controls, data sensors & wiring, GPS, fishfinders, computers, VCRs, stereos, CD & DVD players. Helps prevent contact failure or malfunction. Evaporates quickly. Leaves no residue.

Applications

- Sensitive Electronics
- Clocks
- Fans
- Electronics
- Flux Removal
- Lexan
- Lighting
- Noryl (Plastic)
- Pcs
- Switches
- Tape Heads
- Terminals
- Circuit Breakers
- Contacts
- Motors
- Fiberglass
- Generators
- Light Sockets
- Metal Parts
- Nylon
- Plugs
- PVC
- Telephones

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003912

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity (Marine Pollutant)

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-17.8°C

Flash point (F) _____ <0°F

Generic Description _____ Electronic Cleaner

I 2 of 5 Code _____ 30078254061024

Item Number _____ 06102

KB Value _____ 27

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Yes

Propellant _____ HFC-152a

Specific Gravity _____ 0.66

UPC Code _____ 078254061023

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 75

VOC % (Federal) _____ 75

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 9.7

VOC g/L (Consumer Product def) _____ 495

VOC g/L (Federal) _____ 1163

VOC lbs/gal (Consumer Prod def) _____ 4.1



Marine Battery Cleaner, 11 Wt Oz

No. 06023 | Item# 1003890 | Case# 1003889

Product Description	Removes corrosion from cables, terminals, cases, and hold-downs. Neutralizes acid spills. Assures maximum battery current flow and promotes longer life.
Applications	Clean battery terminals, battery casings, cable connectors and hold downs.
Unit Package Description	12 Ounce Aerosol
Brand	CRC
Generic Description 1	Marine Battery Cleaner
Net Fill	11 Wt Oz
UPC Code	078254060231
Unit Dimensions	6.25H x 2.63W x 2.63D in
Units Per Case	12
Case Dimensions	6.7H x 8.3W x 11.1D in
Cases Per Pallet	171
Case Weight	11 lbs
I 2 of 5 Code	30078254060232
Appearance	Yellow Foam
Flash point (F)	None
Flash point (C)	None
Flammability Class - CPSC	None
Spec Gravity Concentrate	1.04
Plastic Safe	Yes
Evaporation Rate	Slow
Propellant	Hydrocarbon
Aerosol Flammability Level	I
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity
VOC % (Consumer Product def)	7.9
VOC g/L (Consumer Product def)	82.16
VOC lbs/gal (Consumer Prod def)	0.68
VOC Category	Single Purpose Cleaner/Degreaser



Part No. 05131

Item# 1003738

CRC® VisiClear® Display & Electronics Screen Cleaner, 6.9 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A unique, high quality, natural water based foam cleaner for all televisions, monitors, notebooks/laptops, camcorders, navigation systems, touch screens, PDSs, scanners, and copy machines. It clings to surfaces and will not drip from vertical surfaces. Works to remove dirt, dust, fingerprints, nicotine, & haze deposits.

Applications

- All Televisions
- Notebooks/Laptops
- Navigation Systems
- Pdas
- Monitors
- Camcorders
- Touch Screens
- Scanners and Copy Machines

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003737

Color None

DOT Proper Shipping Name Aerosols, Non-Flammable,
Limited Quantity

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Screen Cleaner

I 2 of 5 Code 30078254051315

Item Number 05131

Net Fill 6.9 Wt Oz

PH 9 to 10

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Propane/Butane

Removal (How To) Remove with water.

Specific Gravity 1

UPC Code 078254051314

Unit Dimensions 6.88H x 2W x 2D in

Unit Package Description 8 ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 3.1

VOC % (Federal) 3.1

VOC Category Glass Cleaners - Aerosol

VOC Lbs./Gal. (Federal) 0.4

VOC g/L (Consumer Product def) 31

VOC g/L (Federal) 48.1

VOC lbs/gal (Consumer Prod def) 0.26



Part No. 05610

Item# 1003828

CRC® Mass Air Flow Sensor Cleaner, 4.5 Wt Oz

Description

CRC Mass Air Flow Cleaner was the first item on the market specifically designed to clean the mass air flow (MAF) sensor in your car, which can increase horsepower, enhance fuel efficiency, and improve engine performance. Safe on all car parts and plastic, it dries instantly, removes buildup and debris, and leaves behind no residue or chemical buildup.

Applications

- Mass Air Flow Sensors & Housing

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003827

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 22,600 Volts

Evaporation Rate Very Fast

Flammability Class - CPSC Extremely Flammable

Flash point (C) <-17.8°C

Flash point (F) <0°F

Generic Description Electronic Cleaner

I 2 of 5 Code 30078254056105

Item Number 05610

KB Value 27

Net Fill 4.5 Wt Oz

Plastic Safe Yes

Propellant Carbon Dioxide

Removal (How To) Remove with petroleum distillates.

Specific Gravity 0.67

UPC Code 078254056104

Unit Dimensions 13.34H x 5.41W x 5.41D in

Unit Package Description 4.5 Ounce(127 gr) Aerosol

Units per Case 12

VOC % (Consumer Product def) 95.5

VOC % (Federal) 95.5

VOC Category Single Purpose Cleaner/Degreaser

VOC Lbs./Gal. (Federal) 5.6

VOC g/L (Federal) 667

VOC lbs/gal (Consumer Prod def) 5.6



Part No. 05646

Item# 1003836

CRC® Single Use Battery Terminal Protector, 3 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead-free soft protective coating.

Applications

- Battery Posts
- Hold-Downs and Casings Used in Vehicles
- Handling Equipment and Uninterrupted Power Supplies (Ups)
- Security and Emergency Back-Up Systems
- Terminals
- Boats
- Used For Computer

Appearance _____ Dark Red Viscous Liquid

Brand _____ CRC

Case# _____ 1003835

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Evaporation Rate _____ Fast

Film Type _____ Soft, Visible, Viscous

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-18°C

Flash point (F) _____ <0°F

Generic Description _____ Battery Terminal Protector

I 2 of 5 Code _____ 30078254056464

Item Number _____ 05646

MIR Limit (CA) _____ 2.0

MIR Limit (EPA) _____ None

MIR Value _____ 1.25

Net Fill _____ 3 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with a degreaser or
brake cleaner product.

Specific Gravity _____ 0.727

UPC Code _____ 078254056463

Unit Dimensions _____ 5.25H x 2.13W x 2.13D in

Unit Package Description _____ 6 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 86.3

VOC Category _____ Aerosol Coating: Electrical Coating

VOC g/L (Consumer Product def) _____ 627.4

VOC lbs/gal (Consumer Prod
def) _____ 5.23



Part No. 05623

Item# 1003832

CRC® Single Use Battery Cleaner, 5 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Instantly detects leaks and neutralizes acid. Removes corrosion by-products. Just spray on and rinse off.

Applications

- Battery Terminals
- Battery Casings
- Cable Connectors & Hold Downs

Appearance Yellow Foam

Brand CRC

Case# 1003831

Color None

DOT Proper Shipping Name Aerosols, Non-Flammable,
Limited Quantity

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Battery Cleaner

I 2 of 5 Code 30078254056235

Item Number 05623

Net Fill 5 Wt Oz

PH 8.5

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Hydrocarbon

Specific Gravity 1.04

UPC Code 078254056234

Unit Dimensions 5.25H x 2.13W x 2.13D in

Unit Package Description 6 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 7.9

VOC % (Federal) 7.95

VOC Category Single Purpose
Cleaner/Degreaser

VOC Lbs./Gal. (Federal) 1

VOC g/L (Consumer Product def) 82.16

VOC g/L (Federal) 123.2

VOC lbs/gal (Consumer Prod def) 0.68



Part No. 06046

Item# 1003896

CRC® Marine Battery Terminal Protector, 7.5 Wt Oz

Discontinued

alternate available Product No. 05046 **ITEM# 1003657**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead free soft protective coating.

Applications

- Battery Posts
- Hold-Downs and Casings Used in Vehicles
- Handling Equipment and Uninterrupted Power Supplies (Ups)
- Security and Emergency Back-Up Systems
- Terminals
- Boats
- Used For Computer

Appearance ————— Dark Red Viscous Liquid

Brand ————— CRC

Case# ————— 1003895

Color ————— None

DOT Proper Shipping Name ————— Aerosols, Flammable, Limited
Quantity

Evaporation Rate ————— Fast

Film Type ————— Soft, Visible, Viscous

Flammability Class - CPSC ————— Extremely Flammable

Flash point (C) ————— <-18°C

Flash point (F) ————— <0°F

Generic Description ————— Marine Battery Terminal
Protector

I 2 of 5 Code ————— 30078254060461

Item Number ————— 06046

MIR Limit (CA) ————— 2.0

MIR Limit (EPA) ————— None

MIR Value ————— 1.25

Net Fill ————— 7.5 Wt Oz

Plastic Safe ————— Yes

Product Lifecycle Status ————— DISC

Propellant ————— Hydrocarbon

Removal (How To) ————— Remove with a degreaser or
brake cleaner product.

Replacement Legacy Num ————— 05046

Replacement Product SKU ————— 1003657

Specific Gravity ————— 0.727

UPC Code ————— 078254060460

Unit Dimensions ————— 6.25H x 2.63W x 2.63D in

Unit Package Description ————— 12 Ounce Aerosol

Units per Case ————— 12

VOC % (Consumer Product def) ————— 86.3

VOC % (Federal) ————— 86.3

VOC Category ————— Aerosol Coating: Electrical
Coating

VOC Lbs./Gal. (Federal) ————— 11.2

VOC g/L (Consumer Product def) ————— 627.4

VOC g/L (Federal) ————— 1338.2

VOC lbs/gal (Consumer Prod def) ————— 5.23



Part No. 05103

Item# 1003719

CRC® QD® Electronic Cleaner, 11 Wt Oz

Description

Cleaning delicate equipment is a critical job to perform on many electronics. Due to the delicate nature of electronic components, not all cleaners are suitable. CRC QD® Electronic Cleaner is designed for precision cleaning on electronic equipment. It is plastic safe and formulated for use on sensitive electronic parts, including electronic circuits, lighting, plugs, computer components, switches, electrical contacts, and even electronic parts in automotive applications.

Applications

- Circuit Breakers
- Coin Mechanisms
- Contacts
- Fiberglass
- Sockets
- Plastics
- Plugs
- PVC
- Tape Heads
- Circuits
- Computer Components
- Electronics
- Flux Removal
- Lighting
- Nylon
- Relay Switches
- PTFE
- Terminals

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003718

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry 30 Seconds

Evaporation Rate Very Fast

Flammability Class - CPSC Extremely Flammable

Flash point (C) <-17.8°C

Flash point (F) <0°F

Generic Description Electronic Cleaner

I 2 of 5 Code 30078254051032

Item Number 05103

KB Value 27

Net Fill 11 Wt Oz

Plastic Safe Yes

Propellant HFC-152a

Specific Gravity 0.66

UPC Code 078254051031

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 75

VOC % (Federal) 75

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 9.7

VOC g/L (Consumer Product def) 495

VOC g/L (Federal) 1163

VOC lbs/gal (Consumer Prod def) 4.1



Part No. 05101

Item# 1003717

CRC® QD® Electronic Cleaner, 4.5 Wt Oz

Description

A petroleum distillate / alcohol based precision cleaner designed as an alternative to CFC based cleaners. Ideal for applications where lower flashpoint materials can be tolerated. Cost effective, plastic safe & residue free.

Applications

- Circuit Breakers
- Coin Mechanisms
- Contacts
- Fiberglass
- Sockets
- Plastics
- Plugs
- PVC
- Tape Heads
- Circuits
- Computer Components
- Electronics
- Flux Removal
- Lighting
- Nylon
- Relay Switches
- PTFE
- Terminals

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003716

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity (Marine Pollutant)

Dry Time Fully Dry 30 Seconds

Evaporation Rate Very Fast

Flammability Class - CPSC Extremely Flammable

Flash point (C) <-17.8°C

Flash point (F) <0°F

Generic Description Electronic Cleaner

I 2 of 5 Code 30078254051018

Item Number 05101

KB Value 27

Net Fill 4.5 Wt Oz

Plastic Safe Yes

Propellant HFC-152a

Specific Gravity 0.66

UPC Code 078254051017

Unit Dimensions 5.5H x 2W x 2D in

Unit Package Description 6 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 75

VOC % (Federal) 75

VOC Category Electronic Cleaner

VOC Lbs./Gal. (Federal) 9.7

VOC g/L (Consumer Product def) 495

VOC g/L (Federal) 1163

VOC lbs/gal (Consumer Prod def) 4.1



Part No. 05109

Item# 1003727

CRC® Technician Grade Dielectric Grease with Precision Tip Applicator, .5 Wt Oz

Description

A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing, voltage drop & other conditions. Also ideal for lubrication of plastic & rubber.

Applications

- Electrical Connections
- Contacts
- Trailer Connectors
- Battery Terminals
- Lubrication of Plastic
- Circuit Breakers
- Spark Plug Boots
- Hei Distributor
- Contacts
- Rubber Parts & O-Rings

Appearance Translucent White

Brand CRC

Case# 1003726

Color None

DOT Proper Shipping Name Not Regulated

Dielectric Strength 500 Volts/Mil

Drop Point None

Evaporation Rate Slow

Film Type Grease

Flammability Class - CPSC None

Flash point (C) 299°C

Flash point (F) 570°F

Generic Description Dielectric Grease

I 2 of 5 Code 30078254051094

Item Number 05109

Leakage None

NLGI Grade 3

Net Fill 0.5 Wt Oz

Plastic Safe Yes

Pour Point -50°F

Pour Point (C) -45.56°C

Pour Point (F) -50°F

Propellant None

Removal (How To) Remove with a degreaser.

Specific Gravity 1.03

UPC Code 078254051093

Unit Dimensions 7.88H x 2.75W x 1D in

Unit Package Description 0.5 Ounce Tube

Units per Case 12

VOC % (Consumer Product def) 0

VOC Category Not Regulated

VOC g/L (Consumer Product def) 0

VOC lbs/gal (Consumer Prod def) 0

Water Washout 0.75

Worked Penetration 230 to 245

Working Temp (C) 298.89°C

Working Temp (F) 570°F



Part No. 05113

Item# 1003734

CRC® Technician Grade Dielectric Grease, 3.3 Wt Oz

Description

Best New Packaging in the performance category at the 2015 AAPEX/SEMA Show! Simply turn the dial on the Select-A-BEAD® Nozzle to select the best bead width for your project. A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing & voltage drop. Also ideal for lubricating plastic & rubber. Improves electrical performance in adverse weather conditions. Patented finger-actuated delivery system for smooth, continuous coverage.

Applications

- Electrical Connections
- Contacts
- Trailer Connectors
- Battery Terminals
- Lubrication of Plastic
- Circuit Breakers
- Spark Plug Boots
- Hei Distributor
- Contacts
- Rubber Parts & O-Rings

Appearance	Opaque White Gel	Brand	CRC
Case#	1003735	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Dielectric Strength	>450 Volts/Mil
Drop Point	None	Federal Specification Number	FDA-CFR-21-178.3570
Film Type	Non-Curing Silicone Paste	Flammability Class - CPSC	None
Flash point (C)	>300°C	Flash point (F)	>572°F
Generic Description	Dielectric Grease	I 2 of 5 Code	60078254051132
Item Number	05113	Military Specification Number	SAE-AS-8660
NLGI Grade	2	Net Fill	3.3 Wt Oz
Oil Separation	<1%	Plastic Safe	Safe on Most Plastics (Test small area)
Propellant	Nitrogen	Removal (How To)	Remove with petroleum distillates and chlorinated solvents.
Specific Gravity	0.97	UPC Code	078254051130
Unit Dimensions	8.75H x 2.25W x 2.25D in	Unit Package Description	6 Ounce Pressurized Can
Units per Case	12	VOC % (Consumer Product def)	<1
VOC % (Federal)	<1	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	<0.13	VOC g/L (Consumer Product def)	<0.01
VOC g/L (Federal)	<15.5	VOC lbs/gal (Consumer Prod def)	<0.1
Worked Penetration	Varies with grade	Working Temp (C)	-56.7 to 204.4°C
Working Temp (F)	-70 to 400°F		



Part No. 05185

Item# 1003746

CRC® Duster™ Moisture-Free Dust & Lint Remover, 8 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Provides a powerful blast of product to remove embedded debris without damaging sensitive components or surface finishes. Reaches areas where normal hand dusting cannot.

Applications

- Circuit Breakers
- Contacts
- Lab Equipment
- Locks
- PC Boards
- Photographic Equipment
- PCV Valve
- Smoke Detectors
- Switches
- Televisions
- Computer Components
- Electronics
- Light Sockets
- Office Equipment
- Pcs
- Radios
- Sensors
- Stereos
- Telephones
- Vcrs

Appearance _____ Clear Liquefied Gas

Brand _____ CRC

Case# _____ 1003745

Color _____ None

DOT Proper Shipping Name _____ 1,1-Difluoroethane or
Refrigerant gas R 152a

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ -50°C

Flash point (F) _____ -58°F

Ford Tox No. _____ 192326

Generic Description _____ Moisture-Free Dust and Lint
Remover

I 2 of 5 Code _____ 20078254051851

Item Number _____ 05185

KB Value _____ <11

Net Fill _____ 8 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ HFC-152a

Removal (How To) _____ N/A

Specific Gravity _____ 0.909

UPC Code _____ 078254051857

Unit Dimensions _____ 8.25H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Pressurized Gas Duster

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 05023

Item# 1003640

CRC® Battery Cleaner with Acid Indicator, 11 Wt Oz

Description

Instantly detects leaks and neutralizes acid. Removes corrosion by-products. Just spray on and rinse off.

Applications

- Battery Terminals
- Battery Casings
- Cable Connectors & Hold Downs

Appearance _____ Yellow Foam

Brand _____ CRC

Case# _____ 1003639

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 176102

Generic Description _____ Battery Cleaner with Acid
Indicator

I 2 of 5 Code _____ 30078254050233

Item Number _____ 05023

Net Fill _____ 11 Wt Oz

PH _____ 8.5

Plastic Safe _____ Yes

Propellant _____ Hydrocarbon

Specific Gravity _____ 1.04

UPC Code _____ 078254050232

Unit Dimensions _____ 6.25H x 2.63W x 2.63D in

Unit Package Description _____ 12 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 7.9

VOC % (Federal) _____ 7.9

VOC Category _____ Single Purpose
Cleaner/Degreaser

VOC Lbs./Gal. (Federal) _____ 0.68

VOC g/L (Consumer Product def) _____ 82.16

VOC g/L (Federal) _____ 82.16

VOC lbs/gal (Consumer Prod def) _____ 0.68



Part No. 05046

Item# 1003657

CRC® Battery Terminal Protector, 7.5 Wt Oz

Description

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead-free soft protective coating.

Applications

- Battery Posts
- Hold-Downs and Casings Used in Vehicles
- Handling Equipment and Uninterrupted Power Supplies (Ups)
- Security and Emergency Back-Up Systems
- Terminals
- Boats
- Used For Computer

Appearance _____ Dark Red Viscous Liquid

Brand _____ CRC

Case# _____ 1003656

Color _____ None

DOT Proper Shipping Name _____ AEROSOLS, FLAMMABLE,
LIMITED QUANTITY

Evaporation Rate _____ Fast

Film Type _____ Soft, Visible, Viscous

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -18 °C

Flash point (F) _____ 0 °F

Generic Description _____ Battery Terminal Protector

I 2 of 5 Code _____ 30078254050462

Item Number _____ 05046

MIR Limit (CA) _____ 2.0

MIR Limit (EPA) _____ None

MIR Value _____ 1.25

Net Fill _____ 7.5 Wt Oz

Plastic Safe _____ Yes

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with a degreaser or brake
cleaner product.

Specific Gravity _____ 0.727

UPC Code _____ 078254050461

Unit Dimensions _____ 6.25H x 2.63W x 2.63D in

Unit Package Description _____ 12 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 86.3

VOC % (Federal) _____ 86.3


VOC Category _____ Aerosol Coating: Electrical Coating

VOC Lbs./Gal. (Federal) _____ 11.2

VOC g/L (Consumer Product
def) _____ 627.4

VOC g/L (Federal) _____ 1338.2

VOC lbs/gal (Consumer Prod
def) _____ 5.23



Part No. 05107

Item# 1003724

CRC® Bulb & Connector Dielectric Grease, 0.28 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing, voltage drop & other conditions. Also ideal for lubrication plastic & rubber.

Applications

- Electrical Connections
- Contacts
- Trailer Connectors
- Battery Terminals
- Lubrication of Plastic
- Circuit Breakers
- Spark Plug Boots
- Hei Distributor
- Contacts
- Rubber Parts & O-Rings

Appearance _____ Opaque White Gel

Brand _____ CRC

Case# _____ 1003723

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ 500 Volts/Mil

Drop Point _____ None

Evaporation Rate _____ <0.01 (Butyl Acetate=1)

Federal Specification Number _____ FDA-CFR-178.3570|FDA-CFR-175.300

Film Thickness _____ Non-Drying

Film Type _____ Wet

Flammability Class - CPSC _____ None

Flash point (C) _____ >260°C

Flash point (F) _____ >500°F

Generic Description _____ Bulb & Connector Dielectric Grease

I 2 of 5 Code _____ 30078254051070

Item Number _____ 05107

Military Specification Number _____ Mil-S-8660C(DM-3), Mil-C-21567A(DM-2)

Net Fill _____ 0.28 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test small area)

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with petroleum distillates and chlorinated solvents.

Specific Gravity _____ 1.06

UPC Code _____ 078254051079

Unit Dimensions _____ 6.25H x 4.5W x .75D in

Unit Package Description _____ 0.28 Ounce Tube

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0

Working Temp (C) _____ -56.7 to 204.4°C

Working Temp (F) _____ -70 to 400°F



Part No. 05110

Item# 1003729

CRC® Mass Air Flow Sensor Cleaner, 11 Wt Oz

Description

CRC continues to lead the market in creating revolutionary products to improve performance and driving experiences. CRC Mass Air Flow Cleaner was the first item on the market specifically designed to clean the mass air flow (MAF) sensor in your car, which can increase horsepower, enhance fuel efficiency, and improve engine performance. Safe on all car parts and plastic, it dries instantly, removes buildup and debris, and leaves behind no residue or chemical buildup.

Applications

- Mass Air Flow Sensors & Housing

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003728

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 22,600 Volts

Evaporation Rate Very Fast

Flammability Class - CPSC Extremely Flammable

Flash point (C) <-17.8°C

Flash point (F) <0°F

Generic Description Electronic Cleaner

I 2 of 5 Code 30078254051100

Item Number 05110

KB Value 27

Net Fill 11 Wt Oz

Plastic Safe Yes

Propellant Carbon Dioxide

Removal (How To) Remove with petroleum distillates.

Specific Gravity 0.67

UPC Code 078254051109

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 95

VOC % (Federal) 95

VOC Category Single Purpose Cleaner/Degreaser

VOC Lbs./Gal. (Federal) 5.5

VOC g/L (Consumer Product def) 663

VOC g/L (Federal) 663

VOC lbs/gal (Consumer Prod def) 5.5



Part No. 05104

Item# 1003722

CRC® Wire Dryer, 6 Wt Oz

Description

Helps start wet engines and drive out moisture that can cause electrical failure and hard starting. Weatherproofs all electrical system parts. Can be used for many auto, marine, heavy duty and household applications.

Applications

- Distributors
- Starts
- Spark Plugs & Wiring Harnesses
- Ignition Coils
- Electrical Contacts

Appearance _____ Clear Blue-Green Liquid

Brand _____ CRC

Case# _____ 1003721

Color _____ None

Coverage _____ Not Determined

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dielectric Strength _____ 45,700 Volts/Mil

Evaporation Rate _____ Slow

Film Thickness _____ 0.025 to 0.075 Mils

Film Type _____ Non-Drying Oil

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 86°C

Flash point (F) _____ 187°F

Generic Description _____ Wire Dryer

I 2 of 5 Code _____ 30078254051049

Item Number _____ 05104

KB Value _____ 27

Net Fill _____ 6 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test small area)

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with petroleum products, mineral spirits, or contact cleaner.

Specific Gravity _____ 0.8187

UPC Code _____ 078254051048

Unit Dimensions _____ 6.88H x 2.02W x 2.02D in

Unit Package Description _____ 8 ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 99.99

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 1550.4

VOC lbs/gal (Consumer Prod def) _____ 0

Working Temp (C) _____ -45.6 to 121.1°C

Working Temp (F) _____ -50 to 250°F



Part No. 05024

Item# 1003641

CRC® Lectra-Motive® Electric Parts Cleaner, 55 Gal

Description

An aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt, & wax without having to remove parts.

Applications

- Designed For Use on Energized Equipment

Appearance ————— Colorless Liquids

Color ————— None

Dielectric Strength ————— 37,500 Volts

Evaporation Rate ————— Very Fast

Flash point (C) ————— None

Generic Description ————— Electrical Parts Cleaner

KB Value ————— 95

Plastic Safe ————— No

Propellant ————— None

Replacement Product SKU ————— 1003633

Specific Gravity ————— 1.62

Unit Dimensions ————— 35H x 24.5W x 24.5D in

Units per Case ————— 1

VOC % (Consumer Product def) ————— 0

VOC Category ————— Energized Electrical Cleaner

VOC g/L (Consumer Product def) ————— 0

VOC lbs/gal (Consumer Prod def) ————— 0

Brand ————— CRC

DOT Proper Shipping Name ————— Tetrachloroethylene (Marine
Pollutant), RQ

Dry Time Fully Dry ————— Fast

Flammability Class - CPSC ————— None

Flash point (F) ————— None

Item Number ————— 05024

Net Fill ————— 55 Gal

Product Lifecycle Status ————— DSEL

Replacement Legacy Num ————— 05018

Restricted From Sale In ————— CA

UPC Code ————— 078254050249

Unit Package Description ————— 55 Gallon Drum

Use Restrictions ————— Not for Use in California

VOC % (Federal) ————— 0

VOC Lbs./Gal. (Federal) ————— 0

VOC g/L (Federal) ————— 0



Part No. 1750528

Item# 1750528

CRC® Lectra-Clean® 3000 Electric Parts Cleaner, 55 Gal

Description

An aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt, & wax without having to remove parts.

Applications

- Designed For Use on Energized Equipment

Appearance _____ Colorless Liquid

Brand _____ CRC

DOT Proper Shipping Name _____ Tetrachloroethylene (Marine
Pollutant), RQ

Dielectric Strength _____ 37,500 Volts

Dry Time Fully Dry _____ Fast

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Electrical Parts Cleaner

Item Number _____ 1750528

KB Value _____ 95

Net Fill _____ 55 Gal

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 1750521

Replacement Product SKU _____ 1750520

UPC Code _____ 078254000107

Unit Dimensions _____ 35H x 24.5W x 24.5D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0


VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 05019

Item# 1003636

CRC® Lectra-Motive® Electric Parts Cleaner, 1 Gal

Discontinued

alternate available Product No. 05018 **ITEM# 1003634**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt, & wax without having to remove parts.

Applications

- Designed For Use on Energized Equipment

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003635

Color _____ None

DOT Proper Shipping Name _____ Tetrachloroethylene, Limited
Quantity (Marine Pollutant)

Dielectric Strength _____ 37,500 Volts

Dry Time Fully Dry _____ Fast

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Electrical Parts Cleaner

I 2 of 5 Code _____ 30078254050196

Item Number _____ 05019

KB Value _____ 95

Net Fill _____ 1 Gal

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 05018

Replacement Product SKU _____ 1003634

Restricted From Sale In _____ CA

Specific Gravity _____ 1.62

UPC Code _____ 078254050195

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

Use Restrictions _____ Not for Use in California

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 1750526

Item# 1750526

CRC® Lectra-Clean® 3000 Electric Parts Cleaner, 1 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt, & wax without having to remove parts.

Applications

- Designed For Use on Energized Equipment

Appearance _____ Colorless Liquid

Case# _____ 1750525

Dielectric Strength _____ 37,500 Volts

Evaporation Rate _____ Very Fast

Flash point (C) _____ None

Generic Description _____ Electrical Parts Cleaner

Item Number _____ 1750526

Net Fill _____ 1 Gal

Product Lifecycle Status _____ DSEL

UPC Code _____ 078254000091

Unit Package Description _____ 1 Gallon Bottle

VOC % (Consumer Product def) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC g/L (Consumer Product def) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0

Brand _____ CRC

DOT Proper Shipping Name _____ Tetrachloroethylene

Dry Time Fully Dry _____ Fast

Flammability Class - CPSC _____ None

Flash point (F) _____ None

I 2 of 5 Code _____ 30078254505252

KB Value _____ 95

Plastic Safe _____ No

Propellant _____ None

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Units per Case _____ 4

VOC % (Federal) _____ 0

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Federal) _____ 0



Part No. 05018

Item# 1003634

CRC® Lectra-Motive® Electric Parts Cleaner, 19 Wt Oz

Description

An aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt, & wax without having to remove parts.

Applications

- Designed For Use on Energized Equipment

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003633

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Poison, Limited
Quantity

Dielectric Strength _____ 37,500 Volts

Dry Time Fully Dry _____ Fast

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Electrical Parts Cleaner

I 2 of 5 Code _____ 30078254050189

Item Number _____ 05018

KB Value _____ 95

Net Fill _____ 19 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA

Specific Gravity _____ 1.62

UPC Code _____ 078254050188

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

Use Restrictions _____ Not for Use in California

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod
def) _____ 0

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>