### Топливная система

Технические характеристики

#### По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

эл.почта: cce@nt-rt.ru || сайт: https://crc.nt-rt.ru/



# Stor & Go® Ethanol Fuel Treatment & Stabilizer, 16 Fl Oz No. 06142 | Item# 1003923 | Case# 1003922

Product Description Protects all gas powered 2 and 4 cycle engines from the

harmful effects of ethanol. Prevents phase separation, protects against corrosion, cleans the fuel system,

stabilizes fuel and restores power. Equally effective in E10

to E85 fuel.

Applications Boats, jet skis, and marine craft; automobiles & RVs;

snowmobiles, ATVs, motorcycles & other power sports equipment; lawn mowers, snow blowers, weed eaters & other outdoor power equipment; agricultural equipment.

For all 2 & 4-cycle engines.

Unit Package Description 16 Ounce Bottle

Brand CRC

Generic Description 1 Ethanol Fuel Treatment & Stabilizer

Net Fill 16 Fl Oz

UPC Code 078254061429

Unit Dimensions 8.75H x 2W x 4.75D in

Units Per Case 12

Case Dimensions 9.5H x 10.25W x 12D in

Cases Per Pallet 52

Case Weight 13.8 lbs

1 2 of 5 Code 30078254061420

Appearance Amber Liquid

Base Type Petroleum Distillate

Flash point (F) 120°F Flash point (C) 49°C

Flammability Class - CPSC Combustible

Spec Gravity Concentrate 0.81

Plastic Safe No

Evaporation Rate Slow

DOT Proper Shipping Name Flammable Liquids, N.O.S. (Stoddard Solvent, Petroleum

Distillates), Limited Quantity



VOC % (Consumer Product 58.5 def)

VOC g/L (Consumer 479.7 Product def)

VOC lbs/gal (Consumer 4.0 Prod def)

VOC Category Not Regulated

Removal (How To) Remove with degreasers.

Treatment Ratio 1 Ounce per 10 gallons normal, 1 Ounce per 5 gallons

extended storage.



#### Fuel Injector and Carburetor Cleaner, 12 Fl Oz No. 05061 | Item# 1003675 | Case# 1003674

Product Description The easy to use solution to a wide range of engine

problems. With regular use, prevents hard starts, rough

idling, dieseling, engine run-on, knocks, pings, &

excessive emissions.

Applications For use in gasoline engines.

Unit Package Description 12 Ounce Bottle

Generic Description 1 Fuel Injector and Carburetor Cleaner

Brand CRC

Net Fill 12 Fl Oz

UPC Code 078254050614

Unit Dimensions 7.88H x 2.13W x 3.5D in

Units Per Case 12

Case Dimensions 8.4H x 7.3W x 12.6D in

Cases Per Pallet 140
Case Weight 11 lbs

I 2 of 5 Code 30078254050615 Appearance Light Amber Liquid

Flash point (F)  $165^{\circ}$ F Flash point (C)  $74^{\circ}$ C

Flammability Class - CPSC Combustible

Spec Gravity Concentrate 0.84
Plastic Safe No

DOT Proper Shipping Name Not Regulated

VOC % (Consumer Product

def)

VOC g/L (Consumer

Product def)

345.6

40

VOC lbs/gal (Consumer

Prod def)

2.88

Not Regulated

VOC Category

### **Stor & Go® Ethanol Fuel Treatment & Stabilizer**

Ethanol blended gasoline accounts for nearly 90% of all fuel sold in the US. Proven to break down, ethanol attracts moisture which leads to corrosion in the fuel tank. Use **CRC Stor & Go®** Ethanol Fuel Treatment & Stabilizer regularly in-season and during storage to protect all 2- and 4-cycle vehicles and equipment from the damaging effects of ethanol in gasoline.

#### 4-in-1 Formula

- Maximum Corrosion Protection
- Stabilize Fuel in Storage & in Use
- Cleans Entire Fuel System
- Restores Power & MPG

#### Use to:

- ▲ Prevent phase separation\*
- ▲ Protect against corrosion
- ▲ Clean the entire fuel system
- Stabilize fuel 12+ months for long-term storage
- ▲ Restore power and mileage potential
- ▲ Equally effective in E10 to E85 fuel

The state of the s

#### Fight Back Against Ethanol With The MAXIMUM CORROSION PROTECTION AVAILABLE!

Laboratory testing proves STOR & GO provides better water removal capability (per modified ASTM D 1401) and better corrosion protection (per ASTM D 665) than other leading ethanol fuel treatments.

1 oz treats 10 gallons for in-season protection 1 oz treats 5 gallons for storage Stabilizes fuel for 12+ months

Part No.	Package Type	Net Contents	Units/Cs	Unit Dimensions	Case Dimensions
06141	Dosage bottle	8 fl oz	12	3.63"L x 1.75"w x 6.44"H	10.5"L x 8"w x 7.5"H
06142	Dosage bottle	16 fl oz	12	4.75"L x 2"w x 8.75"H	12"L X 10.25"W X 9.5"H
06143	Dosage bottle	32 fl oz	6	5"L x 2.75"w x 9.75"h	14.875" L х 12.25" w х 12" н

\*CRC STOR & GO Ethanol Fuel Treatment has been tested and proven highly effective in controlling phase separation, however once phase separation has occurred, fuel cannot be recombined. STOR & GO may not prevent phase separation under the most extreme environmental conditions.



Item# 1003931

# CRC® Marine Fuel Stabilizer - Gasoline, 30 Fl Oz

#### **Discontinued**

alternate available Product No. 06164 ITEM# 1003933

Discontinued product number may still be available for a limited time through your local supplier or retailer.

#### **Description**

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

- All 2 and 4 Cycle Gasoline Engines
- Agricultural Equipment
- Chainsaws
- Jet Skis
- Motorcycles
- Snowmobiles

- Marine Engines
- Lawn & Garden Equipment
- Generators
- Lawn Mowers
- Snow Blowers
- Tractors

Appearance ————————————————————————————————————	Amber Liquid	Brand ——————	CRC
Case# —	1003930	Color	None
DOT Proper Shipping Name ———	— Flammable Liquids, Nos (xylene,, ethylbenzene) Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	54.6°C
Flash point (F)	130.2°F	Generic Description	Marine Fuel Stabilizer-Gasoline
I 2 of 5 Code	30078254061635	Item Number	06163
Net Fill	30 Fl Oz	Product Lifecycle Status	DISC
Propellant —	None	Replacement Legacy Num	06164
Replacement Product SKU	1003933	Restricted From Sale In	No State Restrictions
Specific Gravity	0.89	Treatment Ratio	1 Fl Oz treats 5 Gal.
UPC Code	07825406163 <b>4</b>	Unit Dimensions	7.5H x 2.13W x 5.25D in
Unit Package Description	1 Quart Bottle	Units per Case	12
VOC % (Consumer Product def)	27.6	VOC % (Federal)	> 91.4
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	> 6.77
VOC g/L (Consumer Product def) —	245.6	VOC g/L (Federal)	>810
VOC lbs/gal (Consumer Prod def) —	2.1	Viscosity @68 F [cP]	6.6



Item# 1003929

# **CRC®** Marine Fuel Stabilizer - Gasoline, 16 Fl Oz

#### **Discontinued**

alternate available Product No. 06161 ITEM# 1003927

Discontinued product number may still be available for a limited time through your local supplier or retailer.

#### **Description**

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

- All 2 and 4 Cycle Gasoline Engines
- Agricultural Equipment
- Chainsaws
- Jet Skis
- Motorcycles
- Snowmobiles

- Marine Engines
- Lawn & Garden Equipment
- Generators
- Lawn Mowers
- Snow Blowers
- Tractors

Appearance —	Amber Liquid	Brand —	CRC
Case#	1003928	Color	None
DOT Proper Shipping Name ————	Flammable Liquids, N.O.S. (Hydroxyethylated Aminoethylamide, Distillates (Petroleum), Hydrotreated Light)	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	54.6°C
Flash point (F)	130.2°F	Generic Description	— Marine Fuel Stabilizer-Gasoline
I 2 of 5 Code	30078254061628	Item Number	06162
Net Fill	16 Fl Oz	Product Lifecycle Status	DISC
Propellant —	None	Replacement Legacy Num	06161
Replacement Product SKU	1003927	Specific Gravity	0.89
Treatment Ratio	1 Fl Oz treats 5 Gal.	UPC Code	078254061627
Unit Dimensions	9.5H x 1.5W x 3.38D in	Unit Package Description	16 Ounce Bottle
Units per Case	12	VOC % (Consumer Product def) —	27.6
VOC % (Federal)	> 91.4	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	> 6.77	VOC g/L (Consumer Product —def)	245.6
VOC g/L (Federal)	>810	VOC lbs/gal (Consumer Prod —def)	2.1
Viscosity @68 F [cP]	6.6		



Item# 1003927

# CRC® Marine Fuel Stabilizer - Gasoline, 8 Fl Oz

#### **Description**

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

- All 2 and 4 Cycle Gasoline Engines
- Agricultural Equipment
- Chainsaws
- Jet Skis
- Motorcycles
- Snowmobiles

- Marine Engines
- Lawn & Garden Equipment
- Generators
- Lawn Mowers
- Snow Blowers
- Tractors

Appearance ————————————————————————————————————	Amber Liquid	Brand ————————————————————————————————————	CRC
Case#	1003926	Color —	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	70°C
Flash point (F)	158°F	Generic Description	Marine Fuel Stabilizer-Gasoline
I 2 of 5 Code	30078254061611	Item Number ————————————————————————————————————	06161
Net Fill	8 Fl Oz	Propellant ————————————————————————————————————	None None
Specific Gravity	0.89	Treatment Ratio	1 Fl Oz treats 5 Gal.
UPC Code	078254061610	Unit Dimensions	7.13H x 1.5W x 2.75D in
Unit Package Description	8 Ounce Bottle	Units per Case	12
VOC % (Consumer Product def)	27.6	VOC % (Federal)	> 91.4
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	> 6.77
VOC g/L (Consumer Product def)	245.6	VOC g/L (Federal)	>810
VOC lbs/gal (Consumer Prod def)	2.1		



Item# 1003933

# **CRC®** Marine Fuel Stabilizer - Gasoline, 1 Gal

#### **Description**

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

- All 2 and 4 Cycle Gasoline Engines
- Agricultural Equipment
- Chainsaws
- Jet Skis
- Motorcycles
- Snowmobiles

- Marine Engines
- Lawn & Garden Equipment
- Generators
- Lawn Mowers
- Snow Blowers
- Tractors

Appearance ————————————————————————————————————	———— Amber Liquid	Brand ———————	CRC
Case#	1003932	Color —	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	70°C
Flash point (F)	158°F	Generic Description	Marine Fuel Stabilizer-Gasoline
I 2 of 5 Code	30078254061642	Item Number	06164
Net Fill	1 Gal	Propellant ————————————————————————————————————	None
Specific Gravity	0.89	Treatment Ratio	1 Fl Oz treats 5 Gal.
UPC Code	078254061641	Unit Dimensions	10.25H x 5W x 6.13D in
Unit Package Description	1 Gallon Bottle	Units per Case	4
VOC % (Consumer Product def)	27.6	VOC % (Federal)	> 91.4
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	> 6.77
VOC g/L (Consumer Product def)	245.6	VOC g/L (Federal)	>810
VOC lbs/gal (Consumer Prod def)	2.1		



Item# 1003800

# CRC® Clean-R-Carb™ Carburetor Cleaner (50 State Formula), 12 Wt Oz

#### **Description**

Meets ALL state & federal VOC regulations. A carb & choke cleaner designed to maximize carburetor performance.

- Automatic Chokes
- Crankcase Breather Element
- Heat Risers
- Positive Crankcase Ventilating System Including PCV Valve
- Carburetor Components
- Exhaust Gas Recycling Valve (Egr)
- Intake Parts

Appearance ————————————————————————————————————	————— Clear Liquid	Brand ————————————————————————————————————	CRC
Case#	1003799	Color	None
DOT Proper Shipping Name	– Aerosols, Flammable, Limited Quantity	Dielectric Strength	6,300 Volts
Evaporation Rate	Fast	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-17.8°C	Flash point (F)	<0°F
Generic Description	Carburetor Cleaner	I 2 of 5 Code	30078254053791
Item Number	05379	KB Value	>200
Net Fill	12 Wt Oz	Plastic Safe	No
Propellant —	Carbon Dioxide	Specific Gravity	0.78
UPC Code	078254053790	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	9.2	VOC % (Federal)	9.2
VOC Category	Carburetor Cleaner	VOC Lbs./Gal. (Federal)	0.65
VOC g/L (Consumer Product def)	77.4	VOC g/L (Federal)	77.4
VOC lbs/gal (Consumer Prod def) —	0.65		



Item# 1003845

# **CRC®** Throttle Body & Air Intake Cleaner, 5 Wt Oz

#### **Description**

Cleans gum and varnish from the throttle valves and throttle body for easier starting and smoother engine performance.

#### **Applications**

■ Fuel Injected Gasoline Engines (Both Throttle Body & Multi-Port)

Appearance	Clear Colorless Liquid	Brand ————————————————————————————————————	CRC
Case#	1003844	Color —	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Evaporation Rate	Fast
Flammability Class - CPSC	Extremely Flammable	Flash point (C)	<-17.8°C
Flash point (F)		Generic Description	Fuel Injection Air-Intake Cleaner
I 2 of 5 Code	30078254056785	Item Number	05678
Net Fill	5 Wt Oz	Plastic Safe	No No
Propellant —	Carbon Dioxide	Specific Gravity	0.79
UPC Code	078254056784	Unit Dimensions	5.25H x 2.13W x 2.13D in
Unit Package Description	6 Ounce Aerosol	Units per Case ————————————————————————————————————	12
VOC % (Consumer Product def)	9.1	VOC % (Federal)	9.1
VOC Category	Fuel Injection Air Intake Cleaner	VOC Lbs./Gal. (Federal)	1.2
VOC g/L (Consumer Product def)	71.4	VOC g/L (Federal)	141.1
VOC lbs/gal (Consumer Prod def) —	0.6		



Item# 1003688

### CRC® Throttle Body & Air-Intake Cleaner, 12 Wt Oz


#### **Description**

Over time, carbon, varnish, and gum can naturally build up on a vehicle's throttle body and throttle body bores. This can lead to an assortment of engine issues, including a loss in fuel economy, rough idling, stalling, or a glowing check engine light. CRC Throttle Body & Air-Intake Cleaner is the top choice for cleaning throttle body build-up. Safe for use in all fuel-injection system gasoline engines, whether throttle body, multi-port, or GDI, CRC Throttle Body & Air-Intake Cleaner is quick and easy to use, delivering easier starts and smoother performance.

#### **Applications**

• Fuel Injected Gasoline Engines (Both Throttle Body & Multi-Port)

Appearance —	Clear Colorless Liquid	Brand —	CRC
Case#	1003687	Color —	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Evaporation Rate	Fast
Flammability Class - CPSC	Extremely Flammable	Flash point (C)	<-17.8°C
Flash point (F)	<0°F	Generic Description	Fuel Injection Air-Intake Cleaner
I 2 of 5 Code	30078254050783	Item Number	05078
Net Fill	12 Wt Oz	Plastic Safe	No
Propellant —	Carbon Dioxide	Specific Gravity	0.79
UPC Code	078254050782	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	9.1	VOC % (Federal)	9.1
VOC Category	Fuel Injection Air Intake Cleaner	VOC Lbs./Gal. (Federal)	1.2
VOC g/L (Consumer Product def)	71.4	VOC g/L (Federal)	141.1
VOC lbs/gal (Consumer Prod def) —	0.6		



Item# 1003766

# **GDI Service Pack, 1 Kit**

#### **Description**

From the makers of trusted products like Brākleen® and Mass Air Flow Sensor Cleaner, CRC delivers another best-in-class solution for vehicle maintenance and repair. The CRC GDI Service Pack includes everything needed to remove carbon at 6 critical points in the engine: MAF sensor, throttle body, combustion chamber, intake valves, spark plugs, and fuel injectors. This comprehensive treatment is effective in increasing vehicle MPG (miles per gallon) and restoring horsepower in an easy-to-use kit.

#### **Applications**

■ For Use in Gasoline Engines

4 Ball EP	See individual part numbers	4 Ball Wear	See individual part numbers
Appearance	See individual part numbers	Brand	CRO
Case#	1003765	DOT Proper Shipping Name	AEROSOLS, NON FLAMMABLE, LIMITED QUANTITY
Dielectric Strength	See individual part numbers	Dry Time Fully Dry	See individual part numbers
Dry Time Tack Free	See individual part numbers	Elastomer Compatibility	See individual part numbers
Evaporation Rate	See individual part numbers	Federal Specification Number	See individual part numbers
Film Thickness	See individual part numbers	Film Type	See individual part numbers
Flammability Class - CPSC	See individual part numbers	Flash point (C)	See individual part numbers
Flash point (F)	See individual part numbers	Generic Description	Complete Performance Rejuvenation Pack.
I 2 of 5 Code	20078254053206	ISO Viscosity Grade	See individual part numbers
Item Number	05320	KB Value	See individual part numbers
Leakage	See individual part numbers	Low Temp Torque	See individual part numbers
NLGI Grade	See individual part numbers	Net Fill	See individual part numbers
Oil Separation	See individual part numbers	Plastic Safe	See individual part numbers
Pour Point (C)	See individual part numbers	Pour Point (F)	See individual part numbers
Propellant	See individual part numbers	Removal (How To)	See individual part numbers
Restricted From Sale In	See individual part numbers	SAE Grade	See individual part numbers
Timken OK Load [Lbs.]	See individual part numbers	UPC Code	078254053202
Unit Dimensions	8.75H x 5.5W x 5D in	Unit Package Description	1 Kit
Units per Case	2	VOC % (Consumer Product def)	See individual part numbers
VOC % (Federal)	See individual part numbers	VOC Category	See individual part numbers
VOC g/L (Consumer Product def)	See individual part numbers	VOC lbs/gal (Consumer Prod	See individual part numbers
Viscosity @68 F [cP]	See individual part numbers	Water Washout	See individual part numbers
Worked Penetration	See individual part numbers	Working Temp (C)	See individual part numbers
Working Temp (F)	See individual part numbers		



Item# 1003679

### **CRC®** Guaranteed To Pass® Emissions System Cleaner, 12 FI Oz

#### **Description**

Trusted for over 25 years, CRC Guaranteed to Pass Emissions System Cleaner is easy to use and safe for all gasoline engines.

Deposit build-up in fuel systems can reduce performance, increase emissions and contribute to lower fuel economy. CRC Guaranteed to Pass Emissions System Cleaner has an advanced detergent formula that removes harmful carbon deposits from fuel injectors, intake valves and combustion chambers. It reduces carbon monoxide (CO), hydrocarbons (HC), and Nitrogen Oxide (NOx) emssions, which lead to adverse environmental effects.

CRC Guaranteed to Pass Emissions System Cleaner restores the performance of the entire fuel system and promotes a healthy catalytic converter. It increases start and acceleration response time, saves gas by increasing your MPG, and clears check engine light: P0420 / P0430 and other related codes. CRC Guaranteed to Pass Emissions System Cleaner means Guaranteed to PASS a smog test or CRC will DOUBLE your money back. Use four times a year for optimal results.

#### **Applications**

■ For Use in Gasoline Engines

Appearance —	Clear Yellow Liquid	Brand ——————	CRC
Case# —	1003678	Color —	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	79.4°C
Flash point (F)	175°F	Generic Description	Emissions System Cleaner
I 2 of 5 Code	30078254050639	Item Number	05063
Net Fill	12 Fl Oz	Plastic Safe	No
Propellant —	None	Recoat	N/A
Removal (How To)	N/A	Restricted From Sale In	N/A
Specific Gravity	0.87	Treatment Ratio	One bottle treats 16 gallons of gasoline
UPC Code	078254050638	Unit Dimensions	7.88H x 2.13W x 3.5D in
Unit Package Description	———— 12 Ounce Bottle	Units per Case	12
VOC % (Consumer Product def)	89.8	VOC % (Federal)	> 97.5
VOC Category	———— Not Regulated	VOC Lbs./Gal. (Federal)	> 6.68
VOC g/L (Consumer Product def)	737	VOC g/L (Federal)	> 800
VOC lbs/gal (Consumer Prod def)	6.15	Viscosity @68 F [cP]	Not Determined



Item# 1003677

# **CRC®** Premium Fuel Injector Cleaner, 12 Fl Oz

#### **Discontinued**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

#### **Description**

Maintains "like-new" performance in today's fuel injected engines. Helps provide total engine cleanliness.

#### **Applications**

■ For Use in Gasoline Engines

Appearance	Light Amber Liquid	Brand ————————————————————————————————————	CRC
Case# —	1003676	Color —	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Moderate
Flammability Class - CPSC	Combustible	Flash point (C)	77°C
Flash point (F)	170°F	Generic Description	Premium Fuel Injector Cleaner
I 2 of 5 Code	30078254050622	Item Number	05062
Net Fill	12 Fl Oz	Plastic Safe	No
Pour Point (C)	-17.78°C	Pour Point (F)	0°F
Product Lifecycle Status	DISC	Propellant ————————————————————————————————————	None
Specific Gravity	0.864	Treatment Ratio	1 bottle treats 12 gallons or 1 oz     per 1 gallon of gasoline
UPC Code	078254050621	Unit Dimensions	7.88H x 2.13W x 3.5D in
Unit Package Description	12 Ounce Bottle	Units per Case	12
VOC % (Consumer Product def)	40.2	VOC % (Federal)	97.95
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	12.7
VOC g/L (Consumer Product def)	347.3	VOC g/L (Federal)	1518.8
VOC lbs/gal (Consumer Prod def)	2.89		



Item# 1003802

# CRC® Clean-R-Carb™ Carburetor Cleaner (50 State Formula), 16 Wt Oz

#### **Description**

CRC Clean-R-Carb™ Carburetor Cleaner is the auto enthusiast's choice to clean and maximize carburetor performance. This general-purpose carb spray meets all state and federal regulations for volatile organic compounds (VOC): so you can feel safe and protected as you restore your carburetor to a cleaner, safer, more efficient condition. Let CRC help solve your carburetor problems.

- Automatic Chokes
- Crankcase Breather Element
- Heat Risers
- Positive Crankcase Ventilating System Including PCV Valve
- Carburetor Components
- Exhaust Gas Recycling Valve (Egr)
- Intake Parts

Appearance —	Clear Liquid	Brand ————————————————————————————————————	CRC
Case# —	1003801	Color —	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	6,300 Volts
Evaporation Rate	Fast	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-17.8°C	Flash point (F)	<0°F
Generic Description	Carburetor Cleaner	I 2 of 5 Code	30078254053814
Item Number	05381	KB Value	>200
Net Fill	16 Wt Oz	Plastic Safe	No
Propellant —	Carbon Dioxide	Specific Gravity	0.78
UPC Code	078254053813	Unit Dimensions	9.25H x 2.63W x 2.63D in
Unit Package Description	20 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	9.2	VOC % (Federal)	9.2
VOC Category	Carburetor Cleaner	VOC Lbs./Gal. (Federal)	0.65
VOC g/L (Consumer Product def)	77.4	VOC g/L (Federal)	77.4
VOC lbs/gal (Consumer Prod def) —	0.65		



Item# 1003690

### CRC® Clean-R-Carb™ Carburetor Cleaner, 12 Wt Oz

#### **Description**

Many internal combustion engines have carburetors, from automobiles to boats to airplanes. They are especially prevalent in small engines like lawn mowers, rototillers, and other equipment. A dirty carburetor can cause many performance issues with your equipment, like backfiring, overheating, hard starting, or even loss of power. CRC makes keep your carburetor clean an easy task, with CRC Clean-R-Carb™ Carburetor Cleaner.

- Automatic Chokes
- Crankcase Breather Element
- Heat Risers
- Positive Crankcase Ventilating System Including PCV Valve
- Carburetor Components
- Exhaust Gas Recycling Valve (Egr)
- Intake Parts

Appearance ————————————————————————————————————	Clear Liquid	Brand ————————————————————————————————————	CRC
Case# —	1003689	Color —	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Evaporation Rate	Fast
Flammability Class - CPSC	Extremely Flammable	Flash point (C)	-17.8°C
Flash point (F)	0°F	Ford Tox No.	139394
Generic Description	Carburetor Cleaner	I 2 of 5 Code	30078254050790
Item Number	05079	Net Fill	12 Wt Oz
Plastic Safe	No	Propellant —	Carbon Dioxide
Restricted From Sale In	CA, CO, CT, DC, DE, IL, IN, ME, MD, MA, MI, NH, NJ, NY, OH, PA, RI, parts of UT, VA	Specific Gravity	0.82
UPC Code	078254050799	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	70.1	VOC % (Federal)	70.1
VOC Category	Carburetor Cleaner	VOC Lbs./Gal. (Federal)	5.1
VOC g/L (Consumer Product def) —	610	VOC g/L (Federal)	610
VOC lbs/gal (Consumer Prod def) —	5.1		



Item# 1003694

### CRC® Clean-R-Carb™ Carburetor Cleaner, 16 Wt Oz

#### **Description**

Many internal combustion engines have carburetors, from automobiles to boats to airplanes. They are especially prevalent in small engines like lawn mowers, rototillers, and other equipment. A dirty carburetor can cause many performance issues with your equipment, like backfiring, overheating, hard starting, or even loss of power. CRC makes keep your carburetor clean an easy task, with CRC Clean-R-Carb™ Carburetor Cleaner.

- Automatic Chokes
- Crankcase Breather Element
- Intake Parts

- Carburetor Components
- Exhaust Gas Recycling Valve (Egr) Heat Risers
- Positive Crankcase Ventilating System Including PCV Valve

Appearance ————————————————————————————————————	Clear Liquid	Brand ————————————————————————————————————	CRC
Case# —	1003693	Color —	None
DOT Proper Shipping Name	– Aerosols, Flammable, Limited Quantity	Evaporation Rate	Fast
Flammability Class - CPSC	Extremely Flammable	Flash point (C)	-17.8°C
Flash point (F)	0°F	Ford Tox No.	139394
Generic Description	Carburetor Cleaner	I 2 of 5 Code	30078254050813
Item Number	05081	Net Fill	16 Wt Oz
Plastic Safe	No	Propellant —	Carbon Dioxide
Restricted From Sale In	CA, CO, CT, DC, DE, IL, IN, ME, MD, MA, MI, NH, NJ, NY, OH, PA, RI, parts of UT, VA	Specific Gravity	0.82
UPC Code	078254050812	Unit Dimensions	9.25H x 2.63W x 2.63D in
Unit Package Description	20 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	70.1	VOC % (Federal)	70.1
VOC Category	Carburetor Cleaner	VOC Lbs./Gal. (Federal)	5.1
VOC g/L (Consumer Product def) —	610	VOC g/L (Federal)	610
VOC lbs/gal (Consumer Prod def) —	5.1		



Item# 1006087

# K&W® Technician Grade Carburetor & Choke Cleaner, 19 Wt Oz

#### **Discontinued**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

#### **Description**

A carb & choke cleaner that is designed to maximize carburetor performance. Quickly dissolves carburetor deposits such as gum, sludge & varnish to improve fuel system performance & enhance fuel economy.

- Automatic Chokes
- Crankcase Breather Element
- General Purpose Cleaner For Non-Painted Surfaces
- Intake Parts

- Carburetor Components
- Exhaust Gas Recycling Valve (Egr)
- Heat Risers
- Positive Crankcase Ventilating System Including PCV Valve

Appearance —	Clear Colorless Liquid	Brand ————————————————————————————————————	K&W
Case#	1006086	DOT Proper Shipping Name ——	Aerosols, Flammable, Limited Quantity
Dielectric Strength	6,300 Volts	Evaporation Rate	Fast
Flammability Class - CPSC	Extremely Flammable	Flash point (C)	<-17.8°C
Flash point (F)		Generic Description	Carb & Choke Cleaner
I 2 of 5 Code	10078372019248	Item Number	401924
KB Value	>200	Net Fill	19 Wt Oz
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	———— Carbon Dioxide	Specific Gravity	0.78
UPC Code	078372019241	Unit Dimensions	9.19H x 3W x 3D in
Unit Package Description	24 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	9.2	VOC % (Federal)	9.2
VOC Category	Carburetor Cleaner	VOC Lbs./Gal. (Federal)	0.65
VOC g/L (Consumer Product def)	77.4	VOC g/L (Federal)	77.4
VOC lbs/gal (Consumer Prod def)	0.65		



Item# 1003729

# **CRC®** Mass Air Flow Sensor Cleaner, 11 Wt Oz

#### **Description**

CRC continues to lead the market in creating revolutionary products to improve performance and driving experiences. CRC Mass Air Flow Cleaner was the first item on the market specifically designed to clean the mass air flow (MAF) sensor in your car, which can increase horsepower, enhance fuel efficiency, and improve engine performance. Safe on all car parts and plastic, it dries instantly, removes buildup and debris, and leaves behind no residue or chemical buildup.

#### **Applications**

■ Mass Air Flow Sensors & Housing

Appearance —	Clear Colorless Liquid	Brand ———— CRC
Case# —	1003728	Color None
DOT Proper Shipping Name ———	— Aerosols, Flammable, Limited Quantity	Dielectric Strength — 22,600 Volts
Evaporation Rate	Very Fast	Flammability Class - CPSC Extremely Flammable
Flash point (C)		Flash point (F)
Generic Description	Electronic Cleaner	I 2 of 5 Code — 30078254051100
Item Number	05110	KB Value — 27
Net Fill	11 Wt Oz	Plastic Safe — Yes
Propellant —	Carbon Dioxide	Removal (How To) ————— Remove with petroleum distillates.
Specific Gravity	0.67	UPC Code 078254051109
Unit Dimensions	7.75H x 2.63W x 2.63D in	Unit Package Description — 16 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def) 95
VOC % (Federal)	95	VOC Category — Single Purpose Cleaner/Degreaser
VOC Lbs./Gal. (Federal)	5.5	VOC g/L (Consumer Product 663 def)
VOC g/L (Federal)	663	VOC lbs/gal (Consumer Prod 5.5 def)



Item# 1003761

# **CRC® Motor Treatment, 16 FI Oz**

#### **Discontinued**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

#### **Description**

Cleans gum, varnish, and carbon from the fuel system, injectors, pistons, and combustion chamber. Removes moisture from fuel and oil systems and lubricates engine components.

- For Use in Gasoline
- Ethanol
- Induce Directly Into Combustion Chamber Via Main Manifold Vacuum Line and Add to Crankcase
- Diesel
- Oil Pour Into Fuel System

Appearance	Clear Liquid	Brand ————————————————————————————————————	CRC
Case#	1003760	Color —	None
DOT Proper Shipping Name	Flammable Liquids, N.O.S. (Petroleum Distillates, 2-Butoxyethanol), Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	47.2°C
Flash point (F)	117°F	Generic Description	Carbon Clean-Out
I 2 of 5 Code	30078254053166	Item Number	05316
Net Fill	16 Fl Oz	Plastic Safe	No
Product Lifecycle Status	DISC	Propellant —	None
Removal (How To)	Remove with petroleum distillates.	Specific Gravity	0.82
Treatment Ratio	— 16 Fl Oz treats 8 to 25 gal of gas or diesel. 16 Fl Oz treats 10 quarts of oil.	UPC Code	07825405316 <b>5</b>
Unit Dimensions	7.75H x 2.63W x 2.63D in	Unit Package Description	16 Ounce Can
Units per Case	12	VOC % (Consumer Product def)	50
VOC % (Federal)	100	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	12.9	VOC g/L (Consumer Product def)	410
VOC g/L (Federal)	1550.6	VOC lbs/gal (Consumer Prod	3.4



Item# 1003763

# CRC® GDI IVD® Intake Valve & Turbo Cleaner, 11 Wt Oz

### **Description**

Do you want to remove carbon buildup from the intake valve of your GDI engine without the expense of a costly tear down? CRC GDI IVD® Intake Valve & Turbo Cleaner is the solution you need! This intake valve cleaner uses a specialized formula to break down carbon deposits that choke your vehicle's performance. Regular cleaning with CRC GDI IVD® Intake Valve & Turbo Cleaner will increase power and torque, stabilize rough idling, solve starting problems, and reduce vehicle emissions.

## **Applications**

■ Air Intake Valves on Gdi or Standard Fuel Injected Engines

Appearance	Amber Liquid	Brand ————————————————————————————————————	CRC
Case#	1003762	Color —	None
DOT Proper Shipping Name	AEROSOLS, FLAMMABLE, LIMITED QUANTITY	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	69°C	Flash point (F)	156.2°F
Generic Description	Intake Valve Cleaner	I 2 of 5 Code	30078254053197
Item Number	05319	Net Fill	11 Wt Oz
Removal (How To)	Remove with petroleum distillates.	Specific Gravity	0.858
UPC Code	078254053196	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	— 11 Ounce (311 gr) Aerosol	Units per Case	12
VOC % (Consumer Product def)	58.7	VOC % (Federal)	100
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	6.34
VOC g/L (Consumer Product def)	446.1	VOC g/L (Federal)	760
VOC lbs/gal (Consumer Prod def)	3.72		



Item# 1006100

# K&W® Stor-X® Fuel Stabilizer, 8 Fl Oz

# **Discontinued**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

## **Description**

Inhibits the formation of varnishes, peroxides & gums in gasoline, diesel fuel & aviation fuel during storage. Does not contribute to induction system deposits.

- 2-Cycle
- Diesel Fuel
- Turbine Fuels

- Aviation Fuel
- Gasoline

Appearance —	Red Liquid	Brand ————————————————————————————————————	K&W
Case#	1006099	DOT Proper Shipping Name ——	Petroleum Distillates, N.O.S., Limited Quantity
Dry Time Fully Dry	Moderate	Evaporation Rate	Moderate
Flammability Class - CPSC	Combustible	Flash point (C)	54°C
Flash point (F)	129.2°F	Generic Description	Fuel Stabilizer
I 2 of 5 Code	10078372028158	Item Number	402815
Net Fill	8 Fl Oz	Pour Point (C)	-40°C
Pour Point (F)	-40°F	Product Lifecycle Status	DISC
Propellant —	None None	Specific Gravity	0.768
Treatment Ratio	Storage: 1 oz to 2.5 gallons gasoline or 10 gallons of diesel fuel.	UPC Code	078372028151
Unit Dimensions	6H x 1.63W x 3.68D in	Unit Package Description	8 Ounce Bottle
Units per Case	12	VOC % (Consumer Product def)	95.1
VOC % (Federal)	95.1	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	6.17	VOC g/L (Consumer Product ——def)	740
VOC g/L (Federal)	740	VOC lbs/gal (Consumer Prod ——def)	6.17
Working Temp (C)	-40 to 37.8°C	Working Temp (F)	-40 to 100°F



Item# 1003796

# **CRC® Silaramic® Brake System Grease, 9 Wt Oz**

# **Discontinued**

alternate available Product No. 05361 ITEM# 1003793

Discontinued product number may still be available for a limited time through your local supplier or retailer.

## **Description**

A synthetic, dry-film, ceramic lubricant formulated to reduce brake noise and vibrations by dampening all brake vibrating frequencies. Will not run off or wash out. Works in extreme temp ranges from -50 to 3000°F. Protects against uneven pad wear.

- All Brake Systems and Brake Components
- Bushings
- Pins
- Anchors
- Calipers and Boots

- Including Calipers
- Holes
- Inserts
- Bolts

Appearance —	Off White Semi Solid Grease	Brand ————————————————————————————————————	CRC
Case#	1003795	Color —	None
DOT Proper Shipping Name	Not Regulated	Drop Point —	None
Elastomer Compatibility	Compatible	Evaporation Rate	Very Slow
Film Type ————————————————————————————————————	Grease	Flammability Class - CPSC	None
Flash point (C)	288°C	Flash point (F)	550°F
Generic Description	Brake System Grease	I 2 of 5 Code	30078254053630
Item Number	05363	NLGI Grade	2
Net Fill	9 Wt Oz	Oil Separation	0.2
Plastic Safe	Yes	Pour Point —	Not Determined
Product Lifecycle Status	DISC	Propellant —	None
Removal (How To)	Remove with brake parts cleaner	Replacement Legacy Num	05361
Replacement Product SKU	1003793	Restricted From Sale In	No state restrictions
Specific Gravity	1	UPC Code	078254053639
Unit Dimensions	4.25H x 3.88W x 3.88D in	Unit Package Description	9 Ounce Tub with Brush
Units per Case	12	VOC % (Consumer Product def)	0
VOC Category	Not Regulated	VOC g/L (Consumer Product def)	0
VOC lbs/gal (Consumer Prod def) —	0	Water Washout	0.25
Worked Penetration	265 to 295	Working Temp (C)	-45.6 to 1649°C
Working Temp (F)	-50 to 3000°F		



Item# 1003862

# **CRC®** Diesel 1-Tank Power Renew®, 15 Fl Oz

# **Discontinued**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

#### **Description**

A concentrated one-tank cleanup that delivers a powerful SHOCK to your dirty fuel system. Made with the maximum available chemistry it's the most powerful diesel fuel system cleaner on the market. Excellent cleanup for the sticky injectors frequently found in modern common rail systems. Proven 100% deposit removal & reduces emissions. Cleans INSIDE the injectors & prevents IDID. Only needed 4x per year.

## **Applications**

■ For Use in Diesel Engines to Super-Clean Fuel System

Appearance ————————————————————————————————————	Dark Brown Liquid	Brand ————————————————————————————————————	CRC
Case#	1003861	Color —	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	67.2°C
Flash point (F)	153°F	Generic Description	— Complete Diesel System Cleanup
I 2 of 5 Code	50078254058165	Item Number	05816
Net Fill	15 Fl Oz	Plastic Safe	No
Product Lifecycle Status	DSEL	Propellant ————————————————————————————————————	None
Removal (How To)	Remove with petroleum distillates.	Specific Gravity	0.886
Treatment Ratio	— 1 Bottle (15 fl oz) treats 30 Gal of diesel fuel	UPC Code	078254058160
Unit Dimensions	8.75H x 3.69W x 3.5D in	Unit Package Description	——————————————————————————————————————
Units per Case	6	VOC % (Consumer Product def) —	70.3
VOC % (Federal)	97.3	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	12.6	VOC g/L (Consumer Product — def)	622.9
VOC g/L (Federal)	1508.7	VOC lbs/gal (Consumer Prod — def)	5.2



Item# 1003686

# CRC® Octane Boost, 12 FI Oz

# **Discontinued**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

## **Description**

Increases horsepower & octane rating. Reduces octane requirements. Maximizes power & torque. Protects against valve recession & replaces lubrication formerly found in leaded fuels. Decreases NOX & carbon monoxide emissions. Contains a smoke suppressant

## **Applications**

■ For Use in Gasoline Engines

Appearance ————————————————————————————————————	Clear Amber Liquid	Brand ————————————————————————————————————	CRC
Case# —	1003685	Color —	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Slow
Flammability Class - CPSC	None None	Flash point (C)	70°C
Flash point (F)	158°F	Generic Description	Octane Boost
I 2 of 5 Code	30078254050776	Item Number	05077
Net Fill	12 Fl Oz	Plastic Safe	Yes
Product Lifecycle Status	DISC	Propellant	None
Specific Gravity	0.87	UPC Code	078254050775
Unit Dimensions	7.88H x 2.13W x 3.5D in	Unit Package Description	12 Ounce Bottle
Units per Case	12	VOC % (Consumer Product def)	98.8
VOC % (Federal)	98.8	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	12.8	VOC g/L (Consumer Product def)	830
VOC g/L (Federal)	1532	VOC lbs/gal (Consumer Prod	6.9



Item# 1003859

# **CRC®** Gasoline 1-Tank Power Renew®, 15 Fl Oz

## **Description**

A concentrated one-tank cleanup that delivers a powerful SHOCK to your dirty fuel system. Made with the maximum available chemistry it's the most powerful fuel system cleaner on the market. Excellent cleanup with proven results. Up to 5.7% MPG increase, 97% total power restoration, 99% injector flow improvement and cleaner emissions. Only needed 4x per year.

## **Applications**

• For Use in Direct or Port Injection Engines to Super-Clean Fuel System

Appearance —	Clear Yellow Liquid	Brand ————————————————————————————————————	CRC
Case#	1003858	Color —	None
DOT Proper Shipping Name ————	Corrosive liquids, n.o.s. (polyether amine), Limited Quantity	Evaporation Rate —————	Slow
Flammability Class - CPSC	None	Flash point (C)	72°C
Flash point (F)	161°F	Generic Description	Complete Fuel System Cleanup
I 2 of 5 Code	50078254058158	Item Number	05815
Net Fill	15 Fl Oz	Plastic Safe	No No
Propellant —	None None	Removal (How To)	Remove with petroleum distillates.
Specific Gravity	0.878	Treatment Ratio	— 1 Bottle (15 fl oz) treats 25 Gal of gasoline
UPC Code	078254058153	Unit Dimensions	8.75H x 3.69W x 3.5D in
Unit Package Description	16 Ounce Bottle	Units per Case	6
VOC % (Consumer Product def)	94	VOC % (Federal)	100
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	7.09
VOC g/L (Consumer Product def)	774	VOC g/L (Federal)	850
VOC lbs/gal (Consumer Prod def)	6.46		



Item# 1003668

# CRC® Brakleen® Non-Chlorinated Brake Parts Cleaner - 50 State Formula, 55 Gal

# **Description**

Removes brake fluid, grease, oil, and other contaminants quickly and effectively. Cleans & degreases brake parts, linings, calipers, drums and more!

- Brake Linings
- Clutches
- Springs
- Drums

- Brake Parts
- Wheel Cylinders
- Cv Joints
- Disc Brake Parts & Calipers

Appearance —	Clear Liquid	Brand —	CRC
Color -	None	DOT Proper Shipping Name —	— Flammable Liquids, N.O.S. (Acetone, Heptane)
Dielectric Strength	6,300 Volts	Evaporation Rate —————	Fast
Flammability Class - CPSC	— Not a Consumer Product	Flash point (C)	<0°C
Flash point (F)		Generic Description	- Non-Chlorinated, Low VOC Brake Parts Cleaner
Item Number	05053	KB Value	>200
Net Fill	55 Gal	Plastic Safe	No No
Propellant —	None	Specific Gravity	0.78
UPC Code	078254050539	Unit Dimensions	35H x 24.5W x 24.5D in
Unit Package Description	55 Gallon Drum	Units per Case	1
VOC % (Consumer Product def)	10	VOC % (Federal)	10
VOC Category	Brake Cleaner	VOC Lbs./Gal. (Federal)	0.65
VOC g/L (Consumer Product def)	78	VOC g/L (Federal)	78
VOC lbs/gal (Consumer Prod def)	0.65		



Item# 1003715

# CRC® Brakleen® Brake Parts Cleaner, 55 Gal

# **Description**

The original brake parts cleaner. Formulated to quickly & effectively remove grease, brake dust, brake fluids, oils, & other contaminants from brake parts, lining, pads.

## **Applications**

- ABS
- Drum
- Brake Drums
- Brake Shoes
- Clutch Discs
- Discs

- Disc
- Brake Cylinders
- Brake Linings
- Calipers
- Disc Brake Pads
- Springs & Wedge Brakes

Appearance —	Colorless Liquid	Brand —	CRC
Color	None	DOT Proper Shipping Name ——	Tetrachloroethylene (Marine Pollutant), RQ
Dielectric Strength	37,500 Volts	Dry Time Fully Dry	Fast
Evaporation Rate	Very Fast	Flammability Class - CPSC	Not a Consumer Product
Flash point (C)	None	Flash point (F)	None
Generic Description	Brake Parts Cleaner	Item Number	05093
KB Value	95	Net Fill	55 Gal
Plastic Safe	No	Propellant —	None
Restricted From Sale In	CA, NJ	Specific Gravity	1.62
UPC Code	078254050935	Unit Dimensions	35H x 24.5W x 24.5D in
Unit Package Description	55 Gallon Drum	Units per Case	1
VOC % (Consumer Product def)	o	VOC % (Federal)	0
VOC Category	Brake Cleaner	VOC Lbs./Gal. (Federal)	0
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	0
VOC lbs/gal (Consumer Prod def)	o		



Item# 1003747

# CRC® Brakleen® Non-Chlorinated Brake Parts Cleaner, 5 Gal

### **Description**

Now Even Stronger - As the market leader in brake parts cleaning technology, CRC Industries is continuously innovating to provide products with a competitive edge that work better and faster to make our end-users' jobs easier. To that end, we are excited to introduce the latest improvement in a long line of premium, high-performing products. Announcing an improved formula for our High VOC Non-Chlorinated Brake Parts Cleaner. The new, more powerful formula cleans and dries faster using less product, allowing end-users to get more accomplished.

## **Applications**

- ABS
- Drum
- Brake Drums
- Brake Shoes
- Clutch Discs
- Discs

- Disc
- Brake Cylinders
- Brake Linings
- Calipers
- Disc Brake Pads
- Springs & Wedge Brakes

Appearance ————————————————————————————————————	Clear Liquid	Brand ——————	CRC
Color —	None	DOT Proper Shipping Name —	— Flammable Liquid, n.o.s. (Heptanes, Isopropyl alcohol)
Evaporation Rate	———— Fast	Film Type ————————————————————————————————————	N/A
Flammability Class - CPSC	Extremely Flammable	Flash point (C)	-9
Flash point (F)	15.8	Ford Tox No.	177602
Generic Description	<ul> <li>Non-Chlorinated Brake Parts</li> <li>Cleaner</li> </ul>	Item Number	05186
Net Fill	5 Gal	Plastic Safe	No
Propellant —	None None	Removal (How To)	N/A
Restricted From Sale In	CA, CO, CT, DC, DE, IL, IN, ME, MD, MA, MI, NH, NJ, NY, OH, PA, RI, parts of UT, VA	Specific Gravity	0.7824
UPC Code	078254051864	Unit Dimensions	13.8H x 11.3W x 11.3D in
Unit Package Description	5 Gallon Pail	Units per Case	1
VOC % (Consumer Product def)	100	VOC % (Federal)	100
VOC Category	Brake Cleaner	VOC Lbs./Gal. (Federal)	5.8
VOC g/L (Consumer Product def) —	695	VOC g/L (Federal)	695
VOC lbs/gal (Consumer Prod def) —	5.8		



Item# 1003667

# CRC® Brakleen® Non-Chlorinated Brake Parts Cleaner - 50 State Formula, 5 Gal

# **Description**

Removes brake fluid, grease, oil, and other contaminants quickly and effectively. Cleans & degreases brake parts, linings, calipers, drums and more!

- Brake Linings
- Clutches
- Springs
- Drums

- Brake Parts
- Wheel Cylinders
- Cv Joints
- Disc Brake Parts & Calipers

Appearance	Clear Liquid	Brand ————————————————————————————————————	CRC
Color	None	DOT Proper Shipping Name ——	Flammable Liquids, N.O.S. (Acetone, Heptane)
Dielectric Strength	6,300 Volts	Evaporation Rate	Fast
Flammability Class - CPSC	Extremely Flammable	Flash point (C)	<0°C
Flash point (F)	<32°F	Generic Description	Non-Chlorinated, Low VOC Brake Parts Cleaner
Item Number	05052	KB Value	>200
Net Fill	5 Gal	Plastic Safe	No No
Propellant —	None	Specific Gravity	0.78
UPC Code	078254050522	Unit Dimensions	13.8H x 11.3W x 11.3D in
Unit Package Description	5 Gallon Pail	Units per Case	1
VOC % (Consumer Product def)	10	VOC % (Federal)	10
VOC Category	Brake Cleaner	VOC Lbs./Gal. (Federal)	0.65
VOC g/L (Consumer Product def)	78	VOC g/L (Federal)	78
VOC lbs/gal (Consumer Prod def)	0.65		



Item# 1003714

# **CRC®** Brakleen® Brake Parts Cleaner, 5 Gal

## **Description**

The original brake parts cleaner. Formulated to quickly & effectively remove grease, brake dust, brake fluids, oils, & other contaminants from brake parts, lining, pads.

#### **Applications**

- ABS
- Drum
- Brake Drums
- Brake Shoes
- Clutch Discs
- Discs

- Disc
- Brake Cylinders
- Brake Linings
- Calipers
- Disc Brake Pads
- Springs & Wedge Brakes

Appearance	Colorless Liquid	Brand —	CRC
Color —	None	DOT Proper Shipping Name ——	Tetrachloroethylene (Marine Pollutant)
Dielectric Strength	37,500 Volts	Dry Time Fully Dry	Fast
Evaporation Rate	Very Fast	Flammability Class - CPSC	None
Flash point (C)	None	Flash point (F)	None
Generic Description	Brake Parts Cleaner	Item Number	05091
KB Value	95	Net Fill	5 Gal
Plastic Safe	No	Propellant —	None
Restricted From Sale In	CA, NJ	Specific Gravity	1.62
UPC Code	078254050911	Unit Dimensions	—— 13.8H x 11.3W x 11.3D in
Unit Package Description	5 Gallon Pail	Units per Case	1
VOC % (Consumer Product def)	o	VOC % (Federal)	0
VOC Category	Brake Cleaner	VOC Lbs./Gal. (Federal)	o
VOC g/L (Consumer Product def)	o	VOC g/L (Federal)	o
VOC lbs/gal (Consumer Prod def)	o		



Item# 1003702

# CRC® Brakleen® Brake Parts Cleaner - Non-Chlorinated, 55 Gal

# **Description**

The Brake Cleaner to use where compliance calls for a chlorine-free product. Formulated to quickly remove brake fluid, grease, oil, and other contaminants from brake linings & pads.

## **Applications**

- ABS
- Drum
- Brake Drums
- Brake Shoes
- Clutch Discs
- Discs

- Disc
- Brake Cylinders
- Brake Linings
- Calipers
- Disc Brake Pads
- Springs & Wedge Brakes

Appearance —	———— Clear Liquid	Brand ——————	CRC
Color —	None	DOT Proper Shipping Name ——	Flammable Liquid, n.o.s. (Heptanes, Isopropyl alcohol)
Evaporation Rate	———— Fast	Flammability Class - CPSC	Not a Consumer Product
Flash point (C)	-9	Flash point (F)	15.8
Ford Tox No.	177602	Generic Description	Non-Chlorinated Brake Parts Cleaner
Item Number	05087	Net Fill	55 Gal
Plastic Safe	No	Propellant —	None
Removal (How To)	N/A	Restricted From Sale In	CA, CO, CT, DC, DE, IL, IN, ME, MD, MA, MI, NH, NJ, NY, OH, PA, RI, parts of UT, VA
Specific Gravity	0.7824	UPC Code	078254050874
Unit Dimensions	— 35H x 24.5W x 24.5D in	Unit Package Description	55 Gallon Drum
Units per Case	1	VOC % (Consumer Product def)	100
VOC % (Federal)	100	VOC Category	Brake Cleaner
VOC Lbs./Gal. (Federal)	11.6	VOC g/L (Consumer Product def)	695
VOC g/L (Federal)	695	VOC lbs/gal (Consumer Prod	5.8

# По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47