

Уход за лодкой

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>



Stor & Go® Ethanol Fuel Treatment & Stabilizer, 16 Fl Oz
No. 06142 | Item# 1003923 | Case# 1003922

Product Description	Protects all gas powered 2 and 4 cycle engines from the harmful effects of ethanol. Prevents phase separation, protects against corrosion, cleans the fuel system, stabilizes fuel and restores power. Equally effective in E10 to E85 fuel.
Applications	Boats, jet skis, and marine craft; automobiles & RVs; snowmobiles, ATVs, motorcycles & other power sports equipment; lawn mowers, snow blowers, weed eaters & other outdoor power equipment; agricultural equipment. For all 2 & 4-cycle engines.
Unit Package Description	16 Ounce Bottle
Brand	CRC
Generic Description 1	Ethanol Fuel Treatment & Stabilizer
Net Fill	16 Fl Oz
UPC Code	078254061429
Unit Dimensions	8.75H x 2W x 4.75D in
Units Per Case	12
Case Dimensions	9.5H x 10.25W x 12D in
Cases Per Pallet	52
Case Weight	13.8 lbs
I 2 of 5 Code	30078254061420
Appearance	Amber Liquid
Base Type	Petroleum Distillate
Flash point (F)	120°F
Flash point (C)	49°C
Flammability Class - CPSC	Combustible
Spec Gravity Concentrate	0.81
Plastic Safe	No
Evaporation Rate	Slow
DOT Proper Shipping Name	Flammable Liquids, N.O.S. (Stoddard Solvent, Petroleum Distillates), Limited Quantity



VOC % (Consumer Product def)	58.5
VOC g/L (Consumer Product def)	479.7
VOC lbs/gal (Consumer Prod def)	4.0
VOC Category	Not Regulated
Removal (How To)	Remove with degreasers.
Treatment Ratio	1 Ounce per 10 gallons normal, 1 Ounce per 5 gallons extended storage.



Clear Vinyl Cleaner and Polish, 14 Wt Oz

No. MK6414 | Item# 1007624 | Case# 1007623

Product Description	Cleans, polishes, and protects all transparent clear vinyl in one easy step. Great for isinglass, clear vinyl enclosures, plastic windshields, hatches, and instruments made of Plexiglas, acrylic, LEXAN, and polycarbonates. Spray-on, buff off.
Applications	Isinglass, clear vinyl enclosures, plastic windshields, hatches, Plexiglas, acrylic, lexan, polycarbonates
Unit Package Description	16 Ounce Aerosol
Brand	MaryKate
Generic Description 1	Clear Vinyl Cleaner & polish
Net Fill	14 Wt Oz
UPC Code	716606064147
Unit Dimensions	7.75H x 2.63W x 2.63D in
Units Per Case	12
Case Dimensions	8.1H x 8.3W x 11.1D in
Cases Per Pallet	133
Case Weight	15 lbs
I 2 of 5 Code	30716606064148
Appearance	Clear Yellow Liquid with Creamy Top
Flammability Class - CPSC	None
Spec Gravity Concentrate	0.992
pH	11.3
Plastic Safe	Yes
Evaporation Rate	Slow
Propellant	Hydrocarbon
Aerosol Flammability Level	I
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity
VOC % (Consumer Product def)	3.68



VOC g/L (Consumer Product def)	36.5
VOC lbs/gal (Consumer Prod def)	0.3
VOC Category	Not Regulated
Restricted from Sale In:	CA
Removal (How To)	Remove with water.



Marine Battery Cleaner, 11 Wt Oz

No. 06023 | Item# 1003890 | Case# 1003889

Product Description	Removes corrosion from cables, terminals, cases, and hold-downs. Neutralizes acid spills. Assures maximum battery current flow and promotes longer life.
Applications	Clean battery terminals, battery casings, cable connectors and hold downs.
Unit Package Description	12 Ounce Aerosol
Brand	CRC
Generic Description 1	Marine Battery Cleaner
Net Fill	11 Wt Oz
UPC Code	078254060231
Unit Dimensions	6.25H x 2.63W x 2.63D in
Units Per Case	12
Case Dimensions	6.7H x 8.3W x 11.1D in
Cases Per Pallet	171
Case Weight	11 lbs
I 2 of 5 Code	30078254060232
Appearance	Yellow Foam
Flash point (F)	None
Flash point (C)	None
Flammability Class - CPSC	None
Spec Gravity Concentrate	1.04
Plastic Safe	Yes
Evaporation Rate	Slow
Propellant	Hydrocarbon
Aerosol Flammability Level	I
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity
VOC % (Consumer Product def)	7.9
VOC g/L (Consumer Product def)	82.16
VOC lbs/gal (Consumer Prod def)	0.68
VOC Category	Single Purpose Cleaner/Degreaser

Stor & Go® Ethanol Fuel Treatment & Stabilizer

Ethanol blended gasoline accounts for nearly 90% of all fuel sold in the US. Proven to break down, ethanol attracts moisture which leads to corrosion in the fuel tank. Use **CRC Stor & Go®** Ethanol Fuel Treatment & Stabilizer regularly in-season and during storage to protect all 2- and 4-cycle vehicles and equipment from the damaging effects of ethanol in gasoline.

4-in-1 Formula

- Maximum Corrosion Protection
- Stabilize Fuel in Storage & in Use
- Cleans Entire Fuel System
- Restores Power & MPG

Use to:

- ▲ Prevent phase separation*
- ▲ Protect against corrosion
- ▲ Clean the entire fuel system
- ▲ Stabilize fuel 12+ months for long-term storage
- ▲ Restore power and mileage potential
- ▲ Equally effective in E10 to E85 fuel

Fight Back Against Ethanol With The MAXIMUM CORROSION PROTECTION AVAILABLE!

Laboratory testing proves STOR & GO provides better water removal capability (per modified ASTM D 1401) and better corrosion protection (per ASTM D 665) than other leading ethanol fuel treatments.

1 oz treats 10 gallons for in-season protection
1 oz treats 5 gallons for storage
Stabilizes fuel for 12+ months

Part No.	Package Type	Net Contents	Units/Cs	Unit Dimensions	Case Dimensions
06141	Dosage bottle	8 fl oz	12	3.63"L x 1.75"W x 6.44"H	10.5"L x 8"W x 7.5"H
06142	Dosage bottle	16 fl oz	12	4.75"L x 2"W x 8.75"H	12"L x 10.25"W x 9.5"H
06143	Dosage bottle	32 fl oz	6	5"L x 2.75"W x 9.75"H	14.875"L x 12.25"W x 12"H

*CRC STOR & GO Ethanol Fuel Treatment has been tested and proven highly effective in controlling phase separation, however once phase separation has occurred, fuel cannot be recombined. STOR & GO may not prevent phase separation under the most extreme environmental conditions.



**CRC Stor & Go®
Ethanol Fuel Treatment &
Stabilizer provides the maximum
corrosion protection available for
E10 to E85 fuel**



Part No. 06163

Item# 1003931

CRC® Marine Fuel Stabilizer - Gasoline, 30 Fl Oz

Discontinued

alternate available **Product No. 06164** **ITEM# 1003933**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

Applications

- All 2 and 4 Cycle Gasoline Engines
- Marine Engines
- Agricultural Equipment
- Lawn & Garden Equipment
- Chainsaws
- Generators
- Jet Skis
- Lawn Mowers
- Motorcycles
- Snow Blowers
- Snowmobiles
- Tractors

Appearance Amber Liquid

Brand CRC

Case# 1003930

Color None

DOT Proper Shipping Name Flammable Liquids, Nos
(xylene,, ethylbenzene) Limited
Quantity

Evaporation Rate Slow

Flammability Class - CPSC Combustible

Flash point (C) 54.6°C

Flash point (F) 130.2°F

Generic Description Marine Fuel Stabilizer-Gasoline

I 2 of 5 Code 30078254061635

Item Number 06163

Net Fill 30 Fl Oz

Product Lifecycle Status DISC

Propellant None

Replacement Legacy Num 06164

Replacement Product SKU 1003933

Restricted From Sale In No State Restrictions

Specific Gravity 0.89

Treatment Ratio 1 Fl Oz treats 5 Gal.

UPC Code 078254061634

Unit Dimensions 7.5H x 2.13W x 5.25D in

Unit Package Description 1 Quart Bottle

Units per Case 12

VOC % (Consumer Product def) 27.6

VOC % (Federal) > 91.4

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) > 6.77

VOC g/L (Consumer Product def) 245.6

VOC g/L (Federal) >810

VOC lbs/gal (Consumer Prod def) 2.1

Viscosity @68 F [cP] 6.6



Part No. 06162

Item# 1003929

CRC® Marine Fuel Stabilizer - Gasoline, 16 Fl Oz

Discontinued

alternate available Product No. 06161 **ITEM# 1003927**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

Applications

- All 2 and 4 Cycle Gasoline Engines
- Marine Engines
- Agricultural Equipment
- Lawn & Garden Equipment
- Chainsaws
- Generators
- Jet Skis
- Lawn Mowers
- Motorcycles
- Snow Blowers
- Snowmobiles
- Tractors

Appearance _____ Amber Liquid

Brand _____ CRC

Case# _____ 1003928

Color _____ None

DOT Proper Shipping Name _____
Flammable Liquids, N.O.S.
(Hydroxyethylated
Aminoethylamide, Distillates
(Petroleum), Hydrotreated
Light)

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 54.6°C

Flash point (F) _____ 130.2°F

Generic Description _____ Marine Fuel Stabilizer-Gasoline

I 2 of 5 Code _____ 30078254061628

Item Number _____ 06162

Net Fill _____ 16 Fl Oz

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 06161

Replacement Product SKU _____ 1003927

Specific Gravity _____ 0.89

Treatment Ratio _____ 1 Fl Oz treats 5 Gal.

UPC Code _____ 078254061627

Unit Dimensions _____ 9.5H x 1.5W x 3.38D in

Unit Package Description _____ 16 Ounce Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 27.6

VOC % (Federal) _____ > 91.4

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ > 6.77

VOC g/L (Consumer Product
def) _____ 245.6

VOC g/L (Federal) _____ >810

VOC lbs/gal (Consumer Prod
def) _____ 2.1

Viscosity @68 F [cP] _____ 6.6



Part No. 06161

Item# 1003927

CRC® Marine Fuel Stabilizer - Gasoline, 8 Fl Oz

Description

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

Applications

- All 2 and 4 Cycle Gasoline Engines
- Marine Engines
- Agricultural Equipment
- Lawn & Garden Equipment
- Chainsaws
- Generators
- Jet Skis
- Lawn Mowers
- Motorcycles
- Snow Blowers
- Snowmobiles
- Tractors

Appearance ———— Amber Liquid

Brand ———— CRC

Case# ———— 1003926

Color ———— None

DOT Proper Shipping Name ———— Not Regulated

Evaporation Rate ———— Slow

Flammability Class - CPSC ———— Combustible

Flash point (C) ———— 70°C

Flash point (F) ———— 158°F

Generic Description ———— Marine Fuel Stabilizer-Gasoline

I 2 of 5 Code ———— 30078254061611

Item Number ———— 06161

Net Fill ———— 8 Fl Oz

Propellant ———— None

Specific Gravity ———— 0.89

Treatment Ratio ———— 1 Fl Oz treats 5 Gal.

UPC Code ———— 078254061610

Unit Dimensions ———— 7.13H x 1.5W x 2.75D in

Unit Package Description ———— 8 Ounce Bottle

Units per Case ———— 12

VOC % (Consumer Product def) ———— 27.6

VOC % (Federal) ———— > 91.4

VOC Category ———— Not Regulated

VOC Lbs./Gal. (Federal) ———— > 6.77

VOC g/L (Consumer Product def) ———— 245.6

VOC g/L (Federal) ———— >810

VOC lbs/gal (Consumer Prod def) ———— 2.1



Part No. 06121

Item# 1003919

Marine Engine Tune Up & Decarbonizer, 13 Wt Oz

Description

Breaks down carbon, varnish, and other harmful deposits in the combustion chamber. Dramatically improves power and performances. Solves many rough-idle or power loss problems.

Applications

2 and 4 cycle marine engines

Appearance Amber Liquid

Brand CRC

Case Weight 13 lbs

Case# 1003918

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength Not Determined

Evaporation Rate Slow

Flammability Class - CPSC Extremely Flammable

Flash point (C) 68°C

Flash point (F) 154°F

Generic Description Engine Tune Up & Decarbonizer

I 2 of 5 Code 30078254061215

Item Number 06121

Net Fill 13 Wt Oz

Plastic Safe No

Product Data Sheet (Spanish)

Propellant Hydrocarbon

Removal (How To) CA, CO, CT, DE, MD, NH, RI, parts of UT

Restricted From Sale In CA, CT, DE, MD, NH, RI, parts of UT

Specific Gravity 0.91

UPC Code 078254061214

Unit Dimensions 7.88H x 2.69W x 2.69D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 36.4

VOC % (Federal) 36.4

VOC Category Carburetor Cleaners

VOC Lbs./Gal. (Federal) 2.76

VOC g/L (Consumer Product def) 331.2

VOC g/L (Federal) 331.2

VOC lbs/gal (Consumer Prod def) 2.76



Part No. SL3120

Item# 1007856

Sta-Lube® Marine Boat Trailer and 4x4 Wheel Bearing Grease, 14 Wt Oz

Description

Sta-Lube®, by the makers of CRC, solves your marine lubrication issues once and for all, with Sta-Lube® Marine Boat Trailer and 4X4 Wheel Bearing Grease. Designed for use in both freshwater and saltwater, this calcium sulfonate, marine grease keeps bearings, seals, and other critical parts well lubricated, even in challenging operating conditions.

Applications

- Anti-Friction Bearings
- Boat Trailer Bearings
- Marine Equipment
- Sleeve Bearings
- Steering Cables
- Steering Quadrants
- Wheel Bearings
- Blocks
- Deck Equipment
- Shaft Log Seals
- Slides
- Steering Dockside Machinery
- Turnbuckles
- Winches

4 Ball EP 500 kgf (weld point)

4 Ball Wear 0.5 mm scar

Appearance Blue Semi-Solid to Solid Grease

Brand Sta-Lube

Case# 1007855

DOT Proper Shipping Name Not Regulated

Drop Point 500°F

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) 243°C

Flash point (F) 469°F

Generic Description Marine Grease for Boat Trailer

I 2 of 5 Code 30072213312004

Item Number SL3120

Leakage 5

NLGI Grade 2

Net Fill 14 Wt Oz

Pour Point 0°F

Propellant None

Removal (How To) Remove with a degreaser or brake cleaner product.

Specific Gravity 0.9 at 60°F

UPC Code 072213312003

Unit Dimensions 9.31H x 2.13W x 2.13D in

Unit Package Description 14 Ounce Cartridge

Units per Case 10

VOC % (Consumer Product def) 0

VOC % (Federal) 0

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 0

VOC g/L (Consumer Product def) 0

VOC g/L (Federal) 0

VOC lbs/gal (Consumer Prod def) 0

Water Washout 1% at 174°F

Worked Penetration 265 to 295

Working Temp (C) -17.8 to 162°C

Working Temp (F) 0 to 325°F



Part No. SL3121

Item# 1007858

Sta-Lube® Marine Boat Trailer and 4x4 Wheel Bearing Grease, 14 Wt Oz

Description

A blue tacky, calcium sulfonate grease using a highly refined base oil. It has been formulated with a polymer to provide adhesive, non-blend and water wash-out characteristics. Will resist water under the most severe water conditions.

Applications

- Anti-Friction Bearings
- Boat Trailer Bearings
- Marine Equipment
- Sleeve Bearings
- Steering Cables
- Steering Quadrants
- Wheel Bearings
- Blocks
- Deck Equipment
- Shaft Log Seals
- Slides
- Steering Dockside Machinery
- Turnbuckles
- Winches

4 Ball EP 500 kgf (weld point)

4 Ball Wear 0.5 mm scar

Appearance Blue Semi-Solid to Solid Grease

Brand Sta-Lube

Case# 1007857

DOT Proper Shipping Name Not Regulated

Drop Point 500°F

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) 243°C

Flash point (F) 469°F

Generic Description Marine Grease for Boat Trailer

I 2 of 5 Code 30072213312103

Item Number SL3121

Leakage 5

NLGI Grade 2

Net Fill 14 Wt Oz

Pour Point 0°F

Propellant None

Removal (How To) Remove with a degreaser or brake cleaner product.

Specific Gravity 0.9 at 60°F

UPC Code 072213312102

Unit Dimensions 3.44H x 4.13W x 4.13D in

Unit Package Description 14 Ounce Can

Units per Case 12

VOC % (Consumer Product def) 0

VOC % (Federal) 0

VOC Category Not Regulated

VOC g/L (Consumer Product def) 0

VOC g/L (Federal) 0

VOC lbs/gal (Consumer Prod def) 0

Water Washout 1% at 174°F

Worked Penetration 265 to 295

Working Temp (C) -17.8 to 176.7°C

Working Temp (F) 0 to 350°F



Part No. SL3184

Item# 1007888

Sta-Lube® Marine Boat Trailer and 4x4 Wheel Bearing Grease, 3 Wt Oz

Description

A blue tacky, calcium sulfonate grease using a highly refined base oil. It has been formulated with a polymer to provide adhesive, non-blend and water wash-out characteristics. Will resist water under the most severe water conditions.

Applications

- Anti-Friction Bearings
- Boat Trailer Bearings
- Marine Equipment
- Sleeve Bearings
- Steering Cables
- Steering Quadrants
- Wheel Bearings
- Blocks
- Deck Equipment
- Shaft Log Seals
- Slides
- Steering Dockside Machinery
- Turnbuckles
- Winches

4 Ball EP 500 kgf (weld point)

4 Ball Wear 0.5 mm scar

Appearance Blue Semi-Solid to Solid Grease

Brand Sta-Lube

Case# 1007887

DOT Proper Shipping Name Not Regulated

Drop Point 500°F

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) 243°C

Flash point (F) 469°F

Generic Description Marine Grease for Boat Trailer

I 2 of 5 Code 30072213318402

Item Number SL3184

Leakage 5

NLGI Grade 2

Net Fill 3 Wt Oz

Pour Point 0°F

Propellant None

Removal (How To) Remove with a degreaser or brake cleaner product.

Specific Gravity 0.9 at 60°F

UPC Code 072213318401

Unit Dimensions 8.5H x 6.25W x 1.5D in

Unit Package Description 3 Each 3 Ounce Cartridge

Units per Case 6

VOC % (Consumer Product def) 0

VOC % (Federal) 0

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 0

VOC g/L (Consumer Product def) 0

VOC g/L (Federal) 0

VOC lbs/gal (Consumer Prod def) 0

Water Washout 1% at 174°F

Worked Penetration 265 to 295

Working Temp (C) -17.8 to 176.7°C

Working Temp (F) 0 to 350°F



Part No. 05021

Item# 1003638

CRC® Gasket Remover, 12 Wt Oz

Description

Used for the removal of conventional & formed in place gaskets on motors, pumps & flanges.

Applications

- Motors
- Flanges
- Stone
- Pumps
- Metal

Appearance Slightly hazy viscous liquid

Brand CRC

Case# 1003637

Color None

DOT Proper Shipping Name AEROSOLS, FLAMMABLE,
LIMITED QUANTITY

Evaporation Rate Fast

Flammability Class - CPSC Flammable

Flash point (C) -20.0 °C

Flash point (F) -4.0 °F

Generic Description Gasket Remover

I 2 of 5 Code 30078254050219

Item Number 05021

Net Fill 12 Wt Oz

Plastic Safe No

Propellant Hydrocarbon

Removal (How To) Wipe or scrape off

Specific Gravity 0.7419

UPC Code 078254050218

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 47.5

VOC % (Federal) 47.5

VOC Category Gasket Remover

VOC Lbs./Gal. (Federal) 6.1

VOC g/L (Consumer Product
def) 352.4

VOC g/L (Federal) 736.5

VOC lbs/gal (Consumer Prod
def) 2.94



Part No. 06114

Item# 1003917

CRC® Marine Dry Lube with PTFE Technology, 10 Wt Oz

Discontinued

alternate available Product No. 03044 **ITEM# 1003302**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Micro-thin film penetrates & bonds to aluminum, metals, wood, rubber, plastic and most surfaces. Reduces friction and drag. Seals out moisture and helps prevent corrosion.

Applications

- Rigging
- Rudders
- Centerboards
- Deck Hardware
- Hinges
- Fishing Reel Components
- Mast Track
- Genoa or Traveler T-Track
- Daggerboards
- Tools
- Zippers

Appearance	Hazy White Suspension in Liquid	Brand	CRC
Case#	1003916	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dry Time Fully Dry	24 Hours
Dry Time Tack Free	1 Hour	Elastomer Compatibility	Yes
Evaporation Rate	Fast	Film Thickness	0.05 to 0.1 Mils
Film Type	Dry White	Flammability Class - CPSC	Flammable
Flash point (C)	<-7°C	Flash point (F)	<20°F
Generic Description	Dry Lube	I 2 of 5 Code	30078254061147
Item Number	06114	Net Fill	10 Wt Oz
Product Lifecycle Status	DISC	Propellant	Hydrocarbon
Removal (How To)	Remove with IPA or hexane if wet; hard rubbing when dry.	Replacement Legacy Num	03044
Replacement Product SKU	1003302	Specific Gravity	0.73
UPC Code	078254061146	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	98	VOC % (Federal)	98.01
VOC Category	Dry Film Lubricant	VOC Lbs./Gal. (Federal)	12.7
VOC g/L (Consumer Product def)	715.4	VOC g/L (Federal)	1519.7
VOC lbs/gal (Consumer Prod def)	5.96	Working Temp (C)	-40 to 232.2°C
Working Temp (F)	-40 to 450°F		



Part No. 06077

Item# 1003911

CRC® Marine Heavy Duty Silicone, 9 Wt Oz

Description

Clean, odorless, highly water resistant. Fights corrosion. Lubricates wood, nylon, rubber, metals, canvas and leather. Eliminates squeaking and binding. Lubricates from -40°F to 400°F.

Applications

- Wood
- Metal
- Leather
- Nylon
- Canvas

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003910

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity (Marine Pollutant)

Dielectric Strength _____ 350 Volts/Mil

Dry Time Fully Dry _____ 1 Minute

Dry Time Tack Free _____ 3 Seconds to 1 Minute

Evaporation Rate _____ Fast

Film Thickness _____ Non-Drying

Film Type _____ Thin, Dry

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-18°C

Flash point (F) _____ <0°F

Generic Description _____ Marine Silicone Lubricant

I 2 of 5 Code _____ 30078254060775

Item Number _____ 06077

Net Fill _____ 9 Wt Oz

Plastic Safe _____ No

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with soap & water,
CRC HydroForce All Purpose,
etc. and elbow power
(scrubbing).

Specific Gravity _____ 0.748

UPC Code _____ 078254060774

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 59.5

VOC % (Federal) _____ 59.5

VOC Category _____ Silicone Based Multi-Purpose
Lubricant

VOC Lbs./Gal. (Federal) _____ 7.7

VOC g/L (Consumer Product def) _____ 445.1

VOC g/L (Federal) _____ 922.6

VOC lbs/gal (Consumer Prod def) _____ 3.7

Working Temp (C) _____ -40 to 204.4°C

Working Temp (F) _____ -40 to 400°F



Part No. MK5232

Item# 1007618

MaryKate® Grease Away, 32 Fl Oz

Discontinued

alternate available Product No. 14415 **ITEM# 1004970**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Heavy-duty engine degreaser. Formulated for outboards, inboards, stern drives, machinery, tools, and more. Spray on/rinse off. Contains no petroleum solvents.

Applications

- Inboard/Outboards
- Machinery
- Motors
- Outboard Engines
- Tools

Appearance Clear Light Yellow Liquid

Brand MaryKate

Case# 1007617

DOT Proper Shipping Name Corrosive Liquids, N.O.S.
(Potassium Hydroxide, Sodium
Metasilicate), Limited Quantity

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Grease Away

I 2 of 5 Code 30716606052329

Item Number MK5232

Net Fill 32 Fl Oz

PH 13.2

Plastic Safe May Harm Sensitive Plastics

Product Lifecycle Status DISC

Propellant None

Removal (How To) Remove with water.

Replacement Legacy Num 14415

Replacement Product SKU 1004970

Specific Gravity 1.09

UPC Code 716606052328

Unit Dimensions 10H x 1.63W x 4.5D in

Unit Package Description 1 Quart Spray Bottle

Units per Case 12

VOC % (Consumer Product def) 0.2

VOC % (Federal) 9.7

VOC Category Engine Degreasers - Non-
Aerosol

VOC Lbs./Gal. (Federal) 1.3

VOC g/L (Consumer Product def) 2.2

VOC g/L (Federal) 150.4

VOC lbs/gal (Consumer Prod def) 0.02



Part No. 06072

Item# 1003908

CRC® Engine Stor® Fogging Oil for Outboard Engines, 13 Wt Oz

Discontinued

alternate available Product No. 06068 **ITEM# 1003904**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

As fogging fluid, it protects outboard motors, marine engines & internal combustion engines, insures longer life. As long term metal protectant, it keeps pistons, rings & cylinder walls corrosion free. Also protects electrical connections in use/storage.

Applications

- For Omc Motors Equipped With Maintenance Valve
- Fishing Reels
- Gasoline Engines Only
- Outboards
- Tools (Hand)
- as A Corrosion Inhibitor
- Metal Parts
- Marine Engines
- Safe For Use in Gasohol
- Tools (Power)

Brand _____ CRC

Color None

Evaporation Rate _____ Not Determined

Flash point (C) _____ >177°C

Generic Description	Fogging Oil
---------------------	-------------

Item Number 06072

Plastic Safe _____ Yes

Propellant _____ **Hydrocarbon**

Replacement Product SKU 1003904

UPC Code 078254060729

Unit Package Description 16 Ounce Aerosol

VOC % (Consumer Product def) _____ **10.6**

VOC Category _____ Not Regulated

VOC g/L (Consumer Product def) _____ 95

VOC lbs/gal (Consumer Prod def) _____ 0.78



Part No. 06068

Item# 1003904

CRC® Engine Stor® Fogging Oil, 13 Wt Oz

Description

As fogging fluid, it protects outboard motors, marine engines & internal combustion engines, insures longer life. As long term metal protectant, it keeps pistons, rings & cylinder walls corrosion free. Also protects electrical connections in use/storage.

Applications

- as A Corrosion Inhibitor
- Metal Parts
- Marine Engines
- Safe For Use in Gasohol
- Power Tools
- Fishing Reels
- Gasoline Engines Only
- Outboards
- Hand Tools

Appearance _____ Amber Viscous Liquid

Brand _____ CRC

Case# _____ 1003903

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, LIMITED
QUANTITY

Evaporation Rate _____ Not Determined

Flammability Class - CPSC _____ None

Flash point (C) _____ >177°C

Flash point (F) _____ >350°F

Generic Description _____ Fogging Oil

I 2 of 5 Code _____ 30078254060683

Item Number _____ 06068

Net Fill _____ 13 Wt Oz

Plastic Safe _____ Yes

Propellant _____ Hydrocarbon

Removal (How To) _____ N/A

Specific Gravity _____ 0.896

UPC Code _____ 078254060682

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 10.6

VOC % (Federal) _____ 100

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product
def) _____ 95

VOC g/L (Federal) _____ 1550.6

VOC lbs/gal (Consumer Prod
def) _____ 0.78



Part No. 05185

Item# 1003746

CRC® Duster™ Moisture-Free Dust & Lint Remover, 8 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Provides a powerful blast of product to remove embedded debris without damaging sensitive components or surface finishes. Reaches areas where normal hand dusting cannot.

Applications

- Circuit Breakers
- Contacts
- Lab Equipment
- Locks
- PC Boards
- Photographic Equipment
- PCV Valve
- Smoke Detectors
- Switches
- Televisions
- Computer Components
- Electronics
- Light Sockets
- Office Equipment
- Pcs
- Radios
- Sensors
- Stereos
- Telephones
- Vcrs

Appearance _____ Clear Liquefied Gas

Brand _____ CRC

Case# _____ 1003745

Color _____ None

DOT Proper Shipping Name _____ 1,1-Difluoroethane or
Refrigerant gas R 152a

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ -50°C

Flash point (F) _____ -58°F

Ford Tox No. _____ 192326

Generic Description _____ Moisture-Free Dust and Lint
Remover

I 2 of 5 Code _____ 20078254051851

Item Number _____ 05185

KB Value _____ <11

Net Fill _____ 8 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ HFC-152a

Removal (How To) _____ N/A

Specific Gravity _____ 0.909

UPC Code _____ 078254051857

Unit Dimensions _____ 8.25H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Pressurized Gas Duster

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 03020

Item# 1003270

CRC® Knock'er Loose® Penetrating Solvent, 13 Wt Oz

Description

Something as simple as rust and corrosion on nuts and bolts can make an easy job feel impossible. Now you can loosen rusted bolts quickly, with CRC Knock'er Loose® Penetrating Solvent. Knock'er Loose® can make any job go faster by loosening seized or bound fasteners, allowing you to remove them without extra effort or stress. Read 'More Information' to learn about how Knock'er Loose® can help you remove rust and even prevent it from returning.

Applications

- Nuts and Bolts
- Screws
- Clips
- Snaps
- Caps
- Washers
- Pins
- Bushings
- Hinges
- Lugs
- Locks
- Sliding Mechanisms

Appearance	Reddish Liquid	Brand	CRC
Case#	1003269	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Dielectric Strength	35,200 Volts
Evaporation Rate	Moderate	Film Type	Thin, Non-Drying
Flammability Class - CPSC	None	Flash point (C)	64°C
Flash point (F)	147°F	Generic Description	Penetrating Solvent
I 2 of 5 Code	30078254030204	Item Number	03020
KB Value	61	NSF Category Code	H2
NSF Number	132079	Net Fill	13 Wt Oz
Plastic Safe	No	Propellant	Carbon Dioxide
Removal (How To)	Remove with petroleum distillates.	Specific Gravity	0.86
UPC Code	078254030203	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	23.6	VOC % (Federal)	98.36
VOC Category	Penetrant	VOC Lbs./Gal. (Federal)	12.7
VOC g/L (Consumer Product def)	203	VOC g/L (Federal)	1525.2
VOC lbs/gal (Consumer Prod def)	1.7		

Part No. MK2832

Item# 1007590

MaryKate® Spray Away™ All Purpose Cleaner, 32 Fl Oz

Description

Cleans grease, grime, oil, rain stains, fish blood and more. Great on virtually any surface. Heavy duty formula is four times stronger than most spray cleaning products. Non-flammable.

Applications

- Works on Virtually Any Surface
- Stainless Steel
- Fiberglass
- Brass

Appearance _____ Clear Blue-Green Liquid

Brand _____ MaryKate

Case# _____ 1007589

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Spray Away All Purpose
Cleaner

I 2 of 5 Code _____ 30716606028324

Item Number _____ MK2832

Net Fill _____ 32 Fl Oz

PH _____ 12.2

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.06

UPC Code _____ 716606028323

Unit Dimensions _____ 10H x 1.63W x 4.5D in

Unit Package Description _____ 1 Quart Spray Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0.5

VOC % (Federal) _____ 4.09

VOC Category _____ General Purpose Cleaner - Non-
Aerosol

VOC Lbs./Gal. (Federal) _____ 0.53

VOC g/L (Consumer Product
def) _____ 5.3

VOC g/L (Federal) _____ 63.4

VOC lbs/gal (Consumer Prod
def) _____ 0.04



Part No. MK6912

Item# 1007633

MaryKate® Moisture Absorber, 12 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Dries air in cabins, lockers, closets, bathrooms, basements, & other enclosed areas. Concentrated pellet formula absorbs up to 50% more moisture than flake formulas.

Applications

- Dries Air in Cabins
- Closets
- Basements
- Lockers
- Bathrooms
- Enclosed Areas

Appearance _____ White Granular Pellets

Brand _____ MaryKate

Case# _____ 1007632

DOT Proper Shipping Name _____ Not Regulated

Flammability Class - CPSC _____ None

Generic Description _____ Moisture Absorber

I 2 of 5 Code _____ 30716606069129

Item Number _____ MK6912

Net Fill _____ 12 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Specific Gravity _____ 2.2

UPC Code _____ 716606069128

Unit Dimensions _____ 3.44H x 4.13W x 4.13D in

Unit Package Description _____ 12 Ounce Tub

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 06006

Item# 1003879

CRC® 6-56® Multi-Purpose Lubricant, 9 Wt Oz

Description

Long lasting, superior lubrication that resists water and salt spray. Drives out moisture that can cause electrical failures and hard starting. Penetrates deep through rust and corrosion to loosen frozen parts. Starts wet engines

Applications

- Fishing Reels
- Pulleys
- Starts Wet Engines
- As a Corrosion Inhibitor
- Winches
- Metal Components
- Frees Rusted Parts

Appearance _____ Clear to Hazy Blue-Green
Liquid

Brand _____ CRC

Case# _____ 1003878

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 38,800 Volts

Evaporation Rate _____ Slow

Federal Specification Number _____ V-V-P-216|O-W-1284

Film Thickness _____ 0.025 to 0.075 Mils

Film Type _____ Wet

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 89°C

Flash point (F) _____ 192°F

Generic Description _____ Multi Purpose Lubricant

I 2 of 5 Code _____ 30078254060065

Item Number _____ 06006

Net Fill _____ 9 Wt Oz

Plastic Safe _____ Not on all plastics

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with petroleum products or
mineral spirits.

Specific Gravity _____ 0.827

UPC Code _____ 078254060064

Unit Dimensions _____ 6.25H x 2.63W x 2.63D in

Unit Package Description _____ 12 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 97.49

VOC Category _____ Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 1511.7

VOC lbs/gal (Consumer Prod
def) _____ 0

Working Temp (C) _____ -45.6 to 121.1°C

Working Temp (F) _____ -50 to 250°F



Part No. 06005

Item# 1003877

CRC® 6-56® Multi-Purpose Lubricant, 5 Wt Oz

Discontinued

alternate available Product No. 06006 **ITEM# 1003879**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Long lasting, superior lubrication that resists water and salt spray. Drives out moisture that can cause electrical failures and hard starting. Penetrates deep through rust and corrosion to loosen frozen parts. Starts wet engines

Applications

- Fishing Reels
- Pulleys
- Starts Wet Engines
- As a Corrosion Inhibitor
- Winches
- Metal Components
- Frees Rusted Parts

Appearance _____ Clear Blue-Green Liquid

Brand _____ CRC

Case# _____ 1003876

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 38,800 Volts

Evaporation Rate _____ Slow

Federal Specification Number _____ V-V-P-216[O-W-1284

Film Thickness _____ 0.025 to 0.075 Mils

Film Type _____ Wet

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 89°C

Flash point (F) _____ 192°F

Generic Description _____ Multi Purpose Lubricant

I 2 of 5 Code _____ 30078254060058

Item Number _____ 06005

Net Fill _____ 5 Wt Oz

Plastic Safe _____ Not on all plastics

Product Lifecycle Status _____ DISC

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with petroleum
products or mineral spirits.

Replacement Legacy Num _____ 06006

Replacement Product SKU _____ 1003879

Specific Gravity _____ 0.827

UPC Code _____ 078254060057

Unit Dimensions _____ 5.5H x 2W x 2D in

Unit Package Description _____ 6 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 97.49

VOC Category _____ Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 1511.7

VOC lbs/gal (Consumer Prod def) _____ 0

Working Temp (C) _____ -45.6 to 121.1°C

Working Temp (F) _____ -50 to 250°F



Part No. 06007

Item# 1003881

CRC® 6-56® Multi-Purpose Lubricant, 11 Wt Oz

Description

Long lasting, superior lubrication that resists water and salt spray. Drives out moisture that can cause electrical failures and hard starting. Penetrates deep through rust and corrosion to loosen frozen parts. Starts wet engines

Applications

- Fishing Reels
- Pulleys
- Starts Wet Engines
- As a Corrosion Inhibitor
- Winches
- Metal Components
- Frees Rusted Parts

Appearance _____ Clear Blue-Green Liquid

Brand _____ CRC

Case# _____ 1003880

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 38,800 Volts

Evaporation Rate _____ Slow

Federal Specification Number _____ V-V-P-216[O-W-1284

Film Thickness _____ 0.025 to 0.075 Mils

Film Type _____ Wet

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 89°C

Flash point (F) _____ 192°F

Generic Description _____ Multi Purpose Lubricant

I 2 of 5 Code _____ 30078254060072

Item Number _____ 06007

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Not on all plastics

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with petroleum products or
mineral spirits.

Specific Gravity _____ 0.827

UPC Code _____ 078254060071

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 97.49

VOC Category _____ Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 1511.7

VOC lbs/gal (Consumer Prod
def) _____ 0

Working Temp (C) _____ -45.6 to 121.1°C

Working Temp (F) _____ -50 to 250°F



Part No. MK6332

Item# 1007622

MaryKate® Fabric Waterproofer, 30 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Premium grade heavy duty water repellent solution. Restores water repellency of cotton & synthetic fabrics. Neutral color. Use on boat covers, canvas Bimini tops, tents, clothing, leather, footwear & more.

Applications

- Boat Covers
- Canvas Bimini Tops
- Tents
- Clothing
- Leather Footwear

Appearance Milky Emulsion

Brand MaryKate

Case# 1007621

DOT Proper Shipping Name Not Regulated

Dry Time Fully Dry 24 Hours

Dry Time Tack Free 2 Hours

Evaporation Rate Like Water

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Fabric Waterproofer

I 2 of 5 Code 30016606063326

Item Number MK6332

Net Fill 30 Fl Oz

PH 7.25

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant None

Removal (How To) Repeat washings

Specific Gravity 1

UPC Code 716606063324

Unit Dimensions 10H x 1.63W x 4.5D in

Unit Package Description 1 Quart Bottle

Units per Case 12

VOC % (Consumer Product def) 0

VOC % (Federal) 0

VOC Category Waterproofer

VOC g/L (Consumer Product def) 0

VOC lbs/gal (Consumer Prod def) 0



Part No. MK2432

Item# 1007582

MaryKate® Nu-Teak™ One Step Teak Cleaner, 32 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Cleans teak and other hardwoods. Removes stains & weathering. Contains no acids or harsh chemicals. Will not raise wood grain. Also great for decks, patios and outdoor furniture.

Applications

- Marine Teak
- Teak Outdoor Furniture

Appearance _____ Clear Light Yellow Liquid

Brand _____ MaryKate

Case# _____ 1007581

DOT Proper Shipping Name _____ Corrosive Liquids, N.O.S.
(Potassium Hydroxide, Sodium
Metasilicate), Limited Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ One Step Teak Cleaner

I 2 of 5 Code _____ 30716606024326

Item Number _____ MK2432

Net Fill _____ 32 Fl Oz

PH _____ 13.2

Plastic Safe _____ May Harm Sensitive Plastics

Product Lifecycle Status _____ DISC

Propellant _____ None

Specific Gravity _____ 1.09

UPC Code _____ 716606024325

Unit Dimensions _____ 9H x 3.25W x 3.25D in

Unit Package Description _____ 1 Quart Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0.2

VOC % (Federal) _____ 9.7


VOC Category _____ Wood Cleaner

VOC Lbs./Gal. (Federal) _____ 1.3

VOC g/L (Consumer Product
def) _____ 2.2

VOC g/L (Federal) _____ 150.4

VOC lbs/gal (Consumer Prod
def) _____ 0.02



Part No. 05107

Item# 1003724

CRC® Bulb & Connector Dielectric Grease, 0.28 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing, voltage drop & other conditions. Also ideal for lubrication plastic & rubber.

Applications

- Electrical Connections
- Contacts
- Trailer Connectors
- Battery Terminals
- Lubrication of Plastic
- Circuit Breakers
- Spark Plug Boots
- Hei Distributor
- Contacts
- Rubber Parts & O-Rings

Appearance _____ Opaque White Gel

Brand _____ CRC

Case# _____ 1003723

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ 500 Volts/Mil

Drop Point _____ None

Evaporation Rate _____ <0.01 (Butyl Acetate=1)

Federal Specification Number _____ FDA-CFR-178.3570|FDA-CFR-175.300

Film Thickness _____ Non-Drying

Film Type _____ Wet

Flammability Class - CPSC _____ None

Flash point (C) _____ >260°C

Flash point (F) _____ >500°F

Generic Description _____ Bulb & Connector Dielectric Grease

I 2 of 5 Code _____ 30078254051070

Item Number _____ 05107

Military Specification Number _____ Mil-S-8660C(DM-3), Mil-C-21567A(DM-2)

Net Fill _____ 0.28 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test small area)

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with petroleum distillates and chlorinated solvents.

Specific Gravity _____ 1.06

UPC Code _____ 078254051079

Unit Dimensions _____ 6.25H x 4.5W x .75D in

Unit Package Description _____ 0.28 Ounce Tube

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0

Working Temp (C) _____ -56.7 to 204.4°C

Working Temp (F) _____ -70 to 400°F



Part No. 03082

Item# 1003346

CRC® Dielectric Grease, 10 Wt Oz

Description

Non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Waterproofs electrical connections and components. Improves electrical performance in adverse weather conditions.

Applications

- Electrical Panels
- Scoreboards
- High Voltage Poles
- Disconnects
- Electrical Contacts
- Battery Terminals
- Outdoor Lighting
- Traffic Lights
- Transformers
- Switching Mechanisms
- Spark Plugs
- Fasteners

Appearance Translucent to Opaque Gel
Paste

Brand CRC

Case# 1003345

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited
Quantity

Dielectric Strength 13,960 Volts

Evaporation Rate Fast

Film Type Non-Curing Silicone Paste

Flammability Class - CPSC Not a Consumer Product

Flash point (C) <-7°C

Flash point (F) <20°F

Generic Description Non Curing Silicone Lubricating
Compound with Perma-Lock®

I 2 of 5 Code 30078254030822

Item Number 03082

NLGI Grade 2

NSF Category Code H1

NSF Number 130627

Net Fill 10 Wt Oz

Plastic Safe Not Plastic Safe

Propellant Hydrocarbon

Removal (How To) Remove with petroleum
distillates.

Specific Gravity 0.646

UPC Code 078254030821

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 90.1

VOC % (Federal) 90.1

VOC Category Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) 11.7

VOC g/L (Consumer Product def) 582

VOC g/L (Federal) 1397.1

VOC lbs/gal (Consumer Prod def) 4.85

Working Temp (C) -56.7 to 204.4°C

Working Temp (F) -70 to 400°F



Part No. 05109

Item# 1003727

CRC® Technician Grade Dielectric Grease with Precision Tip Applicator, .5 Wt Oz

Description

A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing, voltage drop & other conditions. Also ideal for lubrication of plastic & rubber.

Applications

- Electrical Connections
- Contacts
- Trailer Connectors
- Battery Terminals
- Lubrication of Plastic
- Circuit Breakers
- Spark Plug Boots
- Hei Distributor
- Contacts
- Rubber Parts & O-Rings

Appearance Translucent White

Brand CRC

Case# 1003726

Color None

DOT Proper Shipping Name Not Regulated

Dielectric Strength 500 Volts/Mil

Drop Point None

Evaporation Rate Slow

Film Type Grease

Flammability Class - CPSC None

Flash point (C) 299°C

Flash point (F) 570°F

Generic Description Dielectric Grease

I 2 of 5 Code 30078254051094

Item Number 05109

Leakage None

NLGI Grade 3

Net Fill 0.5 Wt Oz

Plastic Safe Yes

Pour Point -50°F

Pour Point (C) -45.56°C

Pour Point (F) -50°F

Propellant None

Removal (How To) Remove with a degreaser.

Specific Gravity 1.03

UPC Code 078254051093

Unit Dimensions 7.88H x 2.75W x 1D in

Unit Package Description 0.5 Ounce Tube

Units per Case 12

VOC % (Consumer Product def) 0

VOC Category Not Regulated

VOC g/L (Consumer Product def) 0

VOC lbs/gal (Consumer Prod def) 0

Water Washout 0.75

Worked Penetration 230 to 245

Working Temp (C) 298.89°C

Working Temp (F) 570°F



Part No. MK3732

Item# 1007604

MaryKate® Mildew Stain Remover, 32 Fl Oz

Description

Fast and effective. Fine mist spray won't run, even on vertical surfaces. No scrubbing necessary. Just spray on, wipe off. Use on any vinyl or hard surface.

Applications

- Marine Canvas and Fabrics
- Bimini Tops
- Synthetic
- Vinyl Marine Fabrics
- Boat Covers
- Seat Covers; Marine Grade Fabrics Such as Sunbrella® & Other Acrylic
- Polyester

Appearance _____ Viscous Clear Liquid

Brand _____ MaryKate

Case Weight _____ 2.67 lbs

Case# _____ 1007603

DOT Proper Shipping Name _____ Hypochlorite solutions, Limited
Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Mildew Stain Remover

I 2 of 5 Code _____ 30716606037326

Item Number _____ MK3732

Net Fill _____ 32 Fl Oz

PH _____ 11.9

Plastic Safe _____ No

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.04

UPC Code _____ 716606037325

Unit Dimensions _____ 10H x 1.63W x 4.5D in

Unit Package Description _____ 1 Quart Spray Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ General Purpose Cleaner -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 06002

Item# 1003875

CRC® 6-56® Multi-Purpose Lubricant - Zero VOC, 11 Wt Oz

Discontinued

alternate available Product No. 06007 **ITEM# 1003881**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Zero VOC, odor-free alternative formula for market leader Marine 6-56® Multi-Purpose Lubricant. Forms a clear, thin film that lubricates & protects against wear & corrosion. It lubricates, protects, & displaces moisture all-in-one.

Applications

- Starts Wet Engines
- Lubricates & Protects Against Corrosion Great For Fishing Reels
- Pulleys
- Frees Rusted Parts
- Winches
- Metal Components & More

Appearance Clear Blue-Green Liquid

Brand CRC

Case# 1003874

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 54,100 Volts/Mil

Evaporation Rate Slow

Film Thickness 0.025 to 0.075 Mils

Film Type Non-Drying Oil

Flammability Class - CPSC Flammable

Flash point (C) 88°C

Flash point (F) 190°F

Generic Description 6-56 Zero VOC

I 2 of 5 Code 30078254060027

Item Number 06002

KB Value 27

Net Fill 11 Wt Oz

Plastic Safe Safe on Most Plastics (Test small area)

Product Lifecycle Status DISC

Propellant Carbon Dioxide

Removal (How To) Remove with petroleum products, mineral spirits, or contact cleaner.

Replacement Legacy Num 06007

Replacement Product SKU 1003881

Specific Gravity 0.8187

UPC Code 078254060026

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 0

VOC % (Federal) 99.99

VOC Category Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) 12.9

VOC g/L (Consumer Product def) 0

VOC g/L (Federal) 1550.4

VOC lbs/gal (Consumer Prod def) 0

Working Temp (C) -45.6 to 121.1°C

Working Temp (F) -50 to 250°F



Part No. 06046

Item# 1003896

CRC® Marine Battery Terminal Protector, 7.5 Wt Oz

Discontinued

alternate available Product No. 05046 **ITEM# 1003657**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead free soft protective coating.

Applications

- Battery Posts
- Hold-Downs and Casings Used in Vehicles
- Handling Equipment and Uninterrupted Power Supplies (Ups)
- Security and Emergency Back-Up Systems
- Terminals
- Boats
- Used For Computer

Appearance	Dark Red Viscous Liquid	Brand	CRC
Case#	1003895	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Evaporation Rate	Fast
Film Type	Soft, Visible, Viscous	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-18°C	Flash point (F)	<0°F
Generic Description	Marine Battery Terminal Protector	I 2 of 5 Code	30078254060461
Item Number	06046	MIR Limit (CA)	2.0
MIR Limit (EPA)	None	MIR Value	1.25
Net Fill	7.5 Wt Oz	Plastic Safe	Yes
Product Lifecycle Status	DISC	Propellant	Hydrocarbon
Removal (How To)	Remove with a degreaser or brake cleaner product.	Replacement Legacy Num	05046
Replacement Product SKU	1003657	Specific Gravity	0.727
UPC Code	078254060460	Unit Dimensions	6.25H x 2.63W x 2.63D in
Unit Package Description	12 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	86.3	VOC % (Federal)	86.3
VOC Category	Aerosol Coating: Electrical Coating	VOC Lbs./Gal. (Federal)	11.2
VOC g/L (Consumer Product def)	627.4	VOC g/L (Federal)	1338.2
VOC lbs/gal (Consumer Prod def)	5.23		



Part No. 05046

Item# 1003657

CRC® Battery Terminal Protector, 7.5 Wt Oz

Description

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead-free soft protective coating.

Applications

- Battery Posts
- Hold-Downs and Casings Used in Vehicles
- Handling Equipment and Uninterrupted Power Supplies (Ups)
- Security and Emergency Back-Up Systems
- Terminals
- Boats
- Used For Computer

Appearance _____ Dark Red Viscous Liquid

Brand _____ CRC

Case# _____ 1003656

Color _____ None

DOT Proper Shipping Name _____ AEROSOLS, FLAMMABLE,
LIMITED QUANTITY

Evaporation Rate _____ Fast

Film Type _____ Soft, Visible, Viscous

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -18 °C

Flash point (F) _____ 0 °F

Generic Description _____ Battery Terminal Protector

I 2 of 5 Code _____ 30078254050462

Item Number _____ 05046

MIR Limit (CA) _____ 2.0

MIR Limit (EPA) _____ None

MIR Value _____ 1.25

Net Fill _____ 7.5 Wt Oz

Plastic Safe _____ Yes

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with a degreaser or brake
cleaner product.

Specific Gravity _____ 0.727

UPC Code _____ 078254050461

Unit Dimensions _____ 6.25H x 2.63W x 2.63D in

Unit Package Description _____ 12 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 86.3

VOC % (Federal) _____ 86.3

VOC Category _____ Aerosol Coating: Electrical Coating

VOC Lbs./Gal. (Federal) _____ 11.2

VOC g/L (Consumer Product
def) _____ 627.4

VOC g/L (Federal) _____ 1338.2

VOC lbs/gal (Consumer Prod
def) _____ 5.23



Description

Applications

- Motors
- Equipment Exposed to Elements
- Shafts
- Outdoor Storage of Raw Materials & Finished Stock

Appearance _____ Dark Amber Viscous Liquid

Brand _____ CRC

Case# _____ 1003480

Color _____ None

Coverage _____ 1,000 Sq Ft per Gal

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Tack Free _____ 1 Hour

Evaporation Rate _____ Fast

Film Thickness _____ 2 Mils

Film Type _____ Waxy, Dry, Transparent

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-17.8°C

Flash point (F) _____ <0°F

Generic Description _____ Corrosion Inhibitor (Extreme Duty)

I 2 of 5 Code _____ 30078254032826

Item Number _____ 03282

Military Specification Number _____ Mil-C-16173 Grade 4
(Corrosion test only)

NSF Category Code _____ H2

NSF Number _____ 145049

Net Fill _____ 10 Wt Oz

Propellant _____ Hydrocarbon

Removal (How To) _____ May be removed with mineral spirits, Stoddard solvents, or Alaphatic Petroleum solvents.

Specific Gravity _____ 0.787

UPC Code _____ 078254032825

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 79.2

VOC % (Federal) _____ 79.2

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 10.2

VOC g/L (Consumer Product def) _____ 623.3

VOC g/L (Federal) _____ 1228.1

VOC lbs/gal (Consumer Prod def) _____ 5.2



Part No. 1750521

Item# 1750521

CRC® Lectra-Clean® 3000 Electric Parts Cleaner, 19 Wt Oz

Description

An aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt, & wax without having to remove parts.

Applications

- Designed For Use on Energized Equipment

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1750520

DOT Proper Shipping Name _____ Aerosols, non-flammable, Limited Quantity

Dielectric Strength _____ 37,500 Volts

Dry Time Fully Dry _____ Fast

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Electrical Parts Cleaner

I 2 of 5 Code _____ 30078254505207

Item Number _____ 1750521

KB Value _____ 95

Net Fill _____ 19 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

UPC Code _____ 078254000084

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 06113

Item# 1003915

CRC® Marine Premium Dielectric Grease, 3.3 Wt Oz

Description

Best New Packaging in the performance category at the 2015 AAPEX/SEMA Show! Simply turn the dial on the Select-A-BEAD® Nozzle to select the best bead width for your project. A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing & voltage drop. Also ideal for lubricating plastic & rubber. Improves electrical performance in adverse weather conditions. Patented finger-actuated delivery system for smooth, continuous coverage.

Applications

- Electrical Connectors and Contacts
- Breakers
- Shore Power Inlets
- Bulkhead Connectors
- Spark Plugs
- Light Bulbs & Sockets
- Electrical Panels
- Trailer Connectors
- Battery Terminals

Appearance _____ Opaque White Gel

Brand _____ CRC

Case# _____ 1003914

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Dielectric Strength _____ >450 Volts/Mil

Federal Specification Number _____ FDA-CFR-21-178.3570

Film Type _____ Non-Curing Silicone Paste

Flammability Class - CPSC _____ None

Flash point (C) _____ >300°C

Flash point (F) _____ >572°F

Generic Description _____ Premium Dielectric Grease

I 2 of 5 Code _____ 30078254061130

Item Number _____ 06113

Military Specification Number _____ SAE-AS-8660

NLGI Grade _____ 2

Net Fill _____ 3.3 Wt Oz

Oil Separation _____ <1%

Plastic Safe _____ Safe on Most Plastics (Test
small area)

Propellant _____ Nitrogen

Removal (How To) _____ Remove with petroleum
distillates and chlorinated
solvents.

Specific Gravity _____ 0.97

UPC Code _____ 078254061139

Unit Dimensions _____ 8.75H x 2W x 2D in

Unit Package Description _____ 6 Ounce Pressurized Can

Units per Case _____ 12

VOC % (Consumer Product def) _____ <1

VOC % (Federal) _____ <1

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ <0.13

VOC g/L (Consumer Product def) _____ <0.01

VOC g/L (Federal) _____ <15.5

VOC lbs/gal (Consumer Prod def) _____ <0.1

Working Temp (C) _____ -56.7 to 204.4°C

Working Temp (F) _____ -70 to 400°F



Part No. MK3532

Item# 1007600

MaryKate® On & Off Gel Hull & Bottom Cleaner, 32 Fl Oz

Description

Unique viscous formula clings to the surface to break down tough grease & oil and remove stubborn scum line and rust stains. Bold, blue-green color makes it easy to see where product has been applied.

Applications

- Fiberglass

Appearance _____ Blue Green Viscous Liquid

Brand _____ MaryKate

Case# _____ 1007599

DOT Proper Shipping Name _____ Corrosive Liquids, Acidic, Inorganic,
N.O.S. (Hydrochloric, Phosphoric
Acids), Limited Quantity

Evaporation Rate _____ Similar to Water

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Fiberglass Hull & Bottom
Cleaner

I 2 of 5 Code _____ 30716606035322

Item Number _____ MK3532

Net Fill _____ 32 Fl Oz

PH _____ <1

Plastic Safe _____ Safe on Fiberglass

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.045

UPC Code _____ 716606035321

Unit Dimensions _____ 9H x 3.25W x 3.25D in

Unit Package Description _____ 1 Quart Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ <0.5

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ <0.06

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ <7.8

VOC lbs/gal (Consumer Prod
def) _____ 0



Part No. MK2132

Item# 1007572

MaryKate® Cleaning Detail® Non-Skid Deck Cleaner, 32 Fl Oz

Description

Cleans and brightens fiberglass, stainless steel, chrome, aluminum, and brass. Removes dirt, grease, grime and chalking. Easy to use on most surfaces above the waterline. Great for non-skid decks, shower stalls & tubs.

Applications

- Fiberglass
- Chrome
- Aluminum
- Shower Stalls
- Stainless Steel
- Brass
- Non-Skid Decks
- Tubs

Appearance Creamy Light Green Liquid

Brand MaryKate

Case# 1007571

DOT Proper Shipping Name Not Regulated

Evaporation Rate Similar to Water

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Non Skid Deck Cleaner

I 2 of 5 Code 30716606021325

Item Number MK2132

Net Fill 32 Fl Oz

PH 9

Plastic Safe Yes

Propellant None

Removal (How To) Remove with water.

Specific Gravity 1.23

UPC Code 716606021324

Unit Dimensions 8.88H x 3.25W x 3.25D in

Unit Package Description 1 Quart Bottle

Units per Case 12

VOC % (Consumer Product def) 0

VOC % (Federal) <0.5

VOC Category General Purpose Cleaner - Non-Aerosol

VOC Lbs./Gal. (Federal) <0.06

VOC g/L (Consumer Product def) 0

VOC g/L (Federal) <7.8

VOC lbs/gal (Consumer Prod def) 0



Part No. 06102

Item# 1003913

CRC® Marine QD® Electronic Cleaner, 11 Wt Oz

Description

Cleans sensitive electronic components & contacts. Use on electronic engine controls, data sensors & wiring, GPS, fishfinders, computers, VCRs, stereos, CD & DVD players. Helps prevent contact failure or malfunction. Evaporates quickly. Leaves no residue.

Applications

- Sensitive Electronics
- Clocks
- Fans
- Electronics
- Flux Removal
- Lexan
- Lighting
- Noryl (Plastic)
- Pcs
- Switches
- Tape Heads
- Terminals
- Circuit Breakers
- Contacts
- Motors
- Fiberglass
- Generators
- Light Sockets
- Metal Parts
- Nylon
- Plugs
- PVC
- Telephones

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003912

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity (Marine Pollutant)

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-17.8°C

Flash point (F) _____ <0°F

Generic Description _____ Electronic Cleaner

I 2 of 5 Code _____ 30078254061024

Item Number _____ 06102

KB Value _____ 27

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Yes

Propellant _____ HFC-152a

Specific Gravity _____ 0.66

UPC Code _____ 078254061023

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 75

VOC % (Federal) _____ 75

VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 9.7

VOC g/L (Consumer Product def) _____ 495

VOC g/L (Federal) _____ 1163

VOC lbs/gal (Consumer Prod def) _____ 4.1



Part No. MK3332

Item# 1007596

MaryKate® Aluminex™ Clean & Shine, 32 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Dual-action formula specially designed to instantly clean and brighten aluminum hulls. With Safe Acid Technology™ best for light to medium oxidation. Safe on anodized and painted aluminum.

Applications

- Pontoons
- Aluminum Boats

Appearance Pale Yellow Slightly Viscous Liquid

Brand MaryKate

Case# 1007595

DOT Proper Shipping Name Not Regulated

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Pontoons and Aluminum Hull Cleaner

I 2 of 5 Code 30716606033328

Item Number MK3332

Net Fill 32 Fl Oz

PH 1.27

Plastic Safe May Harm Sensitive Plastics

Product Lifecycle Status DISC

Propellant None

Removal (How To) Remove with water.

Specific Gravity 1.01

UPC Code 716606033327

Unit Dimensions 9H x 3.25W x 3.25D in

Unit Package Description 1 Quart Bottle

Units per Case 12

VOC % (Consumer Product def) 0

VOC % (Federal) 0.9

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 0.12

VOC g/L (Consumer Product def) 0

VOC g/L (Federal) 14

VOC lbs/gal (Consumer Prod def) 0



Part No. 05330

Item# 1003768

CRC® Ultra Screwloose® Penetrating Oil, 11 Wt Oz

Description

A no-compromise penetrant that attacks corrosion to free corroded fasteners & mechanical components. A super-fast, powerful, concentrated penetrating solvent that loosens & cleans. Instantly penetrates minute & tightly fitted crevices.

Applications

- Rusted and Frozen Metals
- Nuts
- Exhaust Clamps
- Such as Bolts
- Hinges

Appearance _____ Light Amber Liquid

Brand _____ CRC

Case# _____ 1003767

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 60,000 Volts

Evaporation Rate _____ Slow

Film Type _____ Thin, Non-Drying

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 60.6°C

Flash point (F) _____ 141°F

Generic Description _____ Super Penetrant

I 2 of 5 Code _____ 30078254053302

Item Number _____ 05330

KB Value _____ 28

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test
small area)

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with mineral spirits or
degreasers etc.

Specific Gravity _____ 0.82

UPC Code _____ 078254053301

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 24.1

VOC % (Federal) _____ 97.2

VOC Category _____ Penetrant

VOC Lbs./Gal. (Federal) _____ 6.67

VOC g/L (Consumer Product def) _____ 198

VOC g/L (Federal) _____ 797

VOC lbs/gal (Consumer Prod def) _____ 1.65

Working Temp (C) _____ Max 148.9°C

Working Temp (F) _____ Max 300°F



Part No. 06441

Item# 1003937

CRC® Marine Hypoid 90, 10 Fl Oz

Description

An extreme pressure gear oil manufactured with a highly refined base oil & a specially selected additives package designed to lubricate gears under high load conditions.

Applications

- Outboards
- Inboards/Outboards
- Stern Drives
- Use Where Omc High Viscosity Gear Case Lube is Required

Appearance _____ Dark Amber Liquid

Brand _____ CRC

Case# _____ 1003936

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Not Determined

Film Type _____ Oily

Flammability Class - CPSC _____ None

Flash point (C) _____ 232°C

Flash point (F) _____ 450°F

Generic Description _____ Marine Hypoid 90

I 2 of 5 Code _____ 30078254064414

Item Number _____ 06441

Net Fill _____ 10 Fl Oz

Plastic Safe _____ Yes

Pour Point (C) _____ -26°C

Pour Point (F) _____ -15°F

Propellant _____ None

Removal (How To) _____ Remove with a degreaser.

SAE Grade _____ 80W-90

Specific Gravity _____ 0.87 to 0.91

UPC Code _____ 078254064413

Unit Dimensions _____ 10H x 3W x 2D in

Unit Package Description _____ 10 Ounce Tube

Units per Case _____ 6

VOC % (Consumer Product def) _____ Not Regulated

VOC % (Federal) _____ > 52.8

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ > 3.9

VOC g/L (Federal) _____ > 470



Part No. 03050

Item# 1003306

CRC® Chain and Wire Rope Lubricant, 10 Wt Oz

Description

A special blend of synthetic lubricants, solvents and Molybdenum designed to keep chains and wire rope in peak operating condition.

Applications

- Low Speed Conveyor
- Hoists
- Pulleys
- Rollers
- Bushings
- O-Rings
- Drive Chains
- Winches
- Cushion Pins
- Garage Doors
- Seals
- Come-Alongs

Appearance _____ Clear Light Amber Liquid

Brand _____ CRC

Case# _____ 1003305

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Evaporation Rate _____ Very Fast

Film Type _____ Non-Drying

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-18°C

Flash point (F) _____ <0°F

Ford Tox No. _____ 155676

Generic Description _____ Synthetic Lubricant

I 2 of 5 Code _____ 30078254030501

Item Number _____ 03050

NSF Category Code _____ H2

NSF Number _____ 017388

Net Fill _____ 10 Wt Oz

Plastic Safe _____ May Harm Sensitive Plastics

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with petroleum distillates.

Restricted From Sale In _____ CA

Specific Gravity _____ 0.6771

UPC Code _____ 078254030500

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 92.1

VOC % (Federal) _____ 92.12

VOC Category _____ Gear, Chain or Wire Lubricant -
Aerosol

VOC Lbs./Gal. (Federal) _____ 11.9

VOC g/L (Consumer Product def) _____ 623.6

VOC g/L (Federal) _____ 1428.4

VOC lbs/gal (Consumer Prod def) _____ 5.2

Working Temp (C) _____ Max 176.7°C

Working Temp (F) _____ 25 to 350°F



Part No. MK3832

Item# 1007606

MaryKate® Inflatable Boat Cleaner, 32 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effectively cleans PVC, Vinyl, Hypalon, EVA, Nylon, Plastic, Neoprene and Polyurethane materials. Helps prevent corrosion of metal, rubber or nylon hardware. Won't fade covers. Great for cleaning skis and wakeboards.

Applications

- Fiberglass
- Inflatable Boats
- Rubber

Appearance _____ Clear Blue-Green Liquid

Brand _____ MaryKate

Case# _____ 1007605

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Inflatable Boat Cleaner

I 2 of 5 Code _____ 30716606038323

Item Number _____ MK3832

Net Fill _____ 32 Fl Oz

PH _____ 12.2

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.06

UPC Code _____ 716606038322

Unit Dimensions _____ 10H x 1.63W x 4.5D in

Unit Package Description _____ 1 Quart Spray Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0.5

VOC % (Federal) _____ 4.09

VOC Category _____ General Purpose Cleaners -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0.53

VOC g/L (Consumer Product def) _____ 5.3

VOC g/L (Federal) _____ 63.4

VOC lbs/gal (Consumer Prod def) _____ 0.04



Part No. MK2032

Item# 1007569

MaryKate® On & Off Hull & Bottom Cleaner, 32 Fl Oz

Description

Works instantly to remove the toughest waterline stains, algae stains, rust & gas exhaust stains. Use on fiberglass only. Will not harm gel coat.

Applications

- Fiberglass

Appearance _____ White Emulsion

Brand _____ MaryKate

Case# _____ 1007568

DOT Proper Shipping Name _____ Corrosive Liquids, Acidic, Inorganic,
N.O.S. (Hydrochloric Acid,
Phosphoric Acid), Limited Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Hull & Bottom Cleaner

I 2 of 5 Code _____ 30716606020328

Item Number _____ MK2032

Net Fill _____ 32 Fl Oz

PH _____ <1

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Water or mild base

Specific Gravity _____ 1.16

UPC Code _____ 716606020327

Unit Dimensions _____ 8.88H x 3.25W x 3.25D in

Unit Package Description _____ 1 Quart Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC Category _____ Not Regulated

VOC g/L (Consumer Product
def) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. MK4016

Item# 1007610

MaryKate® On & Off for Outdrives, 15 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Cleans painted aluminum outdrives, outboard lower units and propulsion components. Uses Safe Acid Technology to remove tough deposits without harming painted surfaces. Also cleans outboard engine covers. Safe on gelcoat.

Applications

- Painted Aluminum Outdrives
- Outboard Lower Units and Propulsion Components

Appearance _____ Pale Yellow Slightly Viscous
Liquid

Brand _____ MaryKate

Case# _____ 1007609

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Outdrive and Lower Unit
Cleaner

I 2 of 5 Code _____ 30016606040167

Item Number _____ MK4016

Net Fill _____ 15 Fl Oz

PH _____ 1.27

Plastic Safe _____ May Harm Sensitive Plastics

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.01

UPC Code _____ 716606040165

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0.9

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0.12

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 14

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. SL35901

Item# 1007938

Sta-Lube® Copper Anti-Seize & Lubricating Compound, 8 Wt Oz

Description

Sta-Lube Copper Anti-Seize is a general purpose anti-seize lubricant that prevents seizing caused by high temperature, heavy loads, vibrations and corrosion. This unique formula has been designed with a smooth texture and fine particle sizing. Conductive.

Applications

- Fittings
- Flanges
- Nuts
- Studs
- Pipes
- Manifolds to Prevent Seizing and Galling of Surfaces
- Bushings
- Headers
- Screws
- Threaded Surfaces
- Plugs

Appearance _____ Copper Semi-Solid Paste

Brand _____ CRC

Case# _____ 1007937

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ <0.01 (Butyl Acetate=1)

Film Type _____ Wet

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ 216°C

Flash point (F) _____ 420°F

Generic Description _____ General Purpose Anti Seize
Lubricant

I 2 of 5 Code _____ 30072213359016

Item Number _____ SL35901

Military Specification Number _____ Mil-PRF-907E

NLGI Grade _____ 1

Net Fill _____ 8 Wt Oz

Oil Separation _____ <5.0 Wt. % Loss @ 212°F

Plastic Safe _____ Yes

Pour Point (C) _____ -17.78°C

Pour Point (F) _____ 0°F

Propellant _____ None

Removal (How To) _____ Remove with general purpose
degreaser.

Specific Gravity _____ 1.09

UPC Code _____ 072213359015

Unit Dimensions _____ 4.25H x 2.5W x 2.5D in

Unit Package Description _____ 8 Ounce Brush-Top Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 2.9

VOC % (Federal) _____ 2.9

VOC Category _____ Anti-Seize Lubricant - Non-
Aerosol

VOC Lbs./Gal. (Federal) _____ 0.29

VOC g/L (Consumer Product def) _____ 35.1

VOC g/L (Federal) _____ 35.1

VOC lbs/gal (Consumer Prod def) _____ 0.29

Worked Penetration _____ 320

Working Temp (C) _____ -70.5 to -1093.3° C

Working Temp (F) _____ -95 to 2000°F



Part No. 05381

Item# 1003802

CRC® Clean-R-Carb™ Carburetor Cleaner (50 State Formula), 16 Wt Oz

Description

CRC Clean-R-Carb™ Carburetor Cleaner is the auto enthusiast's choice to clean and maximize carburetor performance. This general-purpose carb spray meets all state and federal regulations for volatile organic compounds (VOC): so you can feel safe and protected as you restore your carburetor to a cleaner, safer, more efficient condition. Let CRC help solve your carburetor problems.

Applications

- Automatic Chokes
- Carburetor Components
- Crankcase Breather Element
- Exhaust Gas Recycling Valve (Egr)
- Heat Risers
- Intake Parts
- Positive Crankcase Ventilating System Including PCV Valve

Appearance _____ Clear Liquid

Brand _____ CRC

Case# _____ 1003801

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 6,300 Volts

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-17.8°C

Flash point (F) _____ <0°F

Generic Description _____ Carburetor Cleaner

I 2 of 5 Code _____ 30078254053814

Item Number _____ 05381

KB Value _____ >200

Net Fill _____ 16 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Specific Gravity _____ 0.78

UPC Code _____ 078254053813

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 9.2

VOC % (Federal) _____ 9.2

VOC Category _____ Carburetor Cleaner

VOC Lbs./Gal. (Federal) _____ 0.65

VOC g/L (Consumer Product def) _____ 77.4

VOC g/L (Federal) _____ 77.4

VOC lbs/gal (Consumer Prod def) _____ 0.65



Part No. 05081

Item# 1003694

CRC® Clean-R-Carb™ Carburetor Cleaner, 16 Wt Oz

Description

Many internal combustion engines have carburetors, from automobiles to boats to airplanes. They are especially prevalent in small engines like lawn mowers, rototillers, and other equipment. A dirty carburetor can cause many performance issues with your equipment, like backfiring, overheating, hard starting, or even loss of power. CRC makes keep your carburetor clean an easy task, with CRC Clean-R-Carb™ Carburetor Cleaner.

Applications

- Automatic Chokes
- Carburetor Components
- Crankcase Breather Element
- Exhaust Gas Recycling Valve (Egr) Heat Risers
- Intake Parts
- Positive Crankcase Ventilating System Including PCV Valve

Appearance Clear Liquid

Brand CRC

Case# 1003693

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Evaporation Rate Fast

Flammability Class - CPSC Extremely Flammable

Flash point (C) -17.8°C

Flash point (F) 0°F

Ford Tox No. 139394

Generic Description Carburetor Cleaner

I 2 of 5 Code 30078254050813

Item Number 05081

Net Fill 16 Wt Oz

Plastic Safe No

Propellant Carbon Dioxide

Restricted From Sale In CA, CO, CT, DC, DE, IL, IN, ME, MD, MA, MI, NH, NJ, NY, OH, PA, RI, parts of UT, VA

Specific Gravity 0.82

UPC Code 078254050812

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 70.1

VOC % (Federal) 70.1

VOC Category Carburetor Cleaner

VOC Lbs./Gal. (Federal) 5.1

VOC g/L (Consumer Product def) 610

VOC g/L (Federal) 610

VOC lbs/gal (Consumer Prod def) 5.1



Part No. 06064

Item# 1003900

CRC® Marine Carb & Choke Cleaner, 12 Wt Oz

Description

Designed to maximize carburetor performance. Quickly dissolves carburetor deposits such as gum, sludge & varnish to improve fuel system performance & enhance fuel economy.

Applications

- Automatic Chokes
- Crankcase Breather Element
- General Purpose Cleaner For Non-Painted Surfaces
- Intake Parts
- Carburetor Components
- Exhaust Gas Recycling Valve (Egr)
- Heat Risers
- Positive Crankcase Ventilating System Including PCV Valve

Appearance Clear Liquid

Brand CRC

Case# 1003899

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 6,300 Volts

Evaporation Rate Fast

Flammability Class - CPSC Extremely Flammable

Flash point (C) <-18°C

Flash point (F) <0°F

Generic Description Marine Carb & Choke Cleaner

I 2 of 5 Code 30078254060645

Item Number 06064

KB Value >200

Net Fill 12 Wt Oz

Plastic Safe No

Propellant Carbon Dioxide

Specific Gravity 0.78

UPC Code 078254060644

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 9.2

VOC % (Federal) 9.2

VOC Category Carburetor Cleaner

VOC Lbs./Gal. (Federal) 0.65

VOC g/L (Consumer Product def) 77.4

VOC g/L (Federal) 77.4

VOC lbs/gal (Consumer Prod def) 0.65



Part No. 03045

Item# 1003304

CRC® Power Lube® Industrial High Performance Lubricant w/PTFE, 11 Wt Oz

Description

POWER LUBE is a high performance, multi-purpose lubricant that utilizes PTFE and extreme pressure additives to provide unparalleled lubricating performance. It has twice the load carrying capacity of most general purpose lubricants.

Applications

- Bearings
- Linkages
- Chains
- Rollers
- Pulleys
- Valves
- Hinges
- Cutting Tools
- Dies
- Handling Equipment
- Hoists
- Doors and Fans
- Gears
- Motors
- Cables
- Guide Bars
- Cams
- Ball Joints
- Slides
- Taps
- Pistons
- Conveyors
- Lifts

4 Ball EP 2500 Lbs

Appearance Light Amber Liquid w/white precipitate

Case# 1003303

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Film Type Wet

Flash point (C) <-7°C

Generic Description High Performance Lubricant with PTFE

Item Number 03045

NSF Number 017403

Plastic Safe No

Removal (How To) Remove with petroleum solvents or mineral spirits.

UPC Code 078254030456

Unit Package Description 16 Ounce Aerosol

VOC % (Consumer Product def) 0

VOC Category Multi-Purpose Lubricant

VOC g/L (Consumer Product def) 0

VOC lbs/gal (Consumer Prod def) 0

Working Temp (F) Max 300°F

4 Ball Wear 0.64 mm

Brand CRC

Color None

Evaporation Rate Fast

Flammability Class - CPSC Extremely Flammable

Flash point (F) <20°F

I 2 of 5 Code 30078254030457

NSF Category Code H2

Net Fill 11 Wt Oz

Propellant Carbon Dioxide

Specific Gravity 0.863

Unit Dimensions 7.75H x 2.63W x 2.63D in


Units per Case 12

VOC % (Federal) 97.8

VOC Lbs./Gal. (Federal) 7.02

VOC g/L (Federal) 841.1

Working Temp (C) Max 148.9°C



Part No. MK2718

Item# 1007586

MaryKate® Ultra Vinyl Cleaner, 18 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Removes deeply embedded dirt, grease, grime and oil. Easy to use. Concentrated foam cleaner works fast. Excellent for all interior and exterior vinyl.

Applications

- All Washable Hard Surfaces
- Vinyl

Appearance _____ Light Yellow Liquid

Brand _____ MaryKate

Case# _____ 1007585

DOT Proper Shipping Name _____ Aerosols, Non-Flammable, Limited
Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Ultra Vinyl Cleaner

I 2 of 5 Code _____ 30716606027181

Item Number _____ MK2718

Net Fill _____ 18 Wt Oz

PH _____ 10.9

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.01

UPC Code _____ 716606027180

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 7.8

VOC % (Federal) _____ 7.85

VOC Category _____ General Purpose Cleaners -
Aerosol

VOC Lbs./Gal. (Federal) _____ 1

VOC g/L (Consumer Product def) _____ 78.39

VOC g/L (Federal) _____ 121.7

VOC lbs/gal (Consumer Prod def) _____ 0.65



Part No. 05062

Item# 1003677

CRC® Premium Fuel Injector Cleaner, 12 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Maintains "like-new" performance in today's fuel injected engines. Helps provide total engine cleanliness.

Applications

- For Use in Gasoline Engines

Appearance _____ Light Amber Liquid

Brand _____ CRC

Case# _____ 1003676

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Moderate

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 77°C

Flash point (F) _____ 170°F

Generic Description _____ Premium Fuel Injector Cleaner

I 2 of 5 Code _____ 30078254050622

Item Number _____ 05062

Net Fill _____ 12 Fl Oz

Plastic Safe _____ No

Pour Point (C) _____ -17.78°C

Pour Point (F) _____ 0°F

Product Lifecycle Status _____ DISC

Propellant _____ None

Specific Gravity _____ 0.864

Treatment Ratio _____ 1 bottle treats 12 gallons or 1 oz
per 1 gallon of gasoline

UPC Code _____ 078254050621

Unit Dimensions _____ 7.88H x 2.13W x 3.5D in

Unit Package Description _____ 12 Ounce Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 40.2

VOC % (Federal) _____ 97.95

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 12.7

VOC g/L (Consumer Product def) _____ 347.3

VOC g/L (Federal) _____ 1518.8

VOC lbs/gal (Consumer Prod def) _____ 2.89



Part No. 401724

Item# 1006081

K&W® Technician Grade Knock'er Loose® Penetrant, 18 Wt Oz

Description

A super-fast penetrant that attacks corrosion to free rusted & corroded fasteners & components. Powerful, concentrated formula penetrates & leaves behind a long-lasting lubricant that will prevent future corrosion.

Applications

- Rusted and Frozen Metals
- Hinges
- Hinges
- Such as Bolts
- Nuts
- Exhaust Clamps

Appearance _____ Light Amber Liquid

Brand _____ K&W

Case# _____ 1006080

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 60,000 Volts

Evaporation Rate _____ Slow

Film Type _____ Thin, Non-Drying

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 60.6°C

Flash point (F) _____ 141°F

Generic Description _____ Super Penetrant

I 2 of 5 Code _____ 10078372017244

Item Number _____ 401724

KB Value _____ 28

Net Fill _____ 18 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test small
area)

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with mineral spirits or
degreasers etc.

Specific Gravity _____ 0.82

UPC Code _____ 078372017247

Unit Dimensions _____ 9.19H x 3W x 3D in

Unit Package Description _____ 24 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 24.1

VOC % (Federal) _____ 97.2

VOC Category _____ Penetrant

VOC Lbs./Gal. (Federal) _____ 6.67

VOC g/L (Consumer Product
def) _____ 198

VOC g/L (Federal) _____ 797

VOC lbs/gal (Consumer Prod
def) _____ 1.65

Working Temp (C) _____ Max 148.9°C

Working Temp (F) _____ Max 300°F



Part No. 06037

Item# 1003894

CRC® Marine White Lithium Grease, 10 Wt Oz

Description

Provides superior lubrications & durability in any weather and most temperatures. It is a versatile grease designed for applications requiring a long grease life. Will not wash off, melt or freeze.

Applications

- Gear Shift Mechanisms
- Hinges
- Cams
- Cables
- Tracks
- Throttle Linkage
- Finger Gears
- Bearings and Trailer Balls
- Steering Parts
- Latches
- Pistons
- Chains
- Fishing Reels
- Winch Gears
- Windows

Appearance Off-White Viscous Grease

Brand CRC

Case# 1003893

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Evaporation Rate Fast

Film Thickness Non-Drying

Film Type Wet

Flammability Class - CPSC Extremely Flammable

Flash point (C) -18°C

Flash point (F) 0°F

Generic Description Marine White Lithium Grease

I 2 of 5 Code 30078254060379

Item Number 06037

NLGI Grade 2

Net Fill 10 Wt Oz

Pour Point (C) -18°C

Pour Point (F) 0°F

Propellant Hydrocarbon

Removal (How To) Remove with general purpose degreaser.

Specific Gravity 0.6257

UPC Code 078254060378

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 39

VOC % (Federal) 23.7

VOC Category Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) 1.66

VOC g/L (Consumer Product def) 327

VOC g/L (Federal) 199

VOC lbs/gal (Consumer Prod def) 2.73

Working Temp (C) -17.8 to 148.9°C

Working Temp (F) 0 to 300°F



Part No. 14095

Item# 1004830

CRC® Copper Anti-Seize & Lubricating Compound, 12 Wt Oz

Description

Copper Anti-Seize is a general purpose anti-seize lubricant that prevents seizing caused by high temperature, heavy loads, vibrations and corrosion. Conductive.

Applications

- Recommended to Lubricate Fittings
- Flanges
- Nuts
- Studs
- Pipes
- Manifolds to Prevent Seizing and Galling of Surfaces
- Bushings
- Headers
- Screws
- Threaded Surfaces
- Plugs

4 Ball EP 400 Typical

Brand CRC

Color None

Film Type Wet

Flash point (C) 80.6°C

Generic Description General Purpose Anti Seize Lubricant

Item Number 14095

Oil Separation <3

Removal (How To) Remove with general purpose degreaser.

UPC Code 078254140957

Unit Package Description 16 Ounce Aerosol

VOC % (Consumer Product def) 31.2

VOC Lbs./Gal. (Federal) 2.1

VOC g/L (Federal) 256

Worked Penetration 325 to 350

Working Temp (F) -65 to 1800°F

Appearance Copper Liquid

Case# 1004829

DOT Proper Shipping Name Aerosols, Flammable, LIMITED QUANTITY

Flammability Class - CPSC Extremely Flammable

Flash point (F) 177°F

I 2 of 5 Code 30078254140958

Net Fill 12.5 oz

Propellant Hydrocarbon

Specific Gravity 1.07

Unit Dimensions 7.5H x 2.63W x 2.63D in

Units per Case 12

VOC % (Federal) 31.2

VOC g/L (Consumer Product def) 256

VOC lbs/gal (Consumer Prod def) 2.1

Working Temp (C) -53.9 to 982.2°C



Part No. SX32M

Item# 1007976

CRC® Salt Term Eng Flush & Corrosion Inhib w/Mxr, 32 Fl Oz

Description

Cleans & protects anything exposed to salt (saltwater, salt air, road salt). Dissolves salt & leaves a protective coating to inhibit corrosion. Essential as a motor flush for marine engines in both saltwater and freshwater environments.

Applications

- Flushes Marine Engines
- Heat Exchanges; Cleans & Protects Boats
- Trailers
- Fishing Tackle
- Rvs
- Tools
- Atvs
- Patio Furniture & More!
- Cooling Systems
- Pwcs
- Gear
- Autos
- Trucks
- Motorcycles
- Bicycles

Appearance _____ Blue Liquid

Brand _____ CRC

Case# _____ 1007975

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ 93.3

Flash point (F) _____ 200

Generic Description _____ Engine Flush, Cleaner and
Corrosion Inhibitor

I 2 of 5 Code _____ 30078254000030

Item Number _____ SX32M

Locking Strength _____ N/A

Net Fill _____ 32 Fl Oz

PH _____ 9.1 to 9.9

Plastic Safe _____ Yes

Propellant _____ None

Recoat _____ N/A

Removal (How To) _____ Remove with water.

Treatment Ratio _____ 4 Fl Oz to 1 Gal water (118 ml
to 3.785 L)

UPC Code _____ 078254000039

Unit Dimensions _____ 9.5H x 7.3W x 3D in

Unit Package Description _____ 32 Ounce Bottle with Mixer

Units per Case _____ 6

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 9.4

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0.81

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 96.8

VOC lbs/gal (Consumer Prod
def) _____ 0

Working Temp (C) _____ 0 to 100°C

Working Temp (F) _____ 32 to 212°F



Part No. SX32

Item# 1007973

CRC® Salt Terminator Eng Flush Clr & Corrosion Inhib, 32 Fl Oz

Discontinued

alternate available Product No. SX128 **ITEM# 1007968**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Cleans & protects anything exposed to salt (saltwater, salt air, road salt). Dissolves salt & leaves a protective coating to inhibit corrosion. Essential as a motor flush for marine engines in both saltwater and freshwater environments.

Applications

- Flushes Marine Engines
- Heat Exchanges; Cleans & Protects Boats
- Trailers
- Fishing Tackle
- Rvs
- Tools
- Atvs
- Patio Furniture & More!
- Cooling Systems
- Pwcs
- Gear
- Autos
- Trucks
- Motorcycles
- Bicycles

Appearance _____ Blue Liquid

Case# _____ 1007971

Dielectric Strength _____ N/A

Flammability Class - CPSC _____ None

Flash point (F) _____ 200°F

I 2 of 5 Code _____ 30078254000023

Net Fill _____ 32 Fl Oz

Plastic Safe _____ Yes

Propellant _____ None

Replacement Legacy Num _____ SX128

Treatment Ratio _____ 4 Fl Oz to 1 Gal water (118 ml
to 3.785 L)

Unit Dimensions _____ 9.5H x 5.3W x 2.8D in

Units per Case _____ 7

VOC % (Federal) _____ 9.4

VOC Lbs./Gal. (Federal) _____ 0.81

VOC g/L (Federal) _____ 96.8

Working Temp (C) _____ 0 to 100°C

Brand _____ CRC

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flash point (C) _____ 93.3°C

Generic Description _____ Engine Flush, Cleaner and
Corrosion Inhibitor

Item Number _____ SX32

PH _____ 9.1 to 9.9

Product Lifecycle Status _____ DISC

Removal (How To) _____ Remove with water.

Replacement Product SKU _____ 1007968

UPC Code _____ 078254000022

Unit Package Description _____ 32 Ounce Bottle

VOC % (Consumer Product def) _____ 0

VOC Category _____ Not Regulated

VOC g/L (Consumer Product
def) _____ 0

VOC lbs/gal (Consumer Prod
def) _____ 0

Working Temp (F) _____ 32 to 212°F



Part No. 402718

Item# 1008102

K&W® Fast Motor Flush™ 5-Minute Engine Cleaner, 30 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Thoroughly cleans the engine of sludge, gum, rust & varnish prior to changing your oil. It is extremely important that the engine be cleaned out thoroughly before installing fresh motor oil.

Applications

- Car and Truck Oils
- Synthetic Oils
- Diesel Motor Oils
- Both Gasoline & Diesel Engines

Appearance _____ Light Amber Liquid

Brand _____ K&W

Case# _____ 1006098

DOT Proper Shipping Name _____ Flammable Liquids, N.O.S. (Diesel Fuel, Xylene), Limited Quantity

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 35°C

Flash point (F) _____ 95°F

Generic Description _____ 5 Minute Engine Cleaner

I 2 of 5 Code _____ 60078372027187

Item Number _____ 402718

Net Fill _____ 30 Fl Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Specific Gravity _____ 0.8295

UPC Code _____ 078372027185

Unit Dimensions _____ 9.25H x 3.88W x 2.13D in

Unit Package Description _____ 32 Ounce Bottle

Units per Case _____ 1

VOC % (Consumer Product def) _____ 98

VOC % (Federal) _____ 98


VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 12.7

VOC g/L (Consumer Product def) _____ 813

VOC g/L (Federal) _____ 1519.6

VOC lbs/gal (Consumer Prod def) _____ 6.8



Part No. MK4532

Item# 1007612

MaryKate® Heads Up™ Liquid Holding Tank Deodorant, 32 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Works instantly to control odors. Long lasting pleasant fragrance. Helps keep holding tanks and recirculating and portable toilets clean and breaks down waste and tissue. Non-formaldehyde formula.

Applications

- Holding Tanks
- Recirculating and Portable Toilets

Appearance ————— Blue Thin Liquid

Brand ————— MaryKate

Case# ————— 1007611

DOT Proper Shipping Name ————— Not Regulated

Evaporation Rate ————— Similar to Water

Flammability Class - CPSC ————— None

Flash point (C) ————— None

Flash point (F) ————— None

Generic Description ————— Liquid Holding Tank Deodorant

I 2 of 5 Code ————— 30716606045321

Item Number ————— MK4532

Net Fill ————— 32 Fl Oz

PH ————— 5 to 8

Plastic Safe ————— Yes

Product Lifecycle Status ————— DISC

Propellant ————— None

Specific Gravity ————— 1

UPC Code ————— 716606045320

Unit Dimensions ————— 8.88H x 3.25W x 3.25D in

Unit Package Description ————— 1 Quart Bottle

Units per Case ————— 12

VOC % (Consumer Product def) ————— 0.5

VOC % (Federal) ————— <1


VOC Category ————— Not Regulated

VOC Lbs./Gal. (Federal) ————— <0.13

VOC g/L (Consumer Product def) ————— 5

VOC g/L (Federal) ————— <15.5

VOC lbs/gal (Consumer Prod def) ————— 0.04



Part No. 05025CA

Item# 1003644

CRC® Engine Degreaser, 15 Wt Oz

Description

Engine Degreaser quickly lifts grease & grime off engines for cooler more efficient running. Easy to use - just spray on & rinse off. Leaves no residue.

Applications

- Automobiles
- Construction Applications
- Metal Parts
- Boats
- Engines
- Machinery

Appearance _____ Clear Light Amber Liquid

Brand _____ CRC

Case# _____ 1003643

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 72°C

Flash point (F) _____ 162°F

Generic Description _____ Engine Degreaser

I 2 of 5 Code _____ 30078254250251

Item Number _____ 05025CA

Net Fill _____ 15 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Specific Gravity _____ 0.83

UPC Code _____ 078254250250

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 10

VOC % (Federal) _____ 97.2

VOC Category _____ Engine Degreasers

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product def) _____ 83

VOC g/L (Federal) _____ 1507.2

VOC lbs/gal (Consumer Prod def) _____ 0.69



Part No. MK3918

Item# 1007608

MaryKate® Glass Plex™ Multi-Purpose Glass Cleaner, 32 Fl Oz

Discontinued

alternate available Product No. 14412 ITEM# 1004966

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Non-streaking formula. Contains no ammonia or alcohol. Use on glass, Plexiglas, plastics acrylics, isinglass, fiberglass, computer screens, counters, appliances, stainless steel and chrome.

Applications

-
- Clear Colorless Liquid

Appearance Clear Colorless Liquid

Brand MaryKate

Case# 1007607

DOT Proper Shipping Name Not Regulated

Evaporation Rate Slow

Flammability Class - CPSC Not classified

Flash point (C) None

Flash point (F) None

Generic Description Multi Purpose Glass Cleaner

I 2 of 5 Code 30716606039184

Item Number MK3918

Net Fill 32 Fl Oz

PH 10.5

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant None

Removal (How To) Remove with water.

Replacement Legacy Num 14412

Replacement Product SKU 1004966

Specific Gravity 1

UPC Code 716606039183

Unit Dimensions 10H x 1.63W x 4.5D in

Unit Package Description 1 Quart Spray Bottle

Units per Case 12

VOC % (Consumer Product def) 0.2

VOC % (Federal) 0.3

VOC Category Glass Cleaner - Non-Aerosol

VOC Lbs./Gal. (Federal) 0.03

VOC g/L (Consumer Product def) 2

VOC g/L (Federal) 3

VOC lbs/gal (Consumer Prod def) 0.02



Part No. 06020

Item# 1003888

CRC® Marine Degreaser - Non-Chlorinated, 14 Wt Oz

Description

Degreases metal parts and non-sensitive marine equipment; removes grease, dirt and oil; leaves no residue

Applications

- Non-Sensitive Electrical Parts & Equipment
- Chains
- Canvas
- Gears
- Wood
- Fabric

Appearance _____ Clear Liquid

Brand _____ CRC

Case# _____ 1003887

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity (Marine Pollutant)

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-18°C

Flash point (F) _____ <0°F

Generic Description _____ Marine Degreaser, Non-Chlorinated

I 2 of 5 Code _____ 30078254060201

Item Number _____ 06020

KB Value _____ >200

Net Fill _____ 14 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA, CO, CT, DE, MD, MI, NH,
NY, OH, RI, parts of UT

Specific Gravity _____ 0.73

UPC Code _____ 078254060200

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 44.9

VOC % (Federal) _____ 444.89

VOC Category _____ General Purpose Degreaser -
Aerosol

VOC Lbs./Gal. (Federal) _____ 5.8

VOC g/L (Consumer Product def) _____ 327.8

VOC g/L (Federal) _____ 696.1

VOC lbs/gal (Consumer Prod def) _____ 2.73



Part No. MK6810

Item# 1007631

MaryKate® Liquid Rollers® Trailer Bunk Boards Lubricant, 10 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Makes the loading & unloading of boats easy. Dramatically reduces friction to make bunk boards as slick as rollers. Long-lasting, non-greasy, non-staining formula. Repels road dirt & grime.

Applications

- Trailer Bunk Boards

Appearance Clear Colorless Liquid

Brand MaryKate

Case# 1007630

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dielectric Strength 350 Volts/Mil

Evaporation Rate Fast

Film Thickness Non-Drying

Film Type Clear Non-Drying

Flammability Class - CPSC Extremely Flammable

Flash point (C) <-18°C

Flash point (F) <0°F

Generic Description Trailer Bunk Board Lubricant

I 2 of 5 Code 30716606068108

Item Number MK6810

Net Fill 10 Wt Oz

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Hydrocarbon

Removal (How To) Remove with soap & water, CRC HydroForce® All Purpose, etc. and elbow power (scrubbing).

Specific Gravity 0.6694

UPC Code 716606068107

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 97

VOC % (Federal) 96.98

VOC Category Not Regulated (Single Purpose Lubricant)

VOC Lbs./Gal. (Federal) 12.5

VOC g/L (Consumer Product def) 649.9

VOC g/L (Federal) 1503.8

VOC lbs/gal (Consumer Prod def) 5.4

Working Temp (C) -40 to 204.4°C

Working Temp (F) -40 to 400°F



Part No. SX128

Item# 1007968

CRC® Salt Terminator Engine Flush Clr & Corrosion Inhib, 1 Gal

Description

Cleans & protects anything exposed to salt (saltwater, salt air, road salt). Dissolves salt & leaves a protective coating to inhibit corrosion. Essential as a motor flush for marine engines in both saltwater and freshwater environments.

Applications

- Flushes Marine Engines
- Heat Exchanges; Cleans & Protects Boats
- Trailers
- Fishing Tackle
- Rvs
- Tools
- Atvs
- Patio Furniture & More!
- Cooling Systems
- Pwcs
- Gear
- Autos
- Trucks
- Motorcycles
- Bicycles

Appearance _____ Blue Liquid

Brand _____ CRC

Case# _____ 1007966

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ N/A

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ 93.3°C

Flash point (F) _____ 200°F

Generic Description _____ Engine Flush, Cleaner and
Corrosion Inhibitor

I 2 of 5 Code _____ 30078254000047

Item Number _____ SX128

Net Fill _____ 1 Gal

PH _____ 9.1 to 9.9

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Treatment Ratio _____ 4 Fl Oz to 1 Gal water (118 ml to
3.785 L)

UPC Code _____ 078254000046

Unit Dimensions _____ 10.3H x 7W x 5D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 6

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 9.4

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0.81

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 96.8

VOC lbs/gal (Consumer Prod def) _____ 0

Working Temp (C) _____ 0 to 100°C

Working Temp (F) _____ 32 to 212°F



Part No. SXM XR

Item# 1007980

CRC® Salt Terminator® Engine Flush, Cleaner & Corrosion Inhibitor, 1 Mixer Unit

Description

Automatically dilutes the Salt Terminator concentrate and siphons it through a standard garden hose. Connect the hose to the marine engine's flushing unit and add extra years of service to outboards, I/O's, jet boars, and personal watercraft.

Applications

- Attach Mixer to A Standard Garden Hose to Dilute Formula For Easy Application on Large Areas
- or Connect The Hose to A Marine Engine Flushing Unit to Flush The Cooling System

Appearance _____ Black housing, red valve and natural cup

Brand _____ CRC

Case# _____ 1007979

DOT Proper Shipping Name _____ Not Regulated

Generic Description _____ For use with CRC Salt Terminator SX-32 or SX-128

I 2 of 5 Code _____ 30078254000054

Item Number _____ SXM XR

Net Fill _____ N/A


Restricted From Sale In _____ N/A

UPC Code _____ 078254000053

Unit Dimensions _____ 7.4H x 2.4W x 2.7D in

Unit Package Description _____ 1 Mixer Unit

Units per Case _____ 12



Part No. 05401

Item# 1003804

CRC® Glass Cleaner, 18 Wt Oz

Description

Cuts through dirt, dust, fingerprints and haze deposits. Provides streak-free glass cleaning even on delicate glass surfaces.

Applications

- Glass
- Mirrors

Appearance _____ Clear Liquid

Brand _____ CRC

Case# _____ 1003803

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Glass Cleaner

I 2 of 5 Code _____ 30078254054019

Item Number _____ 05401

Net Fill _____ 18 Wt Oz

PH _____ 10.5

Plastic Safe _____ Yes

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1

UPC Code _____ 078254054018

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 9.6

VOC % (Federal) _____ 9.63

VOC Category _____ Glass Cleaners - Aerosol

VOC Lbs./Gal. (Federal) _____ 1.2

VOC g/L (Consumer Product def) _____ 95.1

VOC g/L (Federal) _____ 149.3

VOC lbs/gal (Consumer Prod def) _____ 0.8



Part No. SL35911

Item# 1007946

Sta-Lube® Nickel Anti-Seize Lubricating Compound, 8 Wt Oz

Description

Sta-Lube Nickel Anti-Seize is a nickel based formula that is free of copper, lead, sulfides and chlorides. This premium quality lubricant has excellent high temperature and chemical resistance. Conductive.

Applications

- Catalyst Beds
- Reaction Chambers
- Special Alloy Fittings May Be Used on Fittings
- Bushings
- Flanges
- Headers
- Nuts
- Screws
- Studs
- Threaded Surfaces
- Pipes
- Plugs
- Manifolds to Prevent Seizing and Galling of Surfaces

Appearance Silver Paste

Brand CRC

Case# 1007945

DOT Proper Shipping Name Not Regulated

Evaporation Rate Not Applicable

Film Type Wet

Flammability Class - CPSC Not a Consumer Product

Flash point (C) 218°C

Flash point (F) 425°F

Generic Description General Purpose Anti Seize Lubricant

I 2 of 5 Code 30072213359115

Item Number SL35911

Military Specification Number Mil-PRF-907E

NLGI Grade 1

Net Fill 8 Wt Oz

Oil Separation Less Than 5%

PH Neutral

Plastic Safe Yes

Pour Point (C) <-12.2°C

Pour Point (F) <10°F

Propellant None

Removal (How To) Remove with general purpose degreaser.

Specific Gravity 1.24

UPC Code 072213359114

Unit Dimensions 4.25H x 2.5W x 2.5D in

Unit Package Description 8 Ounce Brush-Top Bottle

Units per Case 12

VOC % (Consumer Product def) 1.8

VOC % (Federal) 1.8

VOC Category Anti-Seize Lubricant - Non-Aerosol

VOC Lbs./Gal. (Federal) 0.18

VOC g/L (Consumer Product def) 21.2

VOC g/L (Federal) 21.2

VOC lbs/gal (Consumer Prod def) 0.18

Worked Penetration 310 to 340

Working Temp (C) -70.6 to 1427°C

Working Temp (F) -95 to 2600°F



Part No. 18412

Item# 1005240

CRC® Zinc-It® Instant Cold Galvanize, 13 Wt Oz

Description

High-performance coating of >93% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. It actively fights rust and corrosion. Use as a touch-up for damaged galvanized coatings. Dries quickly. Outdoor protection: 1-2 years.

Applications

- On Threads
- Fasteners
- Strapping
- Fencing
- Grates
- Breaker Panel Housings
- Signs
- Trailers
- Catwalks
- Exposed Edges
- Conduit
- Welds
- Railings
- Electrical Poles
- Rain Spouts
- Doors
- Waste Containers
- Guard Rails Meets Astm A780

Appearance _____ Gray Viscous Liquid

Brand _____ CRC

Case# _____ 1005239

Coverage _____ 24 Sq Ft at 1 Mil Dry

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 8 Hours

Dry Time Tack Free _____ 20 Minutes

Federal Specification Number _____ DOD-P-21035A

Film Thickness _____ 2 to 3 Mils

Film Type _____ Dry, Gray, Matte Finish

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Instant Cold Galvanized Coating

I 2 of 5 Code _____ 30078254184129

Item Number _____ 18412

MIR Limit (CA) _____ 1.25

MIR Limit (EPA) _____ 1.9

MIR Value _____ 1.2

Military Specification Number — Mil-P-21035B, Mil-P-26915, Mil-P-46105

Net Fill _____ 13 Wt Oz

Plastic Safe _____ Yes

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 48 Hours

Removal (How To) _____ Remove with aromatic solvents, Xylene. Toluene can be used, but is not recommended.

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254184128

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Federal) _____ 45.6

VOC Category _____ Aerosol Coating: Metallic Coating

VOC Lbs./Gal. (Federal) _____ 5.9

VOC g/L (Federal) _____ 707.1

Working Temp (C) _____ 54.4°C (Continuous) / 65.6°C (Intermittent)

Working Temp (F) _____ 130°F (Continuous) / 150°F (Intermittent)



Part No. MK2232

Item# 1007576

MaryKate® Super Suds™ Boat Soap, 32 Fl Oz

Description

Highly concentrated synthetic detergent. Non-streaking. Leaves no residue. Cleans away dirt and grime, leaving surfaces sparkling clean. Makes 64 buckets of wash. Will not remove wax.

Applications

- Automobiles
- Boats
- Glass
- Trailers

Appearance _____ Clear Viscous Blue-Green
Liquid

Brand _____ MaryKate

Case# _____ 1007575

DOT Proper Shipping Name _____ NOT REGULATED

Evaporation Rate _____ Slow

Film Type _____ N/A

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ N/A

Generic Description _____ Boat Soap

I 2 of 5 Code _____ 30716606022322

Item Number _____ MK2232

Net Fill _____ 32 Fl Oz

PH _____ 10.45

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.01

Treatment Ratio _____ 1/2oz of soap for 3 gal of water

UPC Code _____ 716606022321

Unit Dimensions _____ 9H x 3.25W x 3.25D in

Unit Package Description _____ 1 Quart Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0.2

VOC Category _____ General Purpose Cleaner -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 2

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 06019

Item# 1003886

CRC® Marine Cleaner and Degreaser, 19 Wt Oz

Description

Cleans and degreases marine engines and non-sensitive electrical parts and equipment in place. Breaks through tough grease on motors, gears, chains and other metal parts. Leaves no residue; non-flammable.

Applications

- Marine Engines
- Motors
- Chains
- Canvas
- Non-Sensitive Electrical Parts & Equipment
- Gears
- Wood
- Fabric

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003885

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Poison, Limited
Quantity (Marine Pollutant)

Dielectric Strength _____ 37,500 Volts

Dry Time Fully Dry _____ Fast

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Marine Cleaner and Degreaser

I 2 of 5 Code _____ 30078254060195

Item Number _____ 06019

KB Value _____ 95

Net Fill _____ 19 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA, CO, CT, DC, DE, IL, IN, MA,
MD, ME, MI, NJ, NY, RI

Specific Gravity _____ 1.62

UPC Code _____ 078254060194

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0


VOC Category _____ General Purpose Cleaner -
Aerosol

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 05025

Item# 1003645

CRC® Engine Degreaser, 15 Wt Oz

Description

Engine Degreaser quickly lifts grease & grime off engines for cooler more efficient running. Easy to use - just spray on & rinse off. Leaves no residue.

Applications

- Automobiles
- Construction Applications
- Metal Parts
- Boats
- Engines
- Machinery

Appearance _____ Clear Light Amber Liquid

Brand _____ CRC

Case# _____ 1003642

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 46°C

Flash point (F) _____ 115°F

Generic Description _____ Engine Degreaser

I 2 of 5 Code _____ 30078254050257

Item Number _____ 05025

Net Fill _____ 15 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA, CO, CT, DC, DE, IL, IN, ME, MD,
MA, MI, NH, NJ, NY, OH, PA, RI,
parts of UT, VA

Specific Gravity _____ 0.8667

UPC Code _____ 078254050256

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 45.2

VOC % (Federal) _____ 51.24

VOC Category _____ Engine Degreasers

VOC Lbs./Gal. (Federal) _____ 6.6

VOC g/L (Consumer Product
def) _____ 391.7

VOC g/L (Federal) _____ 794.6

VOC lbs/gal (Consumer Prod
def) _____ 3.26



Part No. 05026

Item# 1003647

CRC® Gel Engine Degreaser, 15 Wt Oz

Discontinued

alternate available Product No. 05025CA **ITEM# 1003644**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Penetrates & removes the most stubborn baked on engine greases & road grimes. Unique formula clings to all surfaces longer & penetrates deeper than conventional engine degreasers.

Applications

- Automobiles
- Construction Applications
- Metal Parts
- Boats
- Engines
- Machinery

Appearance Orange Yellow Viscous Liquid

Brand CRC

Case# 1003646

Color None

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Evaporation Rate Slow

Flammability Class - CPSC Flammable

Flash point (C) 1°C

Flash point (F) 34°F

Generic Description Engine Degreaser

I 2 of 5 Code 30078254050264

Item Number 05026

Net Fill 15 Wt Oz

Plastic Safe No

Product Lifecycle Status DISC

Propellant Carbon Dioxide

Replacement Legacy Num 05025CA

Replacement Product SKU 1003644

Specific Gravity 0.84

UPC Code 078254050263

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 10

VOC % (Federal) 90

VOC Category Engine Degreasers

VOC Lbs./Gal. (Federal) 11.6

VOC g/L (Consumer Product def) 84

VOC g/L (Federal) 1395.5

VOC lbs/gal (Consumer Prod def) 0.7



Part No. 06482

Item# 1003939

CRC® Marine Pro-Strength Degreaser, 12 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Foaming water-based formula aggressive enough to break down and dissolve grease, grime, oil, rubber marks, and other oil-based contaminants while remaining gentle enough for gelcoats, painted and plastic surfaces.

Applications

- Marine Parts
- Interiors
- Painted Surfaces
- Exteriors
- Maintenance Equipment
- Chrome & Stainless Steel Metallic Parts and Heavy Machinery

Appearance _____ Clear Light Yellow Liquid

Brand _____ CRC

Case# _____ 1003938

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Water-Based Degreaser

I 2 of 5 Code _____ 30078254064827

Item Number _____ 06482

Net Fill _____ 12 Wt Oz

PH _____ 9.9

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.03

UPC Code _____ 078254064826

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 9.7

VOC % (Federal) _____ 9.7

VOC Category _____ General Purpose Degreaser -
Aerosol

VOC Lbs./Gal. (Federal) _____ 0.81

VOC g/L (Consumer Product
def) _____ 97

VOC g/L (Federal) _____ 97

VOC lbs/gal (Consumer Prod
def) _____ 0.81



Part No. 05316

Item# 1003761

CRC® Motor Treatment, 16 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Cleans gum, varnish, and carbon from the fuel system, injectors, pistons, and combustion chamber. Removes moisture from fuel and oil systems and lubricates engine components.

Applications

- For Use in Gasoline
- Diesel
- Ethanol
- Oil Pour Into Fuel System
- Induce Directly Into Combustion Chamber Via Main Manifold Vacuum Line and Add to Crankcase

Appearance Clear Liquid

Brand CRC

Case# 1003760

Color None

DOT Proper Shipping Name Flammable Liquids, N.O.S.
(Petroleum Distillates,
2-Butoxyethanol), Limited
Quantity

Evaporation Rate Slow

Flammability Class - CPSC Combustible

Flash point (C) 47.2°C

Flash point (F) 117°F

Generic Description Carbon Clean-Out

I 2 of 5 Code 30078254053166

Item Number 05316

Net Fill 16 Fl Oz

Plastic Safe No

Product Lifecycle Status DISC

Propellant None

Removal (How To) Remove with petroleum
distillates.

Specific Gravity 0.82

Treatment Ratio 16 Fl Oz treats 8 to 25 gal of
gas or diesel. 16 Fl Oz treats
10 quarts of oil.

UPC Code 078254053165

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Can

Units per Case 12

VOC % (Consumer Product def) 50

VOC % (Federal) 100

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 12.9

VOC g/L (Consumer Product
def) 410

VOC g/L (Federal) 1550.6

VOC lbs/gal (Consumer Prod
def) 3.4



Part No. 05002

Item# 1003613

CRC® Freeze-Off® Super Penetrant, 11.5 Wt Oz

Description

Give your rusty, seized bolts, nuts, and fixtures a new life with CRC Freeze-Off® Super Penetrant. This one-of-a-kind spray will target rusted surfaces, parts, and equipment corroded by the elements. Packed in a light, aerosol can, its trouble-free application guarantees fast and effective results with innovative chemical technology and a low VOC formula. Dismantle stubborn equipment and revive old surfaces with Freeze-Off®.

Applications

- Automobiles
- Household Items
- Agricultural Equipment and Sporting Goods
- Boats & Watersports Equipment
- Plumbing Fixtures

Appearance _____ Clear Orange Liquid

Brand _____ CRC

Case# _____ 1003612

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 43,000 Volts

Evaporation Rate _____ Slow

Film Type _____ Non-Drying Oil

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ 52°C

Flash point (F) _____ 126°F

Generic Description _____ Super Penetrant

I 2 of 5 Code _____ 30078254050028

Item Number _____ 05002

KB Value _____ 46

Net Fill _____ 11.5 Wt Oz

Plastic Safe _____ No

Propellant _____ HFC-152a

Removal (How To) _____ Remove with petroleum
distillates.

Specific Gravity _____ 0.84

UPC Code _____ 078254050027

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 24.1

VOC % (Federal) _____ 50

VOC Category _____ Penetrant

VOC Lbs./Gal. (Federal) _____ 6.5

VOC g/L (Consumer Product def) _____ 202.4

VOC g/L (Federal) _____ 775.3

VOC lbs/gal (Consumer Prod def) _____ 1.7



Part No. 05347

Item# 1003779

CRC® Rubberized Spray Undercoating, 16 Wt Oz

Description

A rubberized compound that provides a tough, flexible shield against moisture, salt and road debris. It dries quickly and is exceptionally resistant to abrasion.

Applications

- Seals Underbody
- Weld Joints
- Trunk Interior and Firewall of Motor Vehicles

Appearance _____ Black Opaque Liquid

Brand _____ CRC

Case# _____ 1003778

Color _____ None

Coverage _____ 20 Sq Ft per Can

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 36 to 48 Hours

Dry Time Tack Free _____ 30 Minutes

Evaporation Rate _____ Not Determined

Film Thickness _____ 2 to 3 Mils

Film Type _____ Asphaltic

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -20°C

Flash point (F) _____ -4°F

Generic Description _____ Rubberized Spray Undercoating

I 2 of 5 Code _____ 30078254053470

Item Number _____ 05347

Net Fill _____ 16 Wt Oz

Plastic Safe _____ No

Propellant _____ Hydrocarbon

Removal (How To) _____ Petroleum Distillates

Specific Gravity _____ 0.85 to 0.90

UPC Code _____ 078254053479

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 38.2

VOC % (Federal) _____ 38.2

VOC Category _____ Undercoating

VOC g/L (Consumer Product def) _____ 334.3

VOC lbs/gal (Consumer Prod def) _____ 2.78

Working Temp (C) _____ -17.8 to 37.8&3176;C

Working Temp (F) _____ 0 to 100°F



Part No. 05077

Item# 1003686

CRC® Octane Boost, 12 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Increases horsepower & octane rating. Reduces octane requirements. Maximizes power & torque. Protects against valve recession & replaces lubrication formerly found in leaded fuels. Decreases NOX & carbon monoxide emissions. Contains a smoke suppressant

Applications

- For Use in Gasoline Engines

Appearance _____ Clear Amber Liquid

Case# _____ 1003685

DOT Proper Shipping Name _____ Not Regulated

Flammability Class - CPSC _____ None

Flash point (F) _____ 158°F

I 2 of 5 Code _____ 30078254050776

Net Fill _____ 12 Fl Oz

Product Lifecycle Status _____ DISC

Specific Gravity _____ 0.87

Unit Dimensions _____ 7.88H x 2.13W x 3.5D in

Units per Case _____ 12

VOC % (Federal) _____ 98.8

VOC Lbs./Gal. (Federal) _____ 12.8

VOC g/L (Federal) _____ 1532

Brand _____ CRC

Color _____ None

Evaporation Rate _____ Slow

Flash point (C) _____ 70°C

Generic Description _____ Octane Boost

Item Number _____ 05077

Plastic Safe _____ Yes

Propellant _____ None

UPC Code _____ 078254050775

Unit Package Description _____ 12 Ounce Bottle

VOC % (Consumer Product def) _____ 98.8

VOC Category _____ Not Regulated

VOC g/L (Consumer Product def) _____ 830

VOC lbs/gal (Consumer Prod def) _____ 6.9



Part No. 05815

Item# 1003859

CRC® Gasoline 1-Tank Power Renew®, 15 Fl Oz

Description

A concentrated one-tank cleanup that delivers a powerful SHOCK to your dirty fuel system. Made with the maximum available chemistry it's the most powerful fuel system cleaner on the market. Excellent cleanup with proven results. Up to 5.7% MPG increase, 97% total power restoration, 99% injector flow improvement and cleaner emissions. Only needed 4x per year.

Applications

- For Use in Direct or Port Injection Engines to Super-Clean Fuel System

Appearance _____ Clear Yellow Liquid

Brand _____ CRC

Case# _____ 1003858

Color _____ None

DOT Proper Shipping Name _____ Corrosive liquids, n.o.s.
(polyether amine), Limited
Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ 72°C

Flash point (F) _____ 161°F

Generic Description _____ Complete Fuel System Cleanup

I 2 of 5 Code _____ 50078254058158

Item Number _____ 05815

Net Fill _____ 15 Fl Oz

Plastic Safe _____ No

Propellant _____ None

Removal (How To) _____ Remove with petroleum distillates.

Specific Gravity _____ 0.878

Treatment Ratio _____ 1 Bottle (15 fl oz) treats 25 Gal of
gasoline

UPC Code _____ 078254058153

Unit Dimensions _____ 8.75H x 3.69W x 3.5D in

Unit Package Description _____ 16 Ounce Bottle

Units per Case _____ 6

VOC % (Consumer Product def) _____ 94

VOC % (Federal) _____ 100

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 7.09

VOC g/L (Consumer Product def) _____ 774

VOC g/L (Federal) _____ 850

VOC lbs/gal (Consumer Prod def) _____ 6.46



Part No. 06026

Item# 1003892

CRC® Heavy Duty Corrosion Inhibitor, 10 Wt Oz

Description

A long term, flexible corrosion inhibitor that protects & preserves metal surfaces, electrical connections, engine components & fasteners, subject to salt spray and high humidity. Also provides effective protection for steering & throttle linkages.

Applications

- Electrical Connections (Connections Must Be Made First)
- Equipment Storage
- Motors
- Shaft
- Steering & Throttle Linkages
- Engine Components
- Fasteners
- Salt Spray Protection
- Spindles

Appearance _____ Dark Amber Viscous Liquid

Brand _____ CRC

Case# _____ 1003891

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dry Time Tack Free _____ 1 Hour

Evaporation Rate _____ Fast

Film Thickness _____ 2 Mils

Film Type _____ Waxy, Dry, Transparent

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-18°C

Flash point (F) _____ <0°F

Generic Description _____ Heavy Duty Corrosion Inhibitor

I 2 of 5 Code _____ 30078254060263

Item Number _____ 06026

Military Specification Number _____ Mil-C-16173 Grade 4

Net Fill _____ 10 Wt Oz

Propellant _____ Hydrocarbon

Removal (How To) _____ May be removed with CRC
Cleaner & Degreaser, mineral
spirits, Stoddard solvents, or
Alaphatic petroleum solvents.
May also be diluted with the
above materials.

Specific Gravity _____ 0.787

UPC Code _____ 078254060262

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 79.2

VOC % (Federal) _____ 79.2

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 10.2

VOC g/L (Consumer Product def) _____ 623.3

VOC g/L (Federal) _____ 1228.1

VOC lbs/gal (Consumer Prod def) _____ 5.2

Working Temp (C) _____ -40 to 79.4°C

Working Temp (F) _____ -40 to 175°F



Part No. MK6732

Item# 1007629

MaryKate® Black Streak Remover, 32 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Quick, easy & effective. Instantly removes black streaks caused by water run off on fiberglass, & metal. No scrubbing necessary. Spray on/wipe off. Commercial grade. Test on painted surfaces.

Applications

- Fiberglass
- Metals

Appearance Clear Blue-Green Liquid

Brand MaryKate

Case# 1007628

DOT Proper Shipping Name Not Regulated

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Black Streak Remover

I 2 of 5 Code 30716606067323

Item Number MK6732

Net Fill 32 Fl Oz

PH 12.2

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant None

Removal (How To) Remove with water.

Specific Gravity 1.06

UPC Code 716606067322

Unit Dimensions 10H x 1.63W x 4.5D in

Unit Package Description 1 Quart Spray Bottle

Units per Case 12

VOC % (Consumer Product def) 0.5

VOC % (Federal) 4.09

VOC Category General Purpose Cleaners -
Non-Aerosol

VOC Lbs./Gal. (Federal) 0.53

VOC g/L (Consumer Product def) 5.3

VOC g/L (Federal) 63.4

VOC lbs/gal (Consumer Prod def) 0.04



Part No. MK3132

Item# 1007594

MaryKate® Aluminex™ Pontoon & Aluminum Hull Cleaner, 32 Fl Oz

Description

Maximum strength formula quickly removes the heaviest oxidation and eliminates waterline stains, lime deposits and algae stains. Not for use on painted surfaces.

Applications

- Aluminum

Appearance _____ Thin Clear Liquid

Brand _____ MaryKate

Case# _____ 1007593

DOT Proper Shipping Name _____ Corrosive Liquid, Toxic, N.O.S.
(Hydrochloric Acid, Phosphoric
Acid, Ammonium Bifluoride),
Limited Quantity

Evaporation Rate _____ Similar to Water

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Pontoon & Aluminum Hull
Cleaner

I 2 of 5 Code _____ 30716606031324

Item Number _____ MK3132

Net Fill _____ 32 Fl Oz

PH _____ <1

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.05

UPC Code _____ 716606031323

Unit Dimensions _____ 8.88H x 3.25W x 3.25D in

Unit Package Description _____ 1 Quart Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ <0.5

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ <0.06

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ <7.8

VOC lbs/gal (Consumer Prod
def) _____ 0



Part No. 03005

Item# 1003255

CRC® 3-36® Multi-Purpose Lubricant & Corrosion Inhibitor, 11 Wt Oz

Description

A versatile petroleum based compound that forms a clear, thin film that lubricates and protects against wear and corrosion. Multi-purpose product lubricates, protects, displaces moisture, and cleans.

Applications

- Tubing
- Gears
- Wire
- Dies
- Shim Stock
- Drill Rod
- Machined Surfaces
- Aluminum Extrusions
- Conveyors
- Locks
- And More
- Castings
- Weld Rod
- Fixtures
- Jigs
- Chucks
- Heat Treated Parts
- Finished Welds
- Air Actuated Tools
- Frozen Joints
- Hoists

Appearance _____ Clear Blue-Green Liquid

Brand _____ CRC

Case# _____ 1003254

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 38,800 Volts

Evaporation Rate _____ Slow

Federal Specification Number _____ O-W-1284,V-V-P-216

Film Thickness _____ 0.025 to 0.075 Mils

Film Type _____ Non-Drying

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 89°C

Flash point (F) _____ 192°F

Ford Tox No. _____ 011920

Generic Description _____ Multi-Purpose Precision
Lubricant & Corrosion
Inhibitor

I 2 of 5 Code _____ 30078254030051

Item Number _____ 03005

NSF Category Code _____ H2

NSF Number _____ 017411

Net Fill _____ 11 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with petroleum
products, mineral spirits, or
contact cleaner.

Specific Gravity _____ 0.827

UPC Code _____ 078254030050

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 97.5

VOC Category _____ Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 1511.8

VOC lbs/gal (Consumer Prod def) _____ 0

Working Temp (C) _____ -45.6 to 121.1°C

Working Temp (F) _____ -50 to 250°F



Part No. 05816

Item# 1003862

CRC® Diesel 1-Tank Power Renew®, 15 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A concentrated one-tank cleanup that delivers a powerful SHOCK to your dirty fuel system. Made with the maximum available chemistry it's the most powerful diesel fuel system cleaner on the market. Excellent cleanup for the sticky injectors frequently found in modern common rail systems. Proven 100% deposit removal & reduces emissions. Cleans INSIDE the injectors & prevents IDID. Only needed 4x per year.

Applications

- For Use in Diesel Engines to Super-Clean Fuel System

Appearance _____ Dark Brown Liquid

Brand _____ CRC

Case# _____ 1003861

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 67.2°C

Flash point (F) _____ 153°F

Generic Description _____ Complete Diesel System Cleanup

I 2 of 5 Code _____ 50078254058165

Item Number _____ 05816

Net Fill _____ 15 Fl Oz

Plastic Safe _____ No

Product Lifecycle Status _____ DSEL

Propellant _____ None

Removal (How To) _____ Remove with petroleum
distillates.

Specific Gravity _____ 0.886

Treatment Ratio _____ 1 Bottle (15 fl oz) treats 30 Gal
of diesel fuel

UPC Code _____ 078254058160

Unit Dimensions _____ 8.75H x 3.69W x 3.5D in

Unit Package Description _____ 16 Ounce Bottle

Units per Case _____ 6

VOC % (Consumer Product def) _____ 70.3

VOC % (Federal) _____ 97.3

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product
def) _____ 622.9

VOC g/L (Federal) _____ 1508.7

VOC lbs/gal (Consumer Prod
def) _____ 5.2



Part No. 06054

Item# 1003898

CRC® Marine Instant Galvanize, 13 Wt Oz

Discontinued

alternate available Product No. 05048 **ITEM# 1003659**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

High performance coating of >93% pure zinc that electrochemically bonds to ferrous metals. Provides protection of hot dip galvanize with on the job convenience.

Applications

- Threads
- Fasteners
- Strapping
- Fencing
- Grates
- Breaker Panel Housings
- Signs
- Trailers
- Catwalks
- Exposed Edges
- Conduit
- Welds
- Railings
- Electrical Poles
- Rain Spouts
- Doors
- Waste Containers
- Guard Rails

Appearance _____ Gray Viscous Liquid

Brand _____ CRC

Case# _____ 1003897

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 8 Hours

Dry Time Tack Free _____ 20 Minutes

Evaporation Rate _____ Fast

Federal Specification Number _____ DOD-P-21035A

Film Thickness _____ 2 to 3 Mils

Film Type _____ Dry, Gray, Matte Finish

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ Marine Instant Galvanize

I 2 of 5 Code _____ 30078254060546

Item Number _____ 06054

MIR Limit (CA) _____ 1.25

MIR Limit (EPA) _____ 1.9

MIR Value _____ 1.2

Military Specification Number _____ Mil-P-26915,Mil-P-46105

Net Fill _____ 13 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with aromatic solvents, Xylene. Toluene can be used, but is not recommended.

Replacement Legacy Num _____ 05048

Replacement Product SKU _____ 1003659

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254060545

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Federal) _____ 45.6


VOC Category _____ Aerosol Coating: Metallic Coating

VOC Lbs./Gal. (Federal) _____ 5.9

VOC g/L (Federal) _____ 707.1

Working Temp (C) _____ 54.4°C (Continuous) 65.6°C (Intermittent)

Working Temp (F) _____ 130°F (Continuous) 150°F (Intermittent)



Part No. 05104

Item# 1003722

CRC® Wire Dryer, 6 Wt Oz

Description

Helps start wet engines and drive out moisture that can cause electrical failure and hard starting. Weatherproofs all electrical system parts. Can be used for many auto, marine, heavy duty and household applications.

Applications

- Distributors
- Starts
- Spark Plugs & Wiring Harnesses
- Ignition Coils
- Electrical Contacts

Appearance _____ Clear Blue-Green Liquid

Brand _____ CRC

Case# _____ 1003721

Color _____ None

Coverage _____ Not Determined

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dielectric Strength _____ 45,700 Volts/Mil

Evaporation Rate _____ Slow

Film Thickness _____ 0.025 to 0.075 Mils

Film Type _____ Non-Drying Oil

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 86°C

Flash point (F) _____ 187°F

Generic Description _____ Wire Dryer

I 2 of 5 Code _____ 30078254051049

Item Number _____ 05104

KB Value _____ 27

Net Fill _____ 6 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test small area)

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with petroleum products, mineral spirits, or contact cleaner.

Specific Gravity _____ 0.8187

UPC Code _____ 078254051048

Unit Dimensions _____ 6.88H x 2.02W x 2.02D in

Unit Package Description _____ 8 ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 99.99

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 1550.4

VOC lbs/gal (Consumer Prod def) _____ 0

Working Temp (C) _____ -45.6 to 121.1°C

Working Temp (F) _____ -50 to 250°F



Part No. MK66

Item# 1007627

MaryKate® Trewax® Boat Paste Wax, 12 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Contains Carnauba, the world's hardest natural wax. Leaves a hard, long-lasting, brilliant finish. Designed specifically for marine finishes. Use on fiberglass, painted surfaces, aluminum, chrome, and stainless steel.

Applications

- Fiberglass
- Painted Surfaces
- Stainless Steel
- Aluminum
- Chrome

Appearance _____ Tan Creamy Paste

Brand _____ CRC

Case# _____ 1007626

DOT Proper Shipping Name _____ Solids containing flammable liquid,
N.O.S. (Petroleum Distillates),
Limited Quantity

Evaporation Rate _____ Not Determined

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 66°C

Flash point (F) _____ 150°F

Generic Description _____ Four Seasons Boat Wax

I 2 of 5 Code _____ 30070755660126

Item Number _____ MK66

Net Fill _____ 12 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Specific Gravity _____ 0.754

UPC Code _____ 070755660125

Unit Dimensions _____ 3.25H x 4.5W x 4.5D in

Unit Package Description _____ 12 Ounce Tub

Units per Case _____ 12

VOC % (Consumer Product def) _____ 74

VOC % (Federal) _____ 65.4

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 8.5

VOC g/L (Consumer Product def) _____ 558

VOC g/L (Federal) _____ 1014.1

VOC lbs/gal (Consumer Prod def) _____ 4.65



Part No. 402715

Item# 1006096

K&W® Super Turbo™ Engine Oil Stop Leak, 15 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Stops engine oil leaks by rejuvenating worn or aged engine seals & gaskets. Ideal for all motor oils, gasoline or diesel engines in car, truck, boat or tractor.

Applications

- Automobiles
- Boats
- Tractors
- Trucks

Appearance ————— Red Liquid

Brand ————— K&W

Case# ————— 1006097

DOT Proper Shipping Name ————— Not Regulated

Evaporation Rate ————— Slow

Flammability Class - CPSC ————— None

Flash point (C) ————— >157°C

Flash point (F) ————— >315°F

Generic Description ————— Engine Oil Stop Leak

I 2 of 5 Code ————— 60078372027156

Item Number ————— 402715

Net Fill ————— 15 Fl Oz

Plastic Safe ————— Yes

Product Lifecycle Status ————— DISC

Propellant ————— None

UPC Code ————— 078372027154

Unit Dimensions ————— 7.5H x 3.13W x 1.75D in

Unit Package Description ————— 16 Ounce Bottle

Units per Case ————— 6

VOC % (Consumer Product def) ————— 0

VOC % (Federal) ————— 91.82

VOC Category ————— Not Regulated

VOC Lbs./Gal. (Federal) ————— 11.9

VOC g/L (Consumer Product def) ————— 0

VOC g/L (Federal) ————— 1423.8

VOC lbs/gal (Consumer Prod def) ————— 0



Part No. MK2332

Item# 1007580

MaryKate® Big Bully® Natural Orange Bilge Cleaner, 32 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Works instantly to emulsify oil, grease, & scum. Tough citrus cleaning power absorbs odors and leaves bilge areas clean and fresh. Self-cleaning formula is activated by the rolling action of the boat.

Applications

- Boat Bilges

Appearance _____ White Emulsion

Brand _____ MaryKate

Case# _____ 1007579

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Bilge Cleaner

I 2 of 5 Code _____ 30716606023329

Item Number _____ MK2332

Net Fill _____ 32 Fl Oz

PH _____ 5

Plastic Safe _____ May Harm Sensitive Plastics

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 0.97

Treatment Ratio _____ Use full strength

UPC Code _____ 716606023328

Unit Dimensions _____ 9H x 3.25W x 3.25D in

Unit Package Description _____ 1 Quart Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 15.2

VOC % (Federal) _____ 23

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 3

VOC g/L (Consumer Product def) _____ 147

VOC g/L (Federal) _____ 356.6

VOC lbs/gal (Consumer Prod def) _____ 1.23



Part No. 05018

Item# 1003634

CRC® Lectra-Motive® Electric Parts Cleaner, 19 Wt Oz

Description

An aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt, & wax without having to remove parts.

Applications

- Designed For Use on Energized Equipment

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003633

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Poison, Limited
Quantity

Dielectric Strength _____ 37,500 Volts

Dry Time Fully Dry _____ Fast

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Electrical Parts Cleaner

I 2 of 5 Code _____ 30078254050189

Item Number _____ 05018

KB Value _____ 95

Net Fill _____ 19 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA

Specific Gravity _____ 1.62

UPC Code _____ 078254050188

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

Use Restrictions _____ Not for Use in California

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod
def) _____ 0



Part No. MK63128

Item# 1007620

MaryKate® Fabric Waterproofer, 1 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Premium grade heavy duty water repellent solution. Restores water repellency of cotton & synthetic fabrics. Neutral color. Use on boat covers, canvas Bimini tops, tents, clothing, leather, footwear & more.

Applications

- Boat Covers
- Canvas Bimini Tops
- Tents
- Clothing
- Leather Footwear

Appearance _____ Milky Emulsion

Brand _____ MaryKate

Case# _____ 1007619

DOT Proper Shipping Name _____ Not Regulated

Dry Time Fully Dry _____ 24 Hours

Dry Time Tack Free _____ 2 Hours

Evaporation Rate _____ Like Water

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Fabric Waterproofer

I 2 of 5 Code _____ 30716606631289

Item Number _____ MK63128

Net Fill _____ 1 Gal

PH _____ 7.25

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Repeat washings

Specific Gravity _____ 1

UPC Code _____ 716606631288

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Waterproofer

VOC g/L (Consumer Product def) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. MK28128

Item# 1007588

MaryKate® Spray Away™ All Purpose Cleaner, 1 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Cleans grease, grime, oil, rain stains, fish blood and more. Great on virtually any surface. Heavy duty formula is four times stronger than most spray cleaning products. Non-flammable.

Applications

- Works on Virtually Any Surface
- Stainless Steel
- Fiberglass
- Brass

Appearance _____ Clear Blue-Green Liquid

Brand _____ MaryKate

Case# _____ 1007587

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Spray Away All Purpose
Cleaner

I 2 of 5 Code _____ 30716606281286

Item Number _____ MK28128

Net Fill _____ 1 Gal

PH _____ 12.2

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.06

UPC Code _____ 716606281285

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 0.5

VOC % (Federal) _____ 4.09

VOC Category _____ General Purpose Cleaners -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0.53

VOC g/L (Consumer Product def) _____ 5.3

VOC g/L (Federal) _____ 63.4

VOC lbs/gal (Consumer Prod def) _____ 0.04



Part No. MK52128

Item# 1007616

MaryKate® Grease Away, 1 Gal

Discontinued

alternate available Product No. 14415 **ITEM# 1004970**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Heavy-duty engine degreaser. Formulated for outboards, inboards, stern drives, machinery, tools, and more. Spray on/rinse off. Contains no petroleum solvents.

Applications

- Inboard/Outboards
- Machinery
- Motors
- Outboard Engines
- Tools

Appearance _____ Clear Light Yellow Liquid

Brand _____ MaryKate

Case# _____ 1007615

DOT Proper Shipping Name _____ Corrosive Liquids, N.O.S.
(Potassium Hydroxide, Sodium
Metasilicate)

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Grease Away

I 2 of 5 Code _____ 30716606521283

Item Number _____ MK52128

Net Fill _____ 1 Gal

PH _____ 13.2

Plastic Safe _____ May Harm Sensitive Plastics

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Replacement Legacy Num _____ 14415

Replacement Product SKU _____ 1004970

Specific Gravity _____ 1.09

UPC Code _____ 716606521282

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 0.2

VOC % (Federal) _____ 9.7

VOC Category _____ Engine Degreasers - Non-
Aerosol

VOC Lbs./Gal. (Federal) _____ 1.3

VOC g/L (Consumer Product def) _____ 2.2

VOC g/L (Federal) _____ 150.4

VOC lbs/gal (Consumer Prod def) _____ 0.02



Part No. 06069

Item# 1003906

CRC® Engine Stor® Fogging Oil, 1 Gal

Discontinued

alternate available Product No. 06068 **ITEM# 1003904**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

As fogging fluid, it protects outboard motors, marine engines & internal combustion engines, insures longer life. As long term metal protectant, it keeps pistons, rings & cylinder walls corrosion free. Also protects electrical connections in use/storage.

Applications

- as A Corrosion Inhibitor
- Metal Parts
- Marine Engines
- Safe For Use in Gasohol
- Power Tools
- Fishing Reels
- Gasoline Engines Only
- Outboards
- Hand Tools

Appearance Amber Viscous Liquid

Brand CRC

Case# 1003905

Color None

DOT Proper Shipping Name Not Regulated

Evaporation Rate Not Determined

Flammability Class - CPSC Combustible

Flash point (C) >177°C

Flash point (F) >350°F

Generic Description Fogging Oil

I 2 of 5 Code 30078254060690

Item Number 06069

Net Fill 1 Gal

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant None

Replacement Legacy Num 06068

Replacement Product SKU 1003904

Specific Gravity 0.896

UPC Code 078254060699

Unit Dimensions 10.25H x 5W x 6.13D in

Unit Package Description 1 Gallon Bottle

Units per Case 4

VOC % (Consumer Product def) 0.2

VOC % (Federal) 100

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 12.9

VOC g/L (Consumer Product def) 1.8

VOC g/L (Federal) 1550.6

VOC lbs/gal (Consumer Prod def) 0.01



Part No. 06164

Item# 1003933

CRC® Marine Fuel Stabilizer - Gasoline, 1 Gal

Description

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

Applications

- All 2 and 4 Cycle Gasoline Engines
- Marine Engines
- Agricultural Equipment
- Lawn & Garden Equipment
- Chainsaws
- Generators
- Jet Skis
- Lawn Mowers
- Motorcycles
- Snow Blowers
- Snowmobiles
- Tractors

Appearance Amber Liquid

Brand CRC

Case# 1003932

Color None

DOT Proper Shipping Name Not Regulated

Evaporation Rate Slow

Flammability Class - CPSC Combustible

Flash point (C) 70°C

Flash point (F) 158°F

Generic Description Marine Fuel Stabilizer-Gasoline

I 2 of 5 Code 30078254061642

Item Number 06164

Net Fill 1 Gal

Propellant None

Specific Gravity 0.89

Treatment Ratio 1 Fl Oz treats 5 Gal.

UPC Code 078254061641

Unit Dimensions 10.25H x 5W x 6.13D in

Unit Package Description 1 Gallon Bottle

Units per Case 4

VOC % (Consumer Product def) 27.6

VOC % (Federal) > 91.4

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) > 6.77

VOC g/L (Consumer Product def) 245.6

VOC g/L (Federal) >810

VOC lbs/gal (Consumer Prod def) 2.1



Part No. MK22128

Item# 1007574

MaryKate® Super Suds™ Boat Soap, 1 Gal

Discontinued

alternate available Product No. MK2232 ITEM# 1007576

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Highly concentrated synthetic detergent. Non-streaking. Leaves no residue. Cleans away dirt and grime, leaving surfaces sparkling clean. Makes 256 buckets of wash. Will not remove wax.

Applications

- Automobiles
- Boats
- Glass
- Trailers

Appearance	Clear Viscous Blue-Green Liquid	Brand	MaryKate
Case#	1007573	DOT Proper Shipping Name	NOT REGULATED
Evaporation Rate	Slow	Film Type	N/A
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Ford Tox No.	N/A
Generic Description	Boat Soap	I 2 of 5 Code	30716606221282
Item Number	MK22128	Net Fill	1 Gal
PH	10.45	Plastic Safe	Yes
Product Lifecycle Status	DISC	Propellant	None
Removal (How To)	Remove with water.	Replacement Legacy Num	MK2232
Replacement Product SKU	1007576	Restricted From Sale In	N/A
Specific Gravity	1.01	Treatment Ratio	1/2oz of soap for 3 gal of water
UPC Code	716606221281	Unit Dimensions	10.25H x 5W x 6.13D in
Unit Package Description	1 Gallon Bottle	Units per Case	4
VOC % (Consumer Product def)	0	VOC % (Federal)	0.2
VOC Category	General Purpose Cleaners - Non-Aerosol	VOC Lbs./Gal. (Federal)	0
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	2
VOC lbs/gal (Consumer Prod def)	0		



Part No. MK35128

Item# 1007598

MaryKate® On & Off Gel Hull & Bottom Cleaner, 1 Gal

Discontinued

alternate available Product No. MK3532 ITEM# 1007600

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Unique viscous formula clings to the surface to break down tough grease & oil and remove stubborn scum line and rust stains. Bold, blue-green color makes it easy to see where product has been applied.

Applications

- Fiberglass

Appearance ————— Blue Green Viscous Liquid

Brand ————— MaryKate

Case# ————— 1007597

DOT Proper Shipping Name — Corrosive Liquids, Acidic, Inorganic,
N.O.S. (Hydrochloric, Phosphoric
Acids)

Evaporation Rate ————— Similar to Water

Flammability Class - CPSC ————— None

Flash point (C) ————— None

Flash point (F) ————— None

Generic Description ————— Fiberglass Hull & Bottom
Cleaner

I 2 of 5 Code ————— 30716606351286

Item Number ————— MK35128

Net Fill ————— 1 Gal

PH ————— <1

Plastic Safe ————— Safe on Fiberglass

Product Lifecycle Status ————— DISC

Propellant ————— None

Removal (How To) ————— Remove with water.

Replacement Legacy Num ————— MK3532

Replacement Product SKU ————— 1007600

Specific Gravity ————— 1.045

UPC Code ————— 716606351285

Unit Dimensions ————— 10.25H x 5W x 6.13D in

Unit Package Description ————— 1 Gallon Bottle

Units per Case ————— 4

VOC % (Consumer Product def) ————— 0

VOC % (Federal) ————— <0.5

VOC Category ————— Not Regulated

VOC Lbs./Gal. (Federal) ————— <0.06

VOC g/L (Consumer Product def) ————— 0

VOC g/L (Federal) ————— <7.8

VOC lbs/gal (Consumer Prod def) ————— 0



Part No. MK20128

Item# 1007567

MaryKate® On & Off Hull & Bottom Cleaner, 1 Gal

Description

Works instantly to remove the toughest waterline stains, algae stains, rust & gas exhaust stains. Use on fiberglass only. Will not harm gel coat.

Applications

- Fiberglass

Appearance _____ White Emulsion

Brand _____ MaryKate

Case# _____ 1007566

DOT Proper Shipping Name _____ Corrosive Liquids, Acidic, Inorganic,
N.O.S. (Hydrochloric Acid,
Phosphoric Acid)

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Hull & Bottom Cleaner

I 2 of 5 Code _____ 30716606201284

Item Number _____ MK20128

Net Fill _____ 1 Gal

PH _____ <1

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Water or mild base

Specific Gravity _____ 1.16

UPC Code _____ 716606201283

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 0

VOC Category _____ Not Regulated

VOC g/L (Consumer Product
def) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 14101

Item# 1004839

CRC® Tyme® 1 Carburetor & Cold Parts Cleaner, 1 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

TYME® 1 is a two phase water rinsable, cold tank liquid parts cleaner, designed to quickly remove carbon, varnish and grease.

Applications

- Aluminum
- Carburetors
- Motors
- Steel
- Carburetor Components
- Corroded Machinery
- Small Metal Parts
- Steel Alloys

Appearance Yellow Opaque Emulsion

Brand CRC

Case# 1004838

Color None

DOT Proper Shipping Name Corrosive Liquids, Toxic,
N.O.S. (Potassium Hydroxide,
Morpholine), Limited Quantity

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Carburetor & Cold Parts Cleaner

I 2 of 5 Code 30078254141016

Item Number 14101

Net Fill 1 Gal

PH 12.2

Plastic Safe No

Product Lifecycle Status DISC

Propellant None

Restricted From Sale In CA

Specific Gravity 1.245

UPC Code 078254141015

Unit Dimensions 11H x 4W x 6.5D in

Unit Package Description 1 Gallon Bottle

Units per Case 4

VOC % (Consumer Product def) 10.25

VOC % (Federal) 13.95

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 1.8

VOC g/L (Consumer Product def) 126

VOC g/L (Federal) 216.3

VOC lbs/gal (Consumer Prod def) 1.06



Part No. 06008

Item# 1003883

CRC® 6-56® Multi-Purpose Lubricant, 1 Gal

Description

Long lasting, superior lubrication that resists water and salt spray. Drives out moisture that can cause electrical failures and hard starting. Penetrates deep through rust and corrosion to loosen frozen parts. Starts wet engines

Applications

- Fishing Reels
- Pulleys
- Starts Wet Engines
- As a Corrosion Inhibitor
- Winches
- Metal Components
- Frees Rusted Parts

Appearance Clear Blue-Green Liquid

Brand CRC

Case# 1003882

Color None

DOT Proper Shipping Name Not Regulated

Dielectric Strength 38,800 Volts

Evaporation Rate Slow

Federal Specification Number V-V-P-216|O-W-1284

Film Thickness 0.025 to 0.075 Mils

Film Type Wet

Flammability Class - CPSC None

Flash point (C) 89°C

Flash point (F) 192°F

Generic Description Multi Purpose Lubricant

I 2 of 5 Code 30078254060089

Item Number 06008

Net Fill 1 Gal

Plastic Safe Not on all plastics

Propellant None

Removal (How To) Remove with petroleum products or mineral spirits.

Specific Gravity 0.827

UPC Code 078254060088

Unit Dimensions 10.25H x 5W x 6.13D in

Unit Package Description 1 Gallon Bottle

Units per Case 4

VOC % (Consumer Product def) 0

VOC % (Federal) 100

VOC Category Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) 12.9

VOC g/L (Consumer Product def) 0

VOC g/L (Federal) 1550.6

VOC lbs/gal (Consumer Prod def) 0

Working Temp (C) -45.6 to 121.1°C

Working Temp (F) -50 to 250°F



Part No. MK31128

Item# 1007592

MaryKate® Aluminex™ Pontoon & Aluminum Hull Cleaner, 1 Gal

Description

Maximum strength formula quickly removes the heaviest oxidation and eliminates waterline stains, lime deposits and algae stains. Not for use on painted surfaces.

Applications

- Aluminum

Appearance _____ Thin Clear Liquid

Brand _____ MaryKate

Case# _____ 1007591

DOT Proper Shipping Name _____ Corrosive Liquid, Toxic, N.O.S.
(Hydrochloric Acid, Phosphoric
Acid, Ammonium Bifluoride)

Evaporation Rate _____ Similar to Water

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Pontoon & Aluminum Hull
Cleaner

I 2 of 5 Code _____ 30716606311280

Item Number _____ MK31128

Net Fill _____ 1 Gal

PH _____ <1

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.05

UPC Code _____ 716606311289

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ <0.5

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ <0.06

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ <7.8

VOC lbs/gal (Consumer Prod
def) _____ 0



Part No. MK23128

Item# 1007578

MaryKate® Big Bully® Natural Orange Bilge Cleaner, 1 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Works instantly to emulsify oil, grease, & scum. Tough citrus cleaning power absorbs odors and leaves bilge areas clean and fresh. Self-cleaning formula is activated by the rolling action of the boat.

Applications

- Boat Bilges

Appearance _____ White Emulsion

Brand _____ MaryKate

Case# _____ 1007577

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Bilge Cleaner

I 2 of 5 Code _____ 30716606231281

Item Number _____ MK23128

Net Fill _____ 1 Gal

PH _____ 5

Plastic Safe _____ May Harm Sensitive Plastics

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 0.97

Treatment Ratio _____ Use full strength

UPC Code _____ 716606231280

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 15.2

VOC % (Federal) _____ 23

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 3

VOC g/L (Consumer Product def) _____ 147

VOC g/L (Federal) _____ 356.6

VOC lbs/gal (Consumer Prod def) _____ 1.23



Part No. SL3125

Item# 1007859

Sta-Lube® Marine Boat Trailer and 4x4 Wheel Bearing Grease, 35 Lbs

Discontinued

alternate available **Product No. SL3121** **ITEM# 1007858**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A blue tacky, calcium sulfonate grease using a highly refined base oil. It has been formulated with a polymer to provide adhesive, non-blend and water wash-out characteristics. Will resist water under the most severe water conditions.

Applications

- Anti-Friction Bearings
- Boat Trailer Bearings
- Marine Equipment
- Sleeve Bearings
- Steering Cables
- Steering Quadrants
- Wheel Bearings
- Blocks
- Deck Equipment
- Shaft Log Seals
- Slides
- Steering Dockside Machinery
- Turnbuckles
- Winches

4 Ball EP 500 kgf (weld point)

Appearance Blue Semi-Solid to Solid Grease

DOT Proper Shipping Name Not Regulated

Evaporation Rate Slow

Flash point (C) 243°C

Ford Tox No. N/A

ISO Viscosity Grade Not Determined

Leakage 5

NSF Number N/A

Pour Point 0°F

Pour Point (F) Not Determined

Propellant None

Replacement Legacy Num SL3121

Restricted From Sale In N/A

UPC Code 072213312508

Unit Package Description 35 Pound Pail

VOC % (Consumer Product def) 0

VOC Category Not Regulated

VOC g/L (Consumer Product def) 0

VOC lbs/gal (Consumer Prod def) 0

Water Washout 1% at 174°F

Working Temp (C) -17.8 to 176.7°C

4 Ball Wear 0.5 mm scar

Brand Sta-Lube

Drop Point 500°F

Flammability Class - CPSC None

Flash point (F) 469°F

Generic Description Marine Grease for Boat Trailer

Item Number SL3125

NLGI Grade 2

Net Fill 35 Liter

Pour Point (C) Not Determined

Product Lifecycle Status DISC

Removal (How To) Remove with a degreaser or brake cleaner product.

Replacement Product SKU 1007858

Specific Gravity 0.9 at 60°F

Unit Dimensions 14.5H x 12W x 12D in

Units per Case 1

VOC % (Federal) 0

VOC Lbs./Gal. (Federal) 0

VOC g/L (Federal) 0

Viscosity @68 F [cP] Not Determined

Worked Penetration 265 to 295

Working Temp (F) 0 to 350°F



Part No. 06010

Item# 1003884

CRC® 6-56® Multi-Purpose Lubricant, 5 Gal

Discontinued

alternate available Product No. 06008 **ITEM# 1003883**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Long lasting, superior lubrication that resists water and salt spray. Drives out moisture that can cause electrical failures and hard starting. Penetrates deep through rust and corrosion to loosen frozen parts. Starts wet engines

Applications

- Fishing Reels
- Pulleys
- Starts Wet Engines
- As a Corrosion Inhibitor
- Winches
- Metal Components
- Frees Rusted Parts

Appearance Clear Blue-Green Liquid

Brand CRC

Color None

DOT Proper Shipping Name Not Regulated

Dielectric Strength 38,800 Volts

Evaporation Rate Slow

Federal Specification Number V-V-P-216|O-W-1284

Film Thickness 0.025 to 0.075 Mils

Film Type Wet

Flammability Class - CPSC None

Flash point (C) 89°C

Flash point (F) 192°F

Generic Description Multi Purpose Lubricant

Item Number 06010

Net Fill 5 Gal

Plastic Safe Not on all plastics

Product Lifecycle Status DISC

Propellant None

Removal (How To) Remove with petroleum products or mineral spirits.

Replacement Legacy Num 06008

Replacement Product SKU 1003883

Specific Gravity 0.827

UPC Code 078254060101

Unit Dimensions 13.75H x 11.25W x 11.25D in

Unit Package Description 5 Gallon Pail

Units per Case 1

VOC % (Consumer Product def) 0

VOC % (Federal) 100

VOC Category Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) 12.9

VOC g/L (Consumer Product def) 0

VOC g/L (Federal) 1550.6

VOC lbs/gal (Consumer Prod def) 0

Working Temp (C) -45.6 to 121.1°C

Working Temp (F) -50 to 250°F



Part No. 14104

Item# 1004840

CRC® Tyme® 1 Carburetor & Cold Parts Cleaner, 5 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

TYME® 1 is a two phase water rinsable, cold tank liquid parts cleaner, designed to quickly remove carbon, varnish and grease.

Applications

- Aluminum
- Carburetors
- Motors
- Steel
- Carburetor Components
- Corroded Machinery
- Small Metal Parts
- Steel Alloys

Appearance Yellow Opaque Emulsion

Brand CRC

Color None

DOT Proper Shipping Name Corrosive Liquids, Toxic, N.O.S.
(Potassium Hydroxide, Morpholine),
Marine Pollutant

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Carburetor & Cold Parts
Cleaner

Item Number 14104

Net Fill 5 Gal

PH 12.2

Plastic Safe No

Product Lifecycle Status DISC

Propellant None

Restricted From Sale In CA

Specific Gravity 1.245

UPC Code 078254141046

Unit Dimensions 13.8H x 11.3W x 11.3D in

Unit Package Description 5 Gallon Pail

Units per Case 1

VOC % (Consumer Product def) 10.25

VOC % (Federal) 13.95

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 1.8

VOC g/L (Consumer Product
def) 126

VOC g/L (Federal) 216.3

VOC lbs/gal (Consumer Prod
def) 1.06



Part No. MK20550

Item# 1007570

MaryKate® On & Off Hull & Bottom Cleaner, 55 Gal

Description

Works instantly to remove the toughest waterline stains, algae stains, rust & gas exhaust stains. Use on fiberglass only. Will not harm gel coat.

Applications

- Fiberglass

Appearance _____ White Emulsion

Brand _____ MaryKate

DOT Proper Shipping Name _____ Corrosive Liquids, Acidic,
Inorganic, N.O.S. (Hydrochloric
Acid, Phosphoric Acid)

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Hull & Bottom Cleaner

Item Number _____ MK20550

Net Fill _____ 55 Gal

PH _____ <1

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Water or mild base

Specific Gravity _____ 1.16

UPC Code _____ 716606205502

Unit Dimensions _____ 40H x 23.75W x 23.75D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0

VOC Category _____ Not Regulated

VOC g/L (Consumer Product
def) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0

Part No. MK2618

Item# 1007584

Highlight™ Spray Wax, 18 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Instantly gives a high-gloss hand-rubbed look. Protects against sun, salt, and weathering. Waxes and polishes fiberglass, stainless steel, chrome and brass. For marine detailing applications.

Applications

- Brass
- Chrome
- Fiberglass
- Formica
- Galleys
- Stainless Steel on Boats

Appearance Clear Liquid

Brand MaryKate

Case# 1007583

DOT Proper Shipping Name NOT REGULATED

Evaporation Rate Slow

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Spray Wax

I 2 of 5 Code 30716606026184

Item Number MK2618

Net Fill 18 Wt Oz

PH 9.8

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Hydrocarbon

Removal (How To) Remove with mineral spirits.

Specific Gravity 0.99

UPC Code 716606026183

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 18

VOC % (Federal) 17.69

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 2.3

VOC g/L (Consumer Product def) 180

VOC g/L (Federal) 274.3

VOC lbs/gal (Consumer Prod def) 1.48

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>