

Антикоррозийные продукты

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cse@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>

CLEAR MOULD PROTECT

Anti - Corrosion Products

Short term clear corrosion inhibitor for mould tools.

Non silicone corrosion protection for moulding tools. NSF registered for use in food packaging industry.

- NSF registered H2
- Ideal for short-term inactivity of mould tools, dies and jigs
- Will weaken carbonized polymer residues, during the inactivity time
- Displaces humidity on metal surfaces
- Silicone-free
- No need for cleaning as the product moulds off during the first cycles



	Ref.	Description	TDS
	32838-AA 1031991	Clear Mould Protect FPS 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS

Public Data - A

32838-AA | Clear Mould Protect FPS 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Clear Mould Protect
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.403
Weight Per Carton (Kilogram)	4.836
Parts Per Pallet	720
EAN Code Single Part	5412386064982
EAN Code Carton	5412386850400
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

BLUE MOULD PROTECT

Anti - Corrosion Products

Short term blue colored corrosion inhibitor for mould tools.

Non silicone corrosion inhibitor for moulding tools. NSF registered for use in the food and beverage industry.

- NSF H2 registered
- Ideal for short-term inactivity of mould tools, dies and jigs
- Highly visible blue dye provides an easy visual method for ensuring complete coverage
- Displaces humidity on metal surfaces
- Silicone-free
- No need for cleaning as the product moulds off during the first cycles



	Ref.	Description	TDS
	32837-AA 1031988	Blue Mould Protect FPS 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS

Public Data - A

32837-AA | Blue Mould Protect FPS 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Blue Mould Protect
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.403
Weight Per Carton (Kilogram)	4.836
Parts Per Pallet	720
EAN Code Single Part	5412386064920
EAN Code Carton	5412386850288
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

ALU HITEMP PRO

Anti - Corrosion Products

Designed to build a hard lasting finish that will not burn off, chip or peel at high temperatures.

Characteristics:

- Protective paint with aluminium look
- Quick drying
- Temperature resistant up to +600°C
- Silicone based

Benefits:

- Excellent coverage
- Provides a hard and durable surface
- For exhaust and combustion parts
- Excellent weather resistance



	Ref.	Description	TDS
	32735-AA 1031823	ALU HITEMP PRO 12x500 ML en,de,nl,fr,es,pt,it,el	MSDS
	32735-AB 1031824	ALU HITEMP PRO 12x500 ML sv,fi,da,no,pl,et,lv,lt	MSDS

Public Data - A

32735-AA | ALU HITEMP PRO 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	ALU HITEMP PRO
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.535
Weight Per Carton (Kilogram)	6.42
Parts Per Pallet	720
EAN Code Single Part	5412386064357
EAN Code Carton	5412386848841
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32735-AB | ALU HITEMP PRO 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	ALU HITEMP PRO
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.535
Weight Per Carton (Kilogram)	6.42
Parts Per Pallet	720
EAN Code Single Part	5412386064364
EAN Code Carton	5412386848858
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1


ALU HITEMP

Anti - Corrosion Products

Protective coating with aluminum look.

Resists high temperatures. Paint that resists high peak temperatures up to 600°C. Provides a hard and durable surface, which does not burn, crack or scale down, even at high temperatures. Withstands large fluctuations in temperature. Excellent weather resistance.



	Ref.	Description	TDS
	32421-AA 1031440	Alu HiTemp 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS

Public Data - A

32421-AA | Alu HiTemp 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Alu HiTemp
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.54
Weight Per Carton (Kilogram)	6.48
Parts Per Pallet	720
EAN Code Single Part	5412386059520
EAN Code Carton	5412386827273
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1


ZINC PRIMER

Anti - Corrosion Products

Corrosion protective primer, easy to paint over.

A Zinc-Phosphate primer for metal surfaces. Dries quickly. Improves adhesion of the finishing coating. A corrosion protective additive slows down corrosion. Can be painted over with all kinds of single component paints, already after one hour. Ideal topcoat: Galva Brite or Galva Shine.



	Ref.	Description	TDS
	<u>30419-AB</u> 1030609	Zinc Primer 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS

Public Data - A

30419-AB | Zinc Primer 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Zinc Primer
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.521
Weight Per Carton (Kilogram)	6.252
Parts Per Pallet	720
EAN Code Single Part	5412386004858
EAN Code Carton	5412386871030
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

RUST REMOVER

Anti - Corrosion Products

Removes corrosion and/or rust from metals.

CRC Rust Remover is a concentrated scale and rust remover. Based on acid, it removes rust and cleans metal surfaces from scale, tarnish, oxidation and stains.



	Ref.	Description	TDS
	<u>10752-AB</u> 1030162	RUST REMOVER 2x5 L en,de,nl,fr,es,pt,it,sv,fi,da,no >>> IDS	MSDS
	<u>30610-AA</u> 1030722	RUST REMOVER 12x250 ML es,pt,it,el >>> IDS	MSDS
	<u>30610-AC</u> 1030721	RUST REMOVER 12x250 ML en,de,nl,fr >>> IDS	MSDS
	<u>30610-AD</u> 1030723	RUST REMOVER 12x250 ML sv,fi,da,no >>> IDS	MSDS
	<u>30611-AA</u> 1030725	RUST REMOVER 20 L en,de,nl,fr,es,pt,it,sv,fi,da,no >>> IDS	MSDS

Public Data - B

10752-AB | RUST REMOVER 2x5 L en,de,nl,fr,es,pt,it,sv,fi,da,no

Product Name	RUST REMOVER
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	7.000
Parts Per Pallet	96
EAN Code Single Part	5412386460326
Part Dimension - Width (mm)	190
Part Dimension - Depth (mm)	250
Part Dimension - Height (mm)	145
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
GHS - Hazard Pictograms	GHS05 GHS07
Intrastat / Tariff Code	38249945
UN Hazard Code	PHOSPHORIC ACID SOLUTION
Road Tunnel Code	(E)
Hazard Class	8

Public Data - B

30610-AA | RUST REMOVER 12x250 ML es,pt,it,el

Product Name	RUST REMOVER
Packaging Description	Bottle
Net Volume (Liter)	.25
Part Gross Weight (Kilogram)	.35
Parts Per Pallet	1260
EAN Code Single Part	5412386056192
Part Dimension - Width (mm)	
Part Dimension - Depth (mm)	
Part Dimension - Height (mm)	
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
GHS - Hazard Pictograms	GHS05 GHS07
Intrastat / Tariff Code	38249945
UN Hazard Code	PHOSPHORIC ACID SOLUTION
Road Tunnel Code	(E)
Hazard Class	8

Public Data - B

30610-AC | RUST REMOVER 12x250 ML en,de,nl,fr

Product Name	RUST REMOVER
Packaging Description	Bottle
Net Volume (Liter)	.25
Part Gross Weight (Kilogram)	0.35
Parts Per Pallet	1260
EAN Code Single Part	5412386460104
Part Dimension - Width (mm)	
Part Dimension - Depth (mm)	
Part Dimension - Height (mm)	
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
GHS - Hazard Pictograms	GHS05 GHS07
Intrastat / Tariff Code	38249945
UN Hazard Code	PHOSPHORIC ACID SOLUTION
Road Tunnel Code	(E)
Hazard Class	8

Public Data - B

30610-AD | RUST REMOVER 12x250 ML sv,fi,da,no

Product Name	RUST REMOVER
Packaging Description	Bottle
Net Volume (Liter)	.25
Part Gross Weight (Kilogram)	.35
Parts Per Pallet	1260
EAN Code Single Part	5412386061868
Part Dimension - Width (mm)	
Part Dimension - Depth (mm)	
Part Dimension - Height (mm)	
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
GHS - Hazard Pictograms	GHS05 GHS07
Intrastat / Tariff Code	38249945
UN Hazard Code	PHOSPHORIC ACID SOLUTION
Road Tunnel Code	(E)
Hazard Class	8

Public Data - B

30611-AA | RUST REMOVER 20 L en,de,nl,fr,es,pt,it,sv,fi,da,no

Product Name	RUST REMOVER
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	26
Parts Per Pallet	24
EAN Code Single Part	5412386460357
Part Dimension - Width (mm)	280
Part Dimension - Depth (mm)	370
Part Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
GHS - Hazard Pictograms	GHS05 GHS07
Intrastat / Tariff Code	38249945
UN Hazard Code	PHOSPHORIC ACID SOLUTION
Road Tunnel Code	(E)
Hazard Class	8

MOULD PROTECT


Anti - Corrosion Products

Long term waxy corrosion protection.

Non silicone corrosion inhibitor for moulding tools and dies. Repels and displaces moisture, leaving a durable, high quality protective wax-like film. Long-lasting efficient protection.

- Ideal for mould tools, dies and parts stored outdoors, even under shelter
- High covering, transparent film
- Displaces humidity on metal surfaces
- Resists to the affects of condensation due to big temperature changes in the storage place
- Silicone free



	Ref.	Description	TDS MSDS
	32839-AA 1031993	Mould Protect 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	

Public Data - A

32839-AA | Mould Protect 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Mould Protect
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.388
Weight Per Carton (Kilogram)	4.656
Parts Per Pallet	720
EAN Code Single Part	5412386064937
EAN Code Carton	5412386850301
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

INOX 200

Anti - Corrosion Products

Anti-corrosion coating for stainless steel surfaces.

Coating with good anti-corrosion properties and a nice look, identical to stainless steel (inox). The coating is fast drying, resistant to high temperatures and has excellent adhesion properties. Ideal touch-up paint : to be used after welding or when mounting a stainless steel construction. Will cover and protect discolored welding seams.



	Ref.	Description	TDS
	32337-AA 1031406	Inox 200 12x500 ML en,de,fr,nl,sv,fi,da,no,es,pt,it,el,ru,pl,cs,hu,sk,ro,sl,hr,ma,ko,th,zh,bs,sr,be,et,lv,lt,tr	MSDS
	32337-AC 1031408	Inox 200 12x500 ML en,de,nl,fr,es,pt,it,el	MSDS

Public Data - A

32337-AA | Inox 200 12x500 ML

en,de,fr,nl,sv,fi,da,no,es,pt,it,el,ru,pl,cs,hu,sk,ro,sl,hr,ma,ko,th,zh,bs,sr,be,et,lv,lt,tr

Product Name	Inox 200
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	0.490
Weight Per Carton (Kilogram)	5.88
Parts Per Pallet	720
EAN Code Single Part	5412386058424
EAN Code Carton	5412386824043
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	245
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	245
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32337-AC | Inox 200 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Inox 200
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	0.5
Weight Per Carton (Kilogram)	6
Parts Per Pallet	720
EAN Code Single Part	5412386063169
EAN Code Carton	5412386846885
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	245
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	245
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

GALVA SHINE

Anti - Corrosion Products

Touch-up paint for hot galvanised pieces.

Protective coating with an exceptional gloss. Gives the work piece the aspect of a freshly hot galvanised piece. The film is very resistant and keeps its brilliance in time. Ideal paint for touch-ups of freshly galvanised pieces. The paint can also be used to give pieces a new zinc look. For perfect results please use CRC Zinc Primer first.



	Ref.	Description	TDS
	32319-AA 1031389	Galva Shine 12x500 ML en,de,fr,nl,sv,no,da,fi,es,pt,it,el,ru,pl,cs,hu,sk,ro,sl,hr,ma,ko,th,zh,bs,sr,be,et,lv,lt,tr	MSDS
	32319-AC 1031388	Galva Shine 12x500 ML en,de,nl,fr,es,pt,it,el	MSDS

Public Data - A

32319-AA | Galva Shine 12x500 ML

en,de,fr,nl,sv,no,da,fi,es,pt,it,el,ru,pl,cs,hu,sk,ro,sl,hr,ma,ko,th,zh,bs,sr,be,et,lv,lt,tr

Product Name	Galva Shine
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4144
Weight Per Carton (Kilogram)	4.9728
Parts Per Pallet	720
EAN Code Single Part	5412386057397
EAN Code Carton	5412386857515
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32319-AC | Galva Shine 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Galva Shine
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4144
Weight Per Carton (Kilogram)	4.9728
Parts Per Pallet	720
EAN Code Single Part	5412386059377
EAN Code Carton	5412386857492
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

GALVA BRITE

Anti - Corrosion Products

Protective, final coating with a shiny aluminum aspect.

A single component Zinc-Aluminum coating. Protects against corrosion and forms a glossy aluminum look on the coated surface. Good adhesion to metal surfaces. Results in a unique combination of flexibility and hardness. For perfect results please use CRC Zinc Primer first.



	Ref.	Description	TDS
	30423-AC 1030620	Galva Brite 12x500 ML en,de,nl,fr,es,pt,it,el	MSDS
	30423-HA 1030616	Galva Brite 12x500 ML en,de,fr,nl,sv,fi,ma,zh,th,ko,hr,bs,sr,be,ru,ro,sl,tr,da,no,es,pt,it,el,pl,cs,hu,sk,et,lv,lt	MSDS

Public Data - A

30423-AC | Galva Brite 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Galva Brite
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.48
Weight Per Carton (Kilogram)	5.76
Parts Per Pallet	720
EAN Code Single Part	5412386059162
EAN Code Carton	5412386869662
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30423-HA | Galva Brite 12x500 ML

en,de,fr,nl,sv,fi,ma,zh,th,ko,hr,bs,sr,be,ru,ro,sl,tr,da,no,es,pt,it,el,pl,cs,hu,sk,et,lv,lt

Product Name	Galva Brite
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.49
Weight Per Carton (Kilogram)	5.88
Parts Per Pallet	720
EAN Code Single Part	5412386004865
EAN Code Carton	5412386869655
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1







URETHANE ISOLATION

Anti - Corrosion Products

Protective, urethane based varnish for electronic components.

Clear transparent or red colored one-component, urethane type coating. Urethane coating seals out water and moisture and acts as a barrier for contaminants. The coating dries fast and adheres well to most surfaces. After curing, the protective film has a high flexibility, is durable and resists abrasion and contamination.



	Ref.	Description	TDS
	<u>10630-AA</u> 1030140	Urethane Isolation Clear 2x4 L es,pt,it,el	MSDS
	<u>10630-AB</u> 1030141	Urethane Isolation Clear 2x4 L en,de,nl,fr	MSDS
	<u>10630-AC</u> 1030142	Urethane Isolation Clear 2x4 L sv,fi,da,no	MSDS
	<u>32669-AA</u> 1031631	Urethane Isolation Clear 12x250 ML en,de,nl,fr	MSDS
	<u>32669-AB</u> 1031633	Urethane Isolation Clear 12x250 ML es,pt,it,el	MSDS
	<u>32669-AC</u> 1031632	Urethane Isolation Clear 12x250 ML sv,fi,da,no	MSDS

Public Data - B

10630-AA | Urethane Isolation Clear 2x4 L es,pt,it,el

Product Name	Urethane Isolation
Packaging Description	Bulk
Net Volume (Liter)	4
Part Gross Weight (Kilogram)	3.992
Parts Per Pallet	96
EAN Code Single Part	5412386058035
Part Dimension - Width (mm)	393
Part Dimension - Depth (mm)	206
Part Dimension - Height (mm)	188
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause damage to organs through prolonged or repeated exposure . May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS08 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

10630-AB | Urethane Isolation Clear 2x4 L en,de,nl,fr

Product Name	Urethane Isolation
Packaging Description	Bulk
Net Volume (Liter)	4
Part Gross Weight (Kilogram)	3.992
Parts Per Pallet	96
EAN Code Single Part	5412386370311
Part Dimension - Width (mm)	393
Part Dimension - Depth (mm)	206
Part Dimension - Height (mm)	188
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause damage to organs through prolonged or repeated exposure . May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS08 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

10630-AC | Urethane Isolation Clear 2x4 L sv,fi,da,no

Product Name	Urethane Isolation
Packaging Description	Bulk
Net Volume (Liter)	4
Part Gross Weight (Kilogram)	3.993
Parts Per Pallet	96
EAN Code Single Part	5412386057496
Part Dimension - Width (mm)	393
Part Dimension - Depth (mm)	206
Part Dimension - Height (mm)	188
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause damage to organs through prolonged or repeated exposure . May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS08 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - A

32669-AA | Urethane Isolation Clear 12x250 ML en,de,nl,fr

Product Name	Urethane Isolation
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.241
Weight Per Carton (Kilogram)	2.892
Parts Per Pallet	1440
EAN Code Single Part	5412386062810
EAN Code Carton	5412386863189
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure . Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32669-AB | Urethane Isolation Clear 12x250 ML es,pt,it,el

Product Name	Urethane Isolation
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.241
Weight Per Carton (Kilogram)	2.892
Parts Per Pallet	1440
EAN Code Single Part	5412386062834
EAN Code Carton	5412386863202
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure . Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32669-AC | Urethane Isolation Clear 12x250 ML sv,fi,da,no

Product Name	Urethane Isolation
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.241
Weight Per Carton (Kilogram)	2.892
Parts Per Pallet	1440
EAN Code Single Part	5412386062827
EAN Code Carton	5412386863196
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure . Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1









SP 400

Anti - Corrosion Products

Long-term outdoor, corrosion inhibitor.

Outdoor protection up to 2 years. Waxy corrosion protector. Provides an effective corrosion protection in outdoor conditions, for a long period. The waxy protective film does not become brittle and protects against heavy corrosive circumstances as moisture and salt water.



	Ref.	Description	TDS
	20324-AA 1030299	SP 400 2x5 L en,de,nl,fr,es,pt,it,el	MSDS
	20324-AB 1030300	SP 400 2x5 L sv,fi,da,no,pl,et,lv,lt	MSDS
	20327-AB 1030302	SP 400 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs	MSDS
	32350-AA 1031415	SP 400 12x500 ML en,de,fr,nl,sv,fi,ma,zh,th,ko,hr,bs,sr,be,ru,ro,sl,tr,da,no,es,pt,it,el,pl,cs,hu,sk,et,lv,lt	MSDS
	32661-AA 1031611	SP 400 12x250 ML en,de,nl,fr	MSDS
	32661-AB 1031612	SP 400 12x250 ML es,pt,it,el	MSDS
	32661-AC 1031614	SP 400 12x250 ML sv,fi,da,no	MSDS
	32661-AD 1031613	SP 400 12x250 ML pl,et,lv,lt	MSDS

Public Data - B

20324-AA | SP 400 2x5 L en,de,nl,fr,es,pt,it,el

Product Name	SP 400
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	4.822
Parts Per Pallet	114
EAN Code Single Part	5412386004018
Part Dimension - Width (mm)	174
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	34031910
UN Hazard Code	PETROLEUM PRODUCTS, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20324-AB | SP 400 2x5 L sv,fi,da,no,pl,et,lv,lt

Product Name	SP 400
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	4.827
Parts Per Pallet	114
EAN Code Single Part	5412386004025
Part Dimension - Width (mm)	174
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	34031910
UN Hazard Code	PETROLEUM PRODUCTS, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20327-AB | SP 400 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs

Product Name	SP 400
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	19.606
Parts Per Pallet	22
EAN Code Single Part	5412386004056
Part Dimension - Width (mm)	273
Part Dimension - Depth (mm)	377
Part Dimension - Height (mm)	273
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	34031910
UN Hazard Code	PETROLEUM PRODUCTS, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - A

32350-AA | SP 400 12x500 ML

en,de,fr,nl,sv,fi,ma,zh,th,ko,hr,bs,sr,be,ru,ro,sl,tr,da,no,es,pt,it,el,pl,cs,hu,sk,et,lv,lt

Product Name	SP 400
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.436
Weight Per Carton (Kilogram)	5.232
Parts Per Pallet	720
EAN Code Single Part	5412386004841
EAN Code Carton	5412386859205
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32661-AA | SP 400 12x250 ML en,de,nl,fr

Product Name	SP 400
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.238
Weight Per Carton (Kilogram)	2.856
Parts Per Pallet	1440
EAN Code Single Part	5412386062735
EAN Code Carton	5412386859144
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32661-AB | SP 400 12x250 ML es,pt,it,el

Product Name	SP 400
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.238
Weight Per Carton (Kilogram)	2.856
Parts Per Pallet	1440
EAN Code Single Part	5412386062742
EAN Code Carton	5412386859151
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32661-AC | SP 400 12x250 ML sv,fi,da,no

Product Name	SP 400
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.238
Weight Per Carton (Kilogram)	2.856
Parts Per Pallet	1440
EAN Code Single Part	5412386062759
EAN Code Carton	5412386859175
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32661-AD | SP 400 12x250 ML pl,et,lv,lt

Product Name	SP 400
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.238
Weight Per Carton (Kilogram)	2.856
Parts Per Pallet	1440
EAN Code Single Part	5412386062766
EAN Code Carton	5412386859168
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1








SP 350

Anti - Corrosion Products

Long-term corrosion inhibitor.

Indoor protection up to 2 years. Outdoor protection when covered, up to 1 year. Highly viscous protective oil. Forms a thin penetrating protective film, which does not dry. Protects against moisture and corrosive vapors. Displaces moisture and does not drip off. Covers both smooth surfaces and sharp edges. Provides a relatively long corrosion protection. Do not store the protected parts in outdoor and uncovered conditions.



	Ref.	Description	TDS
	20294-AA 1030296	SP 350 2x5 L en,de,nl,fr,es,pt,it,el	MSDS
	20294-AB 1030297	SP 350 2x5 L sv,fi,da,no,pl,et,lv,lt	MSDS
	30407-AB 1030604	SP 350 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk	MSDS
	32659-AA 1031606	SP 350 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	32672-AA 1031653	SP 350 12x250 ML en,de,nl,fr	MSDS
	32672-AB 1031654	SP 350 12x250 ML es,pt,it,el	MSDS
	32672-AC 1031655	SP 350 12x250 ML sv,fi,da,no	MSDS

Public Data - B

20294-AA | SP 350 2x5 L en,de,nl,fr,es,pt,it,el

Product Name	SP 350
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	4.802
Parts Per Pallet	114
EAN Code Single Part	5412386003684
Part Dimension - Width (mm)	174
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	34031910
UN Hazard Code	PETROLEUM PRODUCTS, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20294-AB | SP 350 2x5 L sv,fi,da,no,pl,et,lv,lt

Product Name	SP 350
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	4.802
Parts Per Pallet	114
EAN Code Single Part	5412386003691
Part Dimension - Width (mm)	174
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	34031910
UN Hazard Code	PETROLEUM PRODUCTS, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

30407-AB | SP 350 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	SP 350
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	19.505
Parts Per Pallet	22
EAN Code Single Part	5412386003707
Part Dimension - Width (mm)	273
Part Dimension - Depth (mm)	377
Part Dimension - Height (mm)	273
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	34031910
UN Hazard Code	PETROLEUM PRODUCTS, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - A

32659-AA | SP 350 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	SP 350
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.51
Weight Per Carton (Kilogram)	6.12
Parts Per Pallet	720
EAN Code Single Part	5412386062612
EAN Code Carton	5412386846106
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32672-AA | SP 350 12x250 ML en,de,nl,fr

Product Name	SP 350
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.274
Weight Per Carton (Kilogram)	3.288
Parts Per Pallet	1440
EAN Code Single Part	5412386063237
EAN Code Carton	5412386847059
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32672-AB | SP 350 12x250 ML es,pt,it,el

Product Name	SP 350
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.274
Weight Per Carton (Kilogram)	3.288
Parts Per Pallet	1440
EAN Code Single Part	5412386063244
EAN Code Carton	5412386847066
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32672-AC | SP 350 12x250 ML sv,fi,da,no

Product Name	SP 350
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.274
Weight Per Carton (Kilogram)	3.288
Parts Per Pallet	1440
EAN Code Single Part	5412386063251
EAN Code Carton	5412386847073
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	34031980
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

SP 300

Anti - Corrosion Products



SP 300

SP 300

	Ref.	Description	TDS
	30376-AA 1030587	SP 300 20 L en,pl	MSDS

Public Data - B

30376-AA | SP 300 20 L en,pl

Product Name	SP 300
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	18.754
Parts Per Pallet	22
EAN Code Single Part	5412386005053
Part Dimension - Width (mm)	273
Part Dimension - Depth (mm)	377
Part Dimension - Height (mm)	273
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be fatal if swallowed and enters airways.
GHS - Hazard Pictograms	GHS08
Intrastat / Tariff Code	34031910
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

RUST SEAL

Anti - Corrosion Products



Rust Seal is the ideal pretreatment before painting rusted metal.

Rust Seal stops the corrosion process by forming a black protective barrier that seals the rust from moisture. This way, it transforms corroded metal into an easily paintable surface without any time-consuming sandblasting.

Features:

- Protects the topcoat against corrosion
- Fast-drying: repaintable after 2 hours
- Water-based: safe to use and environmentally friendly
- Time-saving: minimal surface preparation required (no need for sandblasting)
- Good adhesion with the surface and the topcoat
- Also effective without topcoat

Applications:

Pre-treatment for painting of rusted surfaces, like:

- Pipes
- Valves
- Storage tanks
- Containers
- ...

	Ref.	Description	TDS
	33349-AA 1032709	Rust Seal 6x750 ML en,de,nl,fr,es,pt,it,el,sv,fi,da,no,ru	MSDS

Public Data - B

33349-AA | Rust Seal 6x750 ML en,de,nl,fr,es,pt,it,el,sv,fi,da,no,ru

Product Name	Rust Seal
Packaging Description	Bulk
Net Volume (Liter)	.75
Part Gross Weight (Kilogram)	0.850
Parts Per Pallet	450
EAN Code Single Part	5412386070907
Part Dimension - Width (mm)	303
Part Dimension - Depth (mm)	153
Part Dimension - Height (mm)	203
GHS - Signal Word	
GHS - Hazard & Precautionary Statements	Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	
Intrastat / Tariff Code	32089091
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

ZINC PRO

Anti - Corrosion Products

A unique combination of zinc powders and resins, formulated to form a high performance zinc-rich coating that actively prevents corrosion by its galvanic properties.

Characteristics:

- Long-term protection against rust and corrosion
- Active cathodic protection
- Matt finish

Benefits:

- Zinc purity 98%
- Withstands scratching, bending and spot welding
- Developed for topcoat and even undercoat



	Ref.	Description	TDS
	32740-AA 1031841	ZINC PRO 12x500 ML en,de,nl,fr,es,pt,it,el	MSDS
	32740-AB 1031842	ZINC PRO 12x500 ML sv,fi,da,no,pl,et,lv,lt	MSDS

Public Data - A

32740-AA | ZINC PRO 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	ZINC PRO
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.557
Weight Per Carton (Kilogram)	6.684
Parts Per Pallet	720
EAN Code Single Part	5412386064128
EAN Code Carton	5412386864445
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32740-AB | ZINC PRO 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	ZINC PRO
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.557
Weight Per Carton (Kilogram)	6.684
Parts Per Pallet	720
EAN Code Single Part	5412386064135
EAN Code Carton	5412386864452
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

ZINC PRIMER PRO

Anti - Corrosion Products

Fights rust and gives longer lasting interior and exterior corrosion resistance to topcoats.

Characteristics:

- Corrosion protective zinc phosphate primer
- Protects against rust
- Fast drying
- Light grey color

Benefits:

- Better topcoat adhesion
- Low topcoat absorption
- Paintable even with light topcoat colors



	Ref.	Description	TDS
	32741-AA 1031844	ZINC PRIMER PRO 12x500 ML en,de,nl,fr,es,pt,it,el	MSDS
	32741-AB 1031847	ZINC PRIMER PRO 12x500 ML sv,fi,da,no,pl,et,lv,lt	MSDS

Public Data - A

32741-AA | ZINC PRIMER PRO 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	ZINC PRIMER PRO
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.52
Weight Per Carton (Kilogram)	6.24
Parts Per Pallet	720
EAN Code Single Part	5412386064210
EAN Code Carton	5412386848513
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32741-AB | ZINC PRIMER PRO 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	ZINC PRIMER PRO
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.521
Weight Per Carton (Kilogram)	6.252
Parts Per Pallet	720
EAN Code Single Part	5412386064227
EAN Code Carton	5412386871061
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

ZINC

Anti - Corrosion Products

Cathodic protection, even for damaged galvanised parts.

Zinc based coating with excellent adhesion to metal surfaces. The high zinc content is sacrificed during the corrosion process and so provides a galvanic protection of the treated metal. The dry coating contains a maximum amount of zinc (purity 98%), ensuring a self-healing effect when the coating gets scratched. The dry coating is matt and has an excellent surface structure to be painted.



	Ref.	Description	TDS
	30563-AA 1030681	Zinc 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	30563-AD 1030683	Zinc 12x500 ML sv,fi,da,no,pl,et,lv,lt	MSDS
	30564-AA 1030686	Zinc 4x750 ML sv,fi,da,no	MSDS

Public Data - A

30563-AA | Zinc 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Zinc
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.557
Weight Per Carton (Kilogram)	6.684
Parts Per Pallet	720
EAN Code Single Part	5412386004971
EAN Code Carton	5412386864391
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30563-AD | Zinc 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	Zinc
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.577
Weight Per Carton (Kilogram)	6.924
Parts Per Pallet	720
EAN Code Single Part	5412386062582
EAN Code Carton	5412386864414
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - B

30564-AA | Zinc 4x750 ML sv,fi,da,no

Product Name	Zinc
Packaging Description	Bulk
Net Volume (Liter)	.75
Part Gross Weight (Kilogram)	1.855
Parts Per Pallet	200
EAN Code Single Part	5412386390883
Part Dimension - Width (mm)	228
Part Dimension - Depth (mm)	58.75
Part Dimension - Height (mm)	141
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Very toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

VARNISH E 200


Anti - Corrosion Products

Protective varnish that seals for environmental influences.

Use it on printed circuits boards and electrical windings. Recommended to cover solid contact assemblies.

- Outstanding electric insulation.
- Fast drying at ambient conditions. Speed up the drying in an oven.
- Excellent thermal conductivity.
- Resists mechanical shocks.
- Allows soldering without removal.
- Contains a UV tracer for quick control by an UV light.



	Ref.	Description	TDS
	32915-AA 1032047	Varnish E 200 12x400 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS

Public Data - A

32915-AA | Varnish E 200 12x400 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Varnish E 200
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.405
Weight Per Carton (Kilogram)	4.86
Parts Per Pallet	720
EAN Code Single Part	5412386065613
EAN Code Carton	5412386851438
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure . Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

URETHANE ISOLATION RED

Anti - Corrosion Products

Red colored protective, urethane based varnish for electronic components.

Red colored one-component, urethane type coating. Urethane coating seals out water and moisture and acts as a barrier for contaminants. The coating dries fast and adheres well to most surfaces. After curing, the protective film has a high flexibility, is durable and resists abrasion and contamination.



	Ref.	Description	TDS
	32670-AA 1031642	Urethane Isolation Red 12x250 ML en,de,nl,fr	MSDS
	32670-AB 1031643	Urethane Isolation Rojo 12x250 ML es,pt,it,el	MSDS

Public Data - A

32670-AA | Urethane Isolation Red 12x250 ML en,de,nl,fr

Product Name	Urethane Isolation
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.236
Weight Per Carton (Kilogram)	2.832
Parts Per Pallet	1440
EAN Code Single Part	5412386062841
EAN Code Carton	5412386870064
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure . Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32670-AB | Urethane Isolation Rojo 12x250 ML es,pt,it,el

Product Name	Urethane Isolation
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.236
Weight Per Carton (Kilogram)	2.832
Parts Per Pallet	1440
EAN Code Single Part	5412386062858
EAN Code Carton	5412386870071
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure . Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1



Part No. 03250

Item# 1003473

CRC® Industrial Adhesive Remover, 15 Wt Oz

Description

A low VOC, industrial strength adhesive remover specially formulated for quick removal of adhesives. Specially formulated to remove adhesive labels from many substrates.

Applications

- Removing Labeling From Machinery
- Softening Liquid Adhesive and Adhesive Tape Residue
- Removing Tar From Equipment

Appearance _____ Clear Water-White Liquid

Brand _____ CRC

Case# _____ 1003472

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 42,100 Volts

Dry Time Fully Dry _____ >30 Minutes

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 85°C

Flash point (F) _____ 185°F

Generic Description _____ Adhesive Remover

I 2 of 5 Code _____ 30078254032505

Item Number _____ 03250

KB Value _____ 75

NSF Category Code _____ K3

NSF Number _____ 151767

Net Fill _____ 15 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Specific Gravity _____ 0.87

UPC Code _____ 078254032504

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 96.05

VOC Category _____ General Purpose Adhesive Remover

VOC Lbs./Gal. (Federal) _____ 12.4

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 1489.3

VOC lbs/gal (Consumer Prod
def) _____ 0



Part No. 03251

Item# 1003475

CRC® Industrial Adhesive Remover, 1 Gal

Discontinued

alternate available Product No. 03250 **ITEM# 1003473**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A low VOC, industrial strength adhesive remover specially formulated for quick removal of adhesives. Specially formulated to remove adhesive labels from many substrates.

Applications

- Removing Labeling From Machinery
- Removing Tar From Equipment
- Softening Liquid Adhesive and Adhesive Tape Residue

Appearance	Clear Water-White Liquid	Brand	CRC
Case#	1003474	Color	None
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	42,100 Volts
Dry Time Fully Dry	>30 Minutes	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	85°C
Flash point (F)	185°F	Generic Description	Adhesive Remover
I 2 of 5 Code	30078254032512	Item Number	03251
KB Value	75	Net Fill	1 Gal
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	None	Replacement Legacy Num	03250
Replacement Product SKU	1003473	Specific Gravity	0.839
UPC Code	078254032511	Unit Dimensions	10.25H x 5W x 6.13D in
Unit Package Description	1 Gallon Bottle	Units per Case	4
VOC % (Consumer Product def)	0	VOC % (Federal)	100
VOC Category	General Purpose Adhesive Remover	VOC Lbs./Gal. (Federal)	12.9
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	1550.6
VOC lbs/gal (Consumer Prod def)	0		



Part No. 14720

Item# 1005005

SmartWasher® OzzyJuice® SW-3 Truck Grade Degreasing Solution, 5 Gal

Description

There's a lot to know about different cleaning products and their ingredients, efficacy, and environmental impact. CRC SmartWasher® simplifies this process by providing powerful parts cleaning solutions that are both effective and non-polluting. CRC SmartWasher® OzzyJuice® SW-3 Truck Grade Degreasing Solution is a water-based, heavy-duty degreaser that works effectively, while helping reduce your team's exposure to hazardous chemicals.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Slightly Hazy Liquid

Brand _____ SmartWasher

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Very Slow

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 181727

Generic Description _____ Cleaning Solution

Item Number _____ 14720

NSF Category Code _____ A1

NSF Number _____ 127000

Net Fill _____ 5 Gal

PH _____ 7.0-8.0

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.0182

UPC Code _____ 649123000179

Unit Dimensions _____ 15H x 11W x 12D in

Unit Package Description _____ 5 Gallon Jug

Units per Case _____ 1

VOC % (Federal) _____ 0.58

VOC Category _____ Solvent for Solvent Cleaning Machine

VOC Lbs./Gal. (Federal) _____ 0.05

VOC g/L (Federal) _____ 5.9

Working Temp (C) _____ 40 to 46°C



Part No. 06141

Item# 1003921

CRC Stor & Go Ethanol Fuel Treatment & Stabilizer, 8 Fl Oz,06141

Description

CRC Stor & Go Ethanol Fuel Treatment - Protects all gas powered 2 and 4 cycle engines from the harmful effects of ethanol. Prevents phase separation, protects against corrosion, cleans the fuel system, stabilizes fuel and restores power. Equally effective in E10 to E85 fuel. Applications: Boats, jet skis, and marine craft; automobiles & RVs; snowmobiles, ATVs, motorcycles & other power sports equipment; lawn mowers, snow blowers, weed eaters & other outdoor power equipment; agricultural equipment. For all 2 & 4-cycle engines. Available in 8 oz., 16 oz., 32 oz.



Part No. 05816

Item# 1003862

CRC® Diesel 1-Tank Power Renew®, 15 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A concentrated one-tank cleanup that delivers a powerful SHOCK to your dirty fuel system. Made with the maximum available chemistry it's the most powerful diesel fuel system cleaner on the market. Excellent cleanup for the sticky injectors frequently found in modern common rail systems. Proven 100% deposit removal & reduces emissions. Cleans INSIDE the injectors & prevents IDID. Only needed 4x per year.

Applications

- For Use in Diesel Engines to Super-Clean Fuel System

Appearance _____ Dark Brown Liquid

Brand _____ CRC

Case# _____ 1003861

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 67.2°C

Flash point (F) _____ 153°F

Generic Description _____ Complete Diesel System Cleanup

I 2 of 5 Code _____ 50078254058165

Item Number _____ 05816

Net Fill _____ 15 Fl Oz

Plastic Safe _____ No

Product Lifecycle Status _____ DSEL

Propellant _____ None

Removal (How To) _____ Remove with petroleum
distillates.

Specific Gravity _____ 0.886

Treatment Ratio _____ 1 Bottle (15 fl oz) treats 30 Gal
of diesel fuel

UPC Code _____ 078254058160

Unit Dimensions _____ 8.75H x 3.69W x 3.5D in

Unit Package Description _____ 16 Ounce Bottle

Units per Case _____ 6

VOC % (Consumer Product def) _____ 70.3

VOC % (Federal) _____ 97.3

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product
def) _____ 622.9

VOC g/L (Federal) _____ 1508.7

VOC lbs/gal (Consumer Prod
def) _____ 5.2



Part No. 14441

Item# 1004986

CRC® HydroForce® Super Citrus™ Heavy Duty Degreaser, 1 Gal

Description

Specially formulated, water-dilutable, d-Limonene based cleaner. Designed for extremely difficult cleaning jobs found in the industrial and cleaning environments. Effective in dissolving grease, oil, ink, and grime.

Applications

- Air Tools
- Clutches
- Wire Rope
- Dies
- Parts
- Generators
- Rollers
- Automatic Drip Machines
- Power Washers
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors
- Presses
- Floor Scrubbers
- Other Cleaning Equipment

Appearance _____ Clear Orange Liquid

Brand _____ CRC

Case# _____ 1004985

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 87.8°C

Flash point (F) _____ 190°F

Ford Tox No. _____ 171669

Generic Description _____ Heavy Duty Degreaser

I 2 of 5 Code _____ 30078254144413

Item Number _____ 14441

NSF Category Code _____ C1

NSF Number _____ 127841

Net Fill _____ 1 Gal

Plastic Safe _____ Safe on Most Plastics (Test
small area)

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 0.81

UPC Code _____ 078254144412

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 0.5

VOC % (Federal) _____ 98 concentrate; 9.8 min dilution

VOC Category _____ General Purpose Degreaser -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 6.6 concentrate; 0.66 min dilution

VOC g/L (Consumer Product def) _____ 4.05

VOC g/L (Federal) _____ 795 concentrate; 79.5 min dilution

VOC lbs/gal (Consumer Prod def) _____ 0.03 (at dilution)



Part No. 14443

Item# 1004988

CRC® HydroForce® Super Citrus™ Heavy Duty Degreaser, 55 Gal

Description

Specially formulated, water-dilutable, d-Limonene based cleaner. Designed for extremely difficult cleaning jobs found in the industrial and cleaning environments. Effective in dissolving grease, oil, ink, and grime.

Applications

- Air Tools
- Clutches
- Wire Rope
- Dies
- Parts
- Generators
- Rollers
- Automatic Drip Machines
- Power Washers
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors
- Presses
- Floor Scrubbers
- Other Cleaning Equipment

Appearance _____ Clear Orange Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated by Ground

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ 87.8°C

Flash point (F) _____ 190°F

Generic Description _____ Heavy Duty Degreaser

Item Number _____ 14443

NSF Category Code _____ C1

NSF Number _____ 127841

Net Fill _____ 55 Gal

Plastic Safe _____ Safe on Most Plastics (Test small area)

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 0.81

UPC Code _____ 078254144436

Unit Dimensions _____ 40H x 23.75W x 23.75D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0.5

VOC % (Federal) _____ 98 concentrate; 9.8 min dilution

VOC Category _____ General Purpose Degreaser - Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 6.6 concentrate; 0.66 min dilution

VOC g/L (Consumer Product def) _____ 4.05

VOC g/L (Federal) _____ 795 concentrate; 79.5 min dilution

VOC lbs/gal (Consumer Prod def) _____ 0.03 (at dilution)



Part No. SL3174

Item# 1007886

Sta-Lube® Constant Velocity (CV) Joint Grease, 4 Wt Oz

Description

A special lithium base grease fortified with molybdenum disulfide and polymers. It is used for the installation & repair work on CV joints. Will extend the life of the CV joint & the additives will sustain the shock loads encountered in the CV joints

Applications

- CV Joints Found in Front and Rear Wheel Drive Vehicles Safe For Use in Both Domestic and Foreign CV Joints

4 Ball EP _____ 400 kg (weld point)

Appearance _____ Dark Gray Semi-Solid to Solid Grease

Brand _____ Sta-Lube

Case# _____ 1007885

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ Not Determined

Drop Point _____ 350°F

Elastomer Compatibility _____ Compatible with Neoprene and Hytrel

Evaporation Rate _____ Not Determined

Flammability Class - CPSC _____ None

Flash point (C) _____ 235°C

Flash point (F) _____ 455°F

Gap Fill _____ N/A

Generic Description _____ Constant Velocity Joint Grease

I 2 of 5 Code _____ 30072213317405

ISO Viscosity Grade _____ 68 (base oil)

Item Number _____ SL3174

Locking Strength _____ N/A

Low Temp Torque _____ N/A

NLGI Grade _____ 1.5

Net Fill _____ 4 Wt Oz

Oil Separation _____ N/A

Plastic Safe _____ N/A

Pour Point _____ 10°F

Pour Point (C) _____ Not determined

Pour Point (F) _____ Not determined

Propellant _____ None

Recoat _____ N/A

Removal (How To) _____ Remove with a degreaser or brake cleaner product.

SAE Grade _____ N/A

Specific Gravity _____ 0.9 at 60°F

Timken OK Load [Lbs.] _____ 60 Lbs

UPC Code _____ 072213317404

Unit Dimensions _____ 9.25H x 4W x 1.5D in

Unit Package Description _____ 4 ounce Tube

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 92.4

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 6.9

VOC g/L (Consumer Product def) _____ 0


VOC g/L (Federal) _____ 830

VOC lbs/gal (Consumer Prod def) _____ 0

Worked Penetration _____ 290 to 310

Working Temp (C) _____ Not Determined

Working Temp (F) _____ Not Determined



Part No. 05104

Item# 1003722

CRC® Wire Dryer, 6 Wt Oz

Description

Helps start wet engines and drive out moisture that can cause electrical failure and hard starting. Weatherproofs all electrical system parts. Can be used for many auto, marine, heavy duty and household applications.

Applications

- Distributors
- Starts
- Spark Plugs & Wiring Harnesses
- Ignition Coils
- Electrical Contacts

Appearance	Clear Blue-Green Liquid	Brand	CRC
Case#	1003721	Color	None
Coverage	Not Determined	DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
Dielectric Strength	45,700 Volts/Mil	Evaporation Rate	Slow
Film Thickness	0.025 to 0.075 Mils	Film Type	Non-Drying Oil
Flammability Class - CPSC	Flammable	Flash point (C)	86°C
Flash point (F)	187°F	Generic Description	Wire Dryer
I 2 of 5 Code	30078254051049	Item Number	05104
KB Value	27	Net Fill	6 Wt Oz
Plastic Safe	Safe on Most Plastics (Test small area)	Propellant	Carbon Dioxide
Removal (How To)	Remove with petroleum products, mineral spirits, or contact cleaner.	Specific Gravity	0.8187
UPC Code	078254051048	Unit Dimensions	6.88H x 2.02W x 2.02D in
Unit Package Description	8 ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	0	VOC % (Federal)	99.99
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	12.9
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	1550.4
VOC lbs/gal (Consumer Prod def)	0	Working Temp (C)	-45.6 to 121.1°C
Working Temp (F)	-50 to 250°F		



Part No. 03150

Item# 1003419

CRC® Contact Cleaner 2000® Precision Cleaner, 13 Wt Oz

Description

Not all contact cleaners are made the same. CRC has a variety of different contact cleaners that serve different purposes. Contact Cleaner 2000® Precision Cleaner is a next-generation electronic contact cleaner that boasts the strongest cleaning performance available for a contact cleaner. If you need a product with superior performance, read on to see if this is the right solution for you.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales & Sensors
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003418

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, LIMITED
QUANTITY

Dielectric Strength _____ 26,100 Volts

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Precision Cleaner

I 2 of 5 Code _____ 30078254031508

Item Number _____ 03150

KB Value _____ 64

NSF Category Code _____ K2

NSF Number _____ 017391

Net Fill _____ 13 Wt Oz

Plastic Safe _____ Safe on most plastics. Do NOT
use on polycarbonate plastics

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA

Specific Gravity _____ 1.27

UPC Code _____ 078254031507

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 66.5

VOC % (Federal) _____ 66.5


VOC Category _____ Electronic Cleaner

VOC Lbs./Gal. (Federal) _____ 7

VOC g/L (Consumer Product def) _____ 838

VOC g/L (Federal) _____ 838

VOC lbs/gal (Consumer Prod def) _____ 7



Part No. 03100

Item# 1003372

CRC® Insta-Solv® Degreaser, 14 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A low VOC, non-chlorinated degreaser for use in industrial and electrical applications. Its fast evaporating formula aggressively dissolves grease, dirt, and oils from most non-plastic surfaces. It is chemically stable, non-conductive and non-corrosive.

Applications

- Recommended For Effective Cleaning and Degreasing of Oils
- Dirt
- Grease From Motors
- Chains
- Cables
- Gears
- Generators
- Power Tools
- Heavy Equipment Not Recommended For Use on Some Sensitive Plastics and Painted Surfaces
- Test First

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1003371	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	6.3 KV AC
Evaporation Rate	Fast	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-17.8°C	Flash point (F)	<0°F
Generic Description	Light Duty Degreaser	I 2 of 5 Code	30078254031003
Item Number	03100	KB Value	112
NSF Category Code	K1	NSF Number	140887
Net Fill	14 Wt Oz	Plastic Safe	No
Product Lifecycle Status	DISC	Propellant	Carbon Dioxide
Specific Gravity	0.789	UPC Code	078254031002
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	2.7
VOC % (Federal)	2.7	VOC Category	General Purpose Degreaser - Aerosol
VOC Lbs./Gal. (Federal)	0.35	VOC g/L (Consumer Product def)	21.3
VOC g/L (Federal)	41.9	VOC lbs/gal (Consumer Prod def)	0.18
Working Temp (C)	21°C	Working Temp (F)	70°F



Part No. 14156

Item# 1004855

SmartWasher® OzzyJuice® SW-1 Degreasing Solution, 5 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An aqueous Industrial Strength, pH neutral, VOC-free, non-corrosive, non-flammable, biodegradable cleaning fluid for use in the SmartWasher® Parts Washing System. Specifically formulated to remove automotive varnish & carbon build-up.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Clear Liquid

Brand _____ SmartWasher

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Not Determined

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaning Solution

Item Number _____ 14156

NSF Category Code _____ A1

NSF Number _____ 127812

Net Fill _____ 5 Gal

PH _____ 6.8 to 7.8

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.02

UPC Code _____ 649123000094

Unit Dimensions _____ 15H x 12.5W x 12.5D in

Unit Package Description _____ 5 Gallon Jug

Units per Case _____ 1

VOC % (Federal) _____ 0

VOC Category _____ Solvent for Solvent Cleaning Machine

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Federal) _____ 0



Part No. 03151

Item# 1003421

CRC® Mech Force™ Industrial Degreaser, 14 Wt Oz

Description

An innovative, non-chlorinated heavy duty degreaser that removes oil, grease and other contaminants. This fast evaporation solvent is excellent for use where rapid turnaround is necessary and low flashpoint solvents can be used. It offers a high permissible exposure limit.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales & Sensors
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers
- Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1003420	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	6,600 Volts
Evaporation Rate	Fast	Flammability Class - CPSC	Flammable
Flash point (C)	<-17.8°C	Flash point (F)	<0°F
Generic Description	Non-Chlorinated Degreaser	I 2 of 5 Code	30078254031515
Item Number	03151	KB Value	>200
NSF Category Code	K1	NSF Number	149229
Net Fill	14 Wt Oz	Plastic Safe	No
Propellant	Carbon Dioxide	Restricted From Sale In	CA, CO, CT, DE, MD, MI, NH, NY, OH, RI, parts of UT
Specific Gravity	0.74	UPC Code	078254031514
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	46
VOC % (Federal)	46	VOC Category	General Purpose Degreaser - Aerosol
VOC Lbs./Gal. (Federal)	6	VOC g/L (Consumer Product def)	368
VOC g/L (Federal)	713.3	VOC lbs/gal (Consumer Prod def)	3.1



Part No. 14442

Item# 1004987

CRC® HydroForce® Super Citrus™ Heavy Duty Degreaser, 5 Gal

Discontinued

alternate available Product No. 14440 [ITEM# 1004984](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Specially formulated, water-dilutable, d-Limonene based cleaner. Designed for extremely difficult cleaning jobs found in the industrial and cleaning environments. Effective in dissolving grease, oil, ink, and grime.

Applications

- Air Tools
- Clutches
- Wire Rope
- Dies
- Parts
- Generators
- Rollers
- Automatic Drip Machines
- Power Washers
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors
- Presses
- Floor Scrubbers
- Other Cleaning Equipment

Appearance _____ Clear Orange Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated by Ground

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 87.8°C

Flash point (F) _____ 190°F

Generic Description _____ Heavy Duty Degreaser

Item Number _____ 14442

NSF Category Code _____ C1

NSF Number _____ 127841

Net Fill _____ 5 Gal

Plastic Safe _____ Safe on Most Plastics (Test small area)

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Replacement Legacy Num _____ 14440

Replacement Product SKU _____ 1004984

Specific Gravity _____ 0.81

UPC Code _____ 078254144429

Unit Dimensions _____ 15.25H x 12.5W x 12.5D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0.5

VOC % (Federal) _____ 98 concentrate; 9.8 min dilution


VOC Category _____ General Purpose Degreaser -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 6.6 concentrate; 0.66 min dilution

VOC g/L (Consumer Product def) _____ 4.05

VOC g/L (Federal) _____ 795 concentrate; 79.5 min dilution

VOC lbs/gal (Consumer Prod def) _____ 0.03 (at dilution)



Part No. 14440

Item# 1004984

CRC® HydroForce® Super Citrus™ Heavy Duty Degreaser, 15 Wt Oz

Description

Specially formulated, water-dilutable, d-Limonene based degreaser. Designed for extremely difficult cleaning jobs found in the industrial and cleaning environments. Effective in dissolving grease, oil, ink, and grime.

Applications

- Air Tools
- Clutches
- Wire Rope
- Dies
- Parts
- Generators
- Rollers
- Automatic Drip Machines
- Power Washers
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors
- Presses
- Floor Scrubbers
- Other Cleaning Equipment

Appearance _____ Creamy White Emulsion

Brand _____ CRC

Case# _____ 1004983

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Heavy Duty Degreaser

I 2 of 5 Code _____ 30078254144406

Item Number _____ 14440

NSF Category Code _____ C1

NSF Number _____ 127865

Net Fill _____ 15 Wt Oz

PH _____ 10

Plastic Safe _____ Safe on Most Plastics (Test
small area)

Propellant _____ HFC-152a

Removal (How To) _____ Remove with water.

Specific Gravity _____ 0.97

UPC Code _____ 078254144405

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 9.8

VOC % (Federal) _____ 28.9

VOC Category _____ General Purpose Degreaser -
Aerosol

VOC Lbs./Gal. (Federal) _____ 2.32

VOC g/L (Consumer Product def) _____ 95

VOC g/L (Federal) _____ 277.44

VOC lbs/gal (Consumer Prod def) _____ 0.79



Part No. 14407

Item# 1004958

CRC® HydroForce® All Purpose Degreaser, 32 Fl Oz

Description

Versatile aqueous-based cleaner for all routine cleaning tasks. Cleans three times the surface area as competing aqueous cleaners. Quickly removes grease, oil and dirt.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Glass

Appearance _____ Clear Purple Liquid

Brand _____ CRC

Case# _____ 1004957

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ All Purpose Degreaser

I 2 of 5 Code _____ 30078254144079

Item Number _____ 14407

NSF Category Code _____ C1

NSF Number _____ 123681

Net Fill _____ 32 Fl Oz

PH _____ 10

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Restricted From Sale In _____ CA

Specific Gravity _____ 1.038

UPC Code _____ 078254144078

Unit Dimensions _____ 10.75H x 2.75W x 4.5D in

Unit Package Description _____ 32 Ounce Spray Bottle

Units per Case _____ 12

VOC % (Consumer Product def) _____ 4

VOC % (Federal) _____ 4

VOC Category _____ General Purpose Degreaser - Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0.52

VOC g/L (Consumer Product def) _____ 41.5

VOC g/L (Federal) _____ 62

VOC lbs/gal (Consumer Prod def) _____ 0.35



Part No. 06482

Item# 1003939

CRC® Marine Pro-Strength Degreaser, 12 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.


Description

Foaming water-based formula aggressive enough to break down and dissolve grease, grime, oil, rubber marks, and other oil-based contaminants while remaining gentle enough for gelcoats, painted and plastic surfaces.

Applications

- Marine Parts
- Interiors
- Painted Surfaces
- Exteriors
- Maintenance Equipment
- Chrome & Stainless Steel Metallic Parts and Heavy Machinery

Appearance	Clear Light Yellow Liquid	Brand	CRC
Case#	1003938	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Water-Based Degreaser
I 2 of 5 Code	30078254064827	Item Number	06482
Net Fill	12 Wt Oz	PH	9.9
Plastic Safe	Yes	Product Lifecycle Status	DISC
Propellant	Hydrocarbon	Removal (How To)	Remove with water.
Specific Gravity	1.03	UPC Code	078254064826
Unit Dimensions	7.75H x 2.63W x 2.63D in	Unit Package Description	16 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	9.7
VOC % (Federal)	9.7	VOC Category	General Purpose Degreaser - Aerosol
VOC Lbs./Gal. (Federal)	0.81	VOC g/L (Consumer Product def)	97
VOC g/L (Federal)	97	VOC lbs/gal (Consumer Prod def)	0.81



Part No. 05026

Item# 1003647

CRC® Gel Engine Degreaser, 15 Wt Oz

Discontinued

alternate available Product No. **05025CA** **ITEM# 1003644**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Penetrates & removes the most stubborn baked on engine greases & road grimes. Unique formula clings to all surfaces longer & penetrates deeper than conventional engine degreasers.

Applications

- Automobiles
- Construction Applications
- Metal Parts
- Boats
- Engines
- Machinery

Appearance _____ Orange Yellow Viscous Liquid

Brand _____ CRC

Case# _____ 1003646

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 1°C

Flash point (F) _____ 34°F

Generic Description _____ Engine Degreaser

I 2 of 5 Code _____ 30078254050264

Item Number _____ 05026

Net Fill _____ 15 Wt Oz

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ Carbon Dioxide

Replacement Legacy Num _____ 05025CA

Replacement Product SKU _____ 1003644

Specific Gravity _____ 0.84

UPC Code _____ 078254050263

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 10

VOC % (Federal) _____ 90


VOC Category _____ Engine Degreasers

VOC Lbs./Gal. (Federal) _____ 11.6

VOC g/L (Consumer Product def) _____ 84

VOC g/L (Federal) _____ 1395.5

VOC lbs/gal (Consumer Prod def) _____ 0.7



Part No. 05025

Item# 1003645

CRC® Engine Degreaser, 15 Wt Oz


Description

Engine Degreaser quickly lifts grease & grime off engines for cooler more efficient running. Easy to use - just spray on & rinse off. Leaves no residue.

Applications

- Automobiles
- Construction Applications
- Metal Parts
- Boats
- Engines
- Machinery

Appearance	Clear Light Amber Liquid	Brand	CRC
Case#	1003642	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	Flammable	Flash point (C)	46°C
Flash point (F)	115°F	Generic Description	Engine Degreaser
I 2 of 5 Code	30078254050257	Item Number	05025
Net Fill	15 Wt Oz	Plastic Safe	No
Propellant	Carbon Dioxide	Restricted From Sale In	CA, CO, CT, DC, DE, IL, IN, ME, MD, MA, MI, NH, NJ, NY, OH, PA, RI, parts of UT, VA
Specific Gravity	0.8667	UPC Code	078254050256
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	45.2
VOC % (Federal)	51.24	VOC Category	Engine Degreasers
VOC Lbs./Gal. (Federal)	6.6	VOC g/L (Consumer Product def)	391.7
VOC g/L (Federal)	794.6	VOC lbs/gal (Consumer Prod def)	3.26



Part No. 05027

Item# 1003649

CRC® Citrus Engine Degreaser, 15 Wt Oz

Discontinued

alternate available Product No. 05025CA [ITEM# 1003644](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Powerful citrus cleaning formula dissolves and lifts off the toughest grease and road grime.

Applications

- Automobiles
- Construction Applications
- Metal Parts
- Boats
- Engines
- Machinery

Appearance	Clear Light Amber Liquid	Brand	CRC
Case#	1003648	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	Flammable	Flash point (C)	70°C
Flash point (F)	158°F	Generic Description	Engine Degreaser
I 2 of 5 Code	30078254050271	Item Number	05027
Net Fill	15 Wt Oz	Plastic Safe	Yes
Product Lifecycle Status	DISC	Propellant	Carbon Dioxide
Replacement Legacy Num	05025CA	Replacement Product SKU	1003644
Specific Gravity	0.8139	UPC Code	078254050270
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	9
VOC % (Federal)	97	VOC Category	Engine Degreasers
VOC Lbs./Gal. (Federal)	12.6	VOC g/L (Consumer Product def)	73.3
VOC g/L (Federal)	1504.1	VOC lbs/gal (Consumer Prod def)	0.61



Part No. 14408

Item# 1004960

CRC® HydroForce® All Purpose Degreaser, 1 Gal

Discontinued

alternate available Product No. 14407 [ITEM# 1004958](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile aqueous-based cleaner for all routine cleaning tasks. Cleans three times the surface area as competing aqueous cleaners. Quickly removes grease, oil and dirt.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Glass

Appearance	Clear Purple Liquid	Brand	CRC
Case#	1004959	Color	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	All Purpose Degreaser
I 2 of 5 Code	30078254144086	Item Number	14408
NSF Category Code	C1	NSF Number	123681
Net Fill	1 Gal	PH	10
Plastic Safe	Yes	Product Lifecycle Status	DISC
Propellant	None	Removal (How To)	Remove with water.
Replacement Legacy Num	14407	Replacement Product SKU	1004958
Specific Gravity	1.038	UPC Code	078254144085
Unit Dimensions	10.25H x 5.0W x 6.13D in	Unit Package Description	1 Gallon Bottle
Units per Case	4	VOC % (Consumer Product def)	0.4 (at dilution),4 (concentrate)
VOC % (Federal)	4 concentrate; 0.4 min dilution	VOC Category	General Purpose Degreaser - Non-Aerosol
VOC Lbs./Gal. (Federal)	0.35 concentrate; 0.003 min dilution	VOC g/L (Consumer Product def)	4.15 (at dilution),41.5 (concentrate)
VOC g/L (Federal)	41.5 concentrate; 4.15 min dilution	VOC lbs/gal (Consumer Prod def)	0.04 (at dilution),0.35 (concentrate)



Part No. 14421

Item# 1004975

CRC® HydroForce® All Purpose Degreaser, 275 Gal

Discontinued

alternate available Product No. 14410 ITEM# 1004962

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile aqueous-based cleaner for all routine cleaning tasks. Cleans three times the surface area as competing aqueous cleaners. Quickly removes grease, oil and dirt.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Glass

Appearance _____ Clear Purple Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ All Purpose Degreaser

Item Number _____ 14421

NSF Category Code _____ C1

NSF Number _____ 123681

Net Fill _____ 275 Gal

PH _____ 10

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Replacement Legacy Num _____ 14410

Replacement Product SKU _____ 1004962

Specific Gravity _____ 1.038

UPC Code _____ 078254144214

Unit Dimensions _____ 44.5H x 48.0W x 40.0D in

Unit Package Description _____ 275 Gallon Tote

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0.4 (at dilution),4 (concentrate)

VOC % (Federal) _____ 4 concentrate; 0.4 min dilution

VOC Category _____ General Purpose Degreaser - Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0.35 concentrate; 0.003 min dilution

VOC g/L (Consumer Product def) - 4.15 (at dilution),41.5 (concentrate)

VOC g/L (Federal) _____ 41.5 concentrate; 4.15 min dilution

VOC lbs/gal (Consumer Prod def) - 0.04 (at dilution),0.35 (concentrate)



Part No. 14409

Item# 1004961

CRC® HydroForce® All Purpose Degreaser, 5 Gal

Discontinued

alternate available Product No. 14407 [ITEM# 1004958](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile aqueous-based cleaner for all routine cleaning tasks. Cleans three times the surface area as competing aqueous cleaners. Quickly removes grease, oil and dirt.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Glass

Appearance _____ Clear Purple Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ All Purpose Degreaser

Item Number _____ 14409

NSF Category Code _____ C1

NSF Number _____ 123681

Net Fill _____ 5 Gal

PH _____ 10

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Replacement Legacy Num _____ 14407

Replacement Product SKU _____ 1004958

Specific Gravity _____ 1.038

UPC Code _____ 078254144092

Unit Dimensions _____ 13.8H x 11.3W x 11.3D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0.4 (at dilution),4 (concentrate)

VOC % (Federal) _____ 4 concentrate; 0.4 min dilution

VOC Category _____ General Purpose Degreaser - Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0.35 concentrate; 0.003 min dilution

VOC g/L (Consumer Product def) - 4.15 (at dilution),41.5 (concentrate)

VOC g/L (Federal) _____ 41.5 concentrate; 4.15 min dilution

VOC lbs/gal (Consumer Prod def) - 0.04 (at dilution),0.35 (concentrate)



Part No. 14406

Item# 1004956

CRC® HydroForce® All Purpose Degreaser, 18 Wt Oz

Description

Versatile aqueous-based degreaser for all routine degreasing tasks. Degreases three times the surface area as competing aqueous degreasers. Quickly removes grease, oil and dirt.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Plastic
- Canvas
- Pressure Washers
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Vents
- Fiberglass
- Vinyl
- Vehicle Washing
- Stainless Steel

Appearance	Clear Yellow Liquid	Brand	CRC
Case#	1004955	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Ford Tax No.	177583
Generic Description	All Purpose Degreaser	I 2 of 5 Code	30078254144062
Item Number	14406	NSF Category Code	C1
NSF Number	123682	Net Fill	18 Wt Oz
PH	10.7	Plastic Safe	Safe on Most Plastics (Test small area)
Propellant	Hydrocarbon	Removal (How To)	Remove with water.
Specific Gravity	1.04	UPC Code	078254144061
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	8.9
VOC % (Federal)	14.59	VOC Category	General Purpose Degreaser - Aerosol
VOC Lbs./Gal. (Federal)	1.9	VOC g/L (Consumer Product def)	137.9
VOC g/L (Federal)	226.3	VOC lbs/gal (Consumer Prod def)	1.2



Part No. 14410

Item# 1004962

CRC® HydroForce® All Purpose Degreaser, 55 Gal

Discontinued

alternate available Product No. 14407 [ITEM# 1004958](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile aqueous-based cleaner for all routine cleaning tasks. Cleans three times the surface area as competing aqueous cleaners. Quickly removes grease, oil and dirt.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Glass

Appearance _____ Clear Purple Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ All Purpose Degreaser

Item Number _____ 14410

NSF Category Code _____ C1

NSF Number _____ 123681

Net Fill _____ 55 Gal

PH _____ 10

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Replacement Legacy Num _____ 14407

Replacement Product SKU _____ 1004958

Specific Gravity _____ 1.038

UPC Code _____ 078254144108

Unit Dimensions _____ 40H x 23.75W x 23.75D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0.4 (at dilution),4 (concentrate)

VOC % (Federal) _____ 4 concentrate; 0.4 min dilution

VOC Category _____ General Purpose Degreaser - Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0.35 concentrate; 0.003 min dilution

VOC g/L (Consumer Product def) _____ 4.15 (at dilution),41.5 (concentrate)

VOC g/L (Federal) _____ 41.5 concentrate; 4.15 min dilution

VOC lbs/gal (Consumer Prod def) _____ 0.04 (at dilution),0.35 (concentrate)



Part No. 14404

Item# 1004952

CRC® HydroForce® Butyl-Free All Purpose Cleaner, 55 Gal

Discontinued

alternate available Product No. 14401 ITEM# 1004949

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Provides maximum regulatory compliance without performance compromises. It is best for applications that will not allow butyl, but demand performance and versatility. Removes dirt, dust, and grime. NSF A1 and C1 Registered.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Glass

Appearance	Clear Blue-Green Liquid	Brand	CRC
Color	None	DOT Proper Shipping Name	Not Regulated
Evaporation Rate	Slow	Flammability Class - CPSC	None
Flash point (C)	None	Flash point (F)	None
Generic Description	Butyl-Free All Purpose Cleaner	Item Number	14404
NSF Category Code	A1,C1	NSF Number	119673
Net Fill	55 Gal	PH	10.5 to 12.2
Plastic Safe	Yes	Product Lifecycle Status	DISC
Propellant	None	Removal (How To)	Remove with water.
Replacement Legacy Num	14401	Replacement Product SKU	1004949
Specific Gravity	1.06	UPC Code	078254144047
Unit Dimensions	40H x 23.75W x 23.75D in	Unit Package Description	55 Gallon Drum
Units per Case	1	VOC % (Consumer Product def)	0.5
VOC % (Federal)	4.09	VOC Category	General Purpose Cleaners - Non-Aerosol
VOC Lbs./Gal. (Federal)	0.53	VOC g/L (Consumer Product def)	5.3
VOC g/L (Federal)	63.4	VOC lbs/gal (Consumer Prod def)	0.04



Part No. 14401

Item# 1004949

CRC® HydroForce® Butyl-Free All Purpose Cleaner, 32 Fl Oz

Description

Provides maximum regulatory compliance without performance compromises. It is best for applications that will not allow butyl, but demand performance and versatility. Removes dirt, dust, and grime. NSF A1 and C1 Registered.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Glass

Appearance	Clear Blue-Green Liquid	Brand	CRC
Case#	1004948	Color	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Butyl-Free All Purpose Cleaner
I 2 of 5 Code	30078254144017	Item Number	14401
NSF Category Code	A1,C1	NSF Number	119673
Net Fill	32 Fl Oz	PH	10.5 to 12.2
Plastic Safe	Yes	Propellant	None
Removal (How To)	Remove with water.	Specific Gravity	1.06
UPC Code	078254144016	Unit Dimensions	10.75H x 2.75W x 4.5D in
Unit Package Description	32 Ounce Spray Bottle	Units per Case	12
VOC % (Consumer Product def)	0.5	VOC % (Federal)	4.09
VOC Category	General Purpose Cleaner - Non-Aerosol	VOC Lbs./Gal. (Federal)	0.53
VOC g/L (Consumer Product def)	5.3	VOC g/L (Federal)	63.4
VOC lbs/gal (Consumer Prod def)	0.04		



Part No. 14405

Item# 1004954

CRC® HydroForce® Butyl-Free All Purpose Cleaner, 18 Wt Oz

Discontinued

alternate available Product No. 14401 [ITEM# 1004949](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Provides maximum regulatory compliance without performance compromises. It is best for applications that will not allow butyl, but demand performance and versatility. Removes dirt, dust, and grime. NSF A1 and C1 Registered.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Glass

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1004953	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Butyl-Free All Purpose Cleaner
I 2 of 5 Code	30078254144055	Item Number	14405
NSF Category Code	A1,C1	NSF Number	119674
Net Fill	18 Wt Oz	PH	11
Plastic Safe	Yes	Product Lifecycle Status	DISC
Propellant	Hydrocarbon	Replacement Legacy Num	14401
Replacement Product SKU	1004949	Specific Gravity	1.008
UPC Code	078254144054	Unit Dimensions	9.25H x 2.63W x 2.63D in
Unit Package Description	20 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	7.9	VOC % (Federal)	8.8
VOC Category	General Purpose Cleaners - Aerosol	VOC Lbs./Gal. (Federal)	1.1
VOC g/L (Consumer Product def)	79.6	VOC g/L (Federal)	136.5
VOC lbs/gal (Consumer Prod def)	0.66		



Part No. 14402

Item# 1004951

CRC® HydroForce® Butyl-Free All Purpose Cleaner, 1 Gal

Discontinued

alternate available Product No. 14401 **ITEM# 1004949**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Provides maximum regulatory compliance without performance compromises. It is best for applications that will not allow butyl, but demand performance and versatility. Removes dirt, dust, and grime. NSF A1 and C1 Registered.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Glass

Appearance	Clear Blue-Green Liquid	Brand	CRC
Case#	1004950	Color	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Butyl-Free All Purpose Cleaner
I 2 of 5 Code	30078254144024	Item Number	14402
NSF Category Code	A1,C1	NSF Number	119673
Net Fill	1 Gal	PH	10.5 to 12.2
Plastic Safe	Yes	Product Lifecycle Status	DISC
Propellant	None	Removal (How To)	Remove with water.
Replacement Legacy Num	14401	Replacement Product SKU	1004949
Specific Gravity	1.06	UPC Code	078254144023
Unit Dimensions	10.25H x 5W x 6.13D in	Unit Package Description	1 Gallon Bottle
Units per Case	4	VOC % (Consumer Product def)	0.5
VOC % (Federal)	4.09	VOC Category	General Purpose Cleaners - Non-Aerosol
VOC Lbs./Gal. (Federal)	0.53	VOC g/L (Consumer Product def)	5.3
VOC g/L (Federal)	63.4	VOC lbs/gal (Consumer Prod def)	0.04



Part No. 05316

Item# 1003761

CRC® Motor Treatment, 16 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Cleans gum, varnish, and carbon from the fuel system, injectors, pistons, and combustion chamber. Removes moisture from fuel and oil systems and lubricates engine components.

Applications

- For Use in Gasoline
- Ethanol
- Induce Directly Into Combustion Chamber Via Main Manifold Vacuum Line and Add to Crankcase
- Diesel
- Oil Pour Into Fuel System

Appearance	Clear Liquid	Brand	CRC
Case#	1003760	Color	None
DOT Proper Shipping Name	Flammable Liquids, N.O.S. (Petroleum Distillates, 2-Butoxyethanol), Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	47.2°C
Flash point (F)	117°F	Generic Description	Carbon Clean-Out
I 2 of 5 Code	30078254053166	Item Number	05316
Net Fill	16 Fl Oz	Plastic Safe	No
Product Lifecycle Status	DISC	Propellant	None
Removal (How To)	Remove with petroleum distillates.	Specific Gravity	0.82
Treatment Ratio	16 Fl Oz treats 8 to 25 gal of gas or diesel. 16 Fl Oz treats 10 quarts of oil.	UPC Code	078254053165
Unit Dimensions	7.75H x 2.63W x 2.63D in	Unit Package Description	16 Ounce Can
Units per Case	12	VOC % (Consumer Product def)	50
VOC % (Federal)	100	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	12.9	VOC g/L (Consumer Product def)	410
VOC g/L (Federal)	1550.6	VOC lbs/gal (Consumer Prod def)	3.4



Part No. 14412

Item# 1004966

CRC® HydroForce® Glass Cleaner, Professional Strength, 18 Wt Oz

Description

Cuts through dirt, dust, fingerprints and haze deposits. Provides streak-free glass cleaning even on delicate glass surfaces. Ready to use.

Applications

- Glass
- Mirrors

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1004965	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Ford Tox No.	191378
Generic Description	Glass Cleaner	I 2 of 5 Code	30078254144123
Item Number	14412	NSF Category Code	C1
NSF Number	126580	Net Fill	18 Wt Oz
PH	10.5	Plastic Safe	Yes
Propellant	Hydrocarbon	Removal (How To)	Remove with water.
Specific Gravity	0.9952	UPC Code	078254144122
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	9.6
VOC % (Federal)	9.63	VOC Category	Glass Cleaners - Aerosol
VOC Lbs./Gal. (Federal)	1.2	VOC g/L (Consumer Product def)	95.1
VOC g/L (Federal)	149.3	VOC lbs/gal (Consumer Prod def)	0.8



Part No. 14427

Item# 1004978

CRC® HydroForce® Glass Cleaner, Professional Strength, 55 Gal

Discontinued

alternate available Product No. 14412 ITEM# 1004966

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Cuts through dirt, dust, fingerprints and haze deposits. Provides streak-free glass cleaning even on delicate glass surfaces. Ready to use.

Applications

- Glass
- Mirrors

Appearance _____ Clear Light Blue Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Glass Cleaner

Item Number _____ 14427

NSF Category Code _____ C1

NSF Number _____ 126920

Net Fill _____ 55 Gal

PH _____ 10.6

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Replacement Legacy Num _____ 14411

Replacement Product SKU _____ 1004966

Specific Gravity _____ 1

UPC Code _____ 078254144276

Unit Dimensions _____ 40H x 23.75W x 23.75D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 3

VOC % (Federal) _____ 3


VOC Category _____ Glass Cleaners - Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0.25

VOC g/L (Consumer Product def) _____ 30

VOC g/L (Federal) _____ 30

VOC lbs/gal (Consumer Prod def) _____ 0.25



Part No. 05401

Item# 1003804

CRC® Glass Cleaner, 18 Wt Oz

Description

Cuts through dirt, dust, fingerprints and haze deposits. Provides streak-free glass cleaning even on delicate glass surfaces.

Applications

- Glass
- Mirrors

Appearance _____ Clear Liquid

Brand _____ CRC

Case# _____ 1003803

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Glass Cleaner

I 2 of 5 Code _____ 30078254054019

Item Number _____ 05401

Net Fill _____ 18 Wt Oz

PH _____ 10.5

Plastic Safe _____ Yes

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1

UPC Code _____ 078254054018

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 9.6

VOC % (Federal) _____ 9.63

VOC Category _____ Glass Cleaners - Aerosol

VOC Lbs./Gal. (Federal) _____ 1.2

VOC g/L (Consumer Product def) _____ 95.1

VOC g/L (Federal) _____ 149.3

VOC lbs/gal (Consumer Prod def) _____ 0.8



Part No. 14411

Item# 1004964

CRC® HydroForce® Glass Cleaner, Professional Strength, 32 Fl Oz

Discontinued

alternate available Product No. 14412 ITEM# 1004966

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Cuts through dirt, dust, fingerprints and haze deposits. Provides streak-free glass cleaning even on delicate glass surfaces. Ready to use.

Applications

- Glass
- Mirrors

Appearance	Clear Light Blue Liquid	Brand	CRC
Case#	1004963	Color	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Ford Tox No.	191378
Generic Description	Glass Cleaner	I 2 of 5 Code	30078254144116
Item Number	14411	NSF Category Code	C1
NSF Number	126920	Net Fill	32 Fl Oz
PH	10.6	Plastic Safe	Yes
Product Lifecycle Status	DISC	Propellant	None
Removal (How To)	Remove with water.	Replacement Legacy Num	14412
Replacement Product SKU	1004966	Specific Gravity	1
UPC Code	078254144115	Unit Dimensions	10.75H x 2.75W x 4.5D in
Unit Package Description	32 Ounce Spray Bottle	Units per Case	12
VOC % (Consumer Product def)	3	VOC % (Federal)	3
VOC Category	Glass Cleaners - Non-Aerosol	VOC Lbs./Gal. (Federal)	0.25
VOC g/L (Consumer Product def)	30	VOC g/L (Federal)	30
VOC lbs/gal (Consumer Prod def)	0.25		



Part No. 14145

Item# 1004852

SmartWasher® SW-25 Signature Parts Washer

Description

An alternative to conventional petroleum-based parts washing systems. Has an 8"H x 28"W x 17"D sink and side mounted control panel. For information on spare parts and technical support please contact CRC Technical

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Brand _____ SmartWasher

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ 28" Parts Cleaner

Item Number _____ 14145

Net Fill _____ 1 Unit

Plastic Safe _____ Yes

Propellant _____ None

UPC Code _____ 649123000605

Unit Dimensions _____ 35.5H x 40W x 26.5D in

Unit Package Description _____ 1 Unit

Units per Case _____ 1

VOC Category _____ Not Regulated



Part No. SL3195

Item# 1007895

Sta-Lube® Sta-Plex™ Extreme Pressure Premium Red Grease, 35 Lbs

Description

A superior multi-purpose certified lithium complex based NLGI #2 grease. Contains extreme pressure, anti-wear, & anti-oxidation additives. Ideal for high temperature & performance applications. Drop point 500°F

Applications

- Ind Mining
- Machining
- Pumps
- Ball & Roller Bearings
- Assembly Plants
- Trucks
- Buses
- Off-Road Operations
- Reapers
- Metal Production
- Plastic Molding
- Electric Motors
- Kilns
- Drying Ovens
- Automobiles
- Construction Equipment
- Tractors Mowers
- Water Pumps

4 Ball EP	315 kg Weld,50 LWI	4 Ball Wear	0.54 mm
Appearance	Red Semi-Solid to Solid Grease	Brand	Sta-Lube
DOT Proper Shipping Name	Not Regulated	Drop Point	500+°F
Evaporation Rate	<1 (Butyl Acetate=1)	Flammability Class - CPSC	Not a Consumer Product
Flash point (C)	150°C	Flash point (F)	302°F
Generic Description	Premium Red Grease	Item Number	SL3195
Leakage	10g Max	Low Temp Torque	13.0 Nm
NLGI Grade	2	NSF Category Code	H2
NSF Number	145511	Net Fill	35 Liter
Oil Separation	0.012	Pour Point	5°F
Propellant	None	Removal (How To)	Remove with a degreaser or brake cleaner product.
Specific Gravity	0.9 at 60°F	Timken OK Load [Lbs.]	60 Lbs Min
UPC Code	072213319507	Unit Dimensions	14.5H x 12W x 12D in
Unit Package Description	35 Pound Pail	Units per Case	1
VOC % (Consumer Product def)	0	VOC % (Federal)	0
VOC Category	Not Regulated	VOC g/L (Consumer Product def)	0
VOC g/L (Federal)	0	VOC lbs/gal (Consumer Prod def)	0
Water Washout	0.041	Worked Penetration	265 to 295
Working Temp (C)	-23 to 163°C	Working Temp (F)	-10 to 325°F



Part No. SL3197

Item# 1007896

Sta-Lube® Sta-Plex™ Extreme Pressure Premium Red Grease, 120 lbs

Discontinued

alternate available **Product No. SL3195** **ITEM# 1007895**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A superior multi-purpose certified lithium complex based NLGI #2 grease. Contains extreme pressure, anti-wear, & anti-oxidation additives. Ideal for high temperature & performance applications. Drop point 500°F

Applications

- Ind Mining
- Machining
- Pumps
- Ball & Roller Bearings
- Assembly Plants
- Trucks
- Buses
- Off-Road Operations
- Reapers
- Metal Production
- Plastic Molding
- Electric Motors
- Kilns
- Drying Ovens
- Automobiles
- Construction Equipment
- Tractors Mowers
- Water Pumps

4 Ball EP _____ 315 kg Weld,50 LWI
Appearance _____ Red Semi-Solid to Solid Grease
DOT Proper Shipping Name _____ Not Regulated
Drop Point _____ 500+°F
Evaporation Rate _____ <1 (Butyl Acetate=1)
Flash point (C) _____ 150°C
Gap Fill _____ N/A
ISO Viscosity Grade _____ N/A
Leakage _____ 10g Max
Low Temp Torque _____ 13.0 Nm
NSF Category Code _____ H2
Net Fill _____ 120 Liter
Pour Point _____ 5°F
Pour Point (F) _____ Not Determined
Propellant _____ None
Removal (How To) _____ Remove with a degreaser or
brake cleaner product.
Replacement Product SKU _____ 1007895
Specific Gravity _____ 0.9 at 60°F
Treatment Ratio _____ N/A
Unit Dimensions _____ 26.88H x 14.65W x 14.65D in
Units per Case _____ 1
VOC % (Federal) _____ 0
VOC Lbs./Gal. (Federal) _____ 0
VOC g/L (Federal) _____ 0
Viscosity @68 F [cP] _____ Not Determined
Worked Penetration _____ 265 to 295
Working Temp (F) _____ -10 to 325°F

4 Ball Wear _____ 0.54 mm
Brand _____ Sta-Lube
Dielectric Strength _____ Not Determined
Elastomer Compatibility _____ N/A
Flammability Class - CPSC _____ None
Flash point (F) _____ 302°F
Generic Description _____ Premium Red Grease
Item Number _____ SL3197
Locking Strength _____ N/A
NLGI Grade _____ 2
NSF Number _____ 145511
Oil Separation _____ 1.20%
Pour Point (C) _____ Not Determined
Product Lifecycle Status _____ DISC
Recoat _____ N/A
Replacement Legacy Num _____ SL3195
Restricted From Sale In _____ N/A
Timken OK Load [Lbs.] _____ 60 Lbs Min
UPC Code _____ 072213319705
Unit Package Description _____ 120 Pound Keg
VOC % (Consumer Product def) _____ 1
VOC Category _____ Not Regulated
VOC g/L (Consumer Product def) _____ 9
VOC lbs/gal (Consumer Prod def) _____ 0.075
Water Washout _____ 4.10%
Working Temp (C) _____ -23 to 163°C



Part No. SL3190

Item# 1007890

Sta-Lube® Sta-Plex™ Extreme Pressure Premium Red Grease, 14 wt OZ

Description

From the CRC family of products comes another industry leading solution. Sta-Lube® Sta-Plex® Extreme Pressure Premium Red Grease is a multi-purpose, red lithium complex grease that withstands extreme pressures and temperature ranges. Formulated with anti-oxidation, anti-rust, and anti-wear additives, it is a highly versatile grease for use in both automotive and industrial settings.

Applications

- Ind Mining
- Machining
- Pumps
- Ball & Roller Bearings
- Assembly Plants
- Trucks
- Buses
- Off-Road Operations
- Reapers
- Metal Production
- Plastic Molding
- Electric Motors
- Kilns
- Drying Ovens
- Automobiles
- Construction Equipment
- Tractors Mowers
- Water Pumps

4 Ball EP	315 kg Weld,50 LWI	4 Ball Wear	0.54 mm
Appearance	Red Semi-Solid to Solid Grease	Brand	Sta-Lube
Case#	1007889	DOT Proper Shipping Name	NOT REGULATED
Drop Point	500+°F	Evaporation Rate	<1 (butyl acetate=1)
Film Type	N/A	Flammability Class - CPSC	None
Flash point (C)	150°C	Flash point (F)	302°F
Ford Tox No.	N/A	Generic Description	Premium Red Grease
I 2 of 5 Code	30072213319003	Item Number	SL3190
Leakage	10g Max	Low Temp Torque	13.0 Nm
NLGI Grade	2	NSF Category Code	H2
NSF Number	145511	Net Fill	14 Wt Oz
Oil Separation	0.012	Pour Point	5°F
Propellant	None	Removal (How To)	Remove with a degreaser or brake cleaner product.
Restricted From Sale In	N/A	Specific Gravity	0.9 at 60°F
Timken OK Load [Lbs.]	60 Lbs Min	UPC Code	072213319002
Unit Dimensions	9.31H x 2.13W x 2.13D in	Unit Package Description	14 Ounce Cartridge
Units per Case	10	VOC % (Consumer Product def)	0
VOC % (Federal)	0	VOC Category	Not Regulated
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	0
VOC lbs/gal (Consumer Prod def)	0	Water Washout	0.041
Worked Penetration	265 to 295	Working Temp (C)	-23 to 163°C
Working Temp (F)	-10 to 325°F		



Part No. SL3191

Item# 1007892

Sta-Lube® Sta-Plex™ Extreme Pressure Premium Red Grease, 14 Wt Oz

Description

A superior multi-purpose certified lithium complex based NLGI #2 grease. Contains extreme pressure, anti-wear, & anti-oxidation additives. Ideal for high temperature & performance applications. Drop point 500°F

Applications

- Ind Mining
- Machining
- Pumps
- Ball & Roller Bearings
- Assembly Plants
- Trucks
- Buses
- Off-Road Operations
- Reapers
- Metal Production
- Plastic Molding
- Electric Motors
- Kilns
- Drying Ovens
- Automobiles
- Construction Equipment
- Tractors Mowers
- Water Pumps

4 Ball EP _____ 315 kg Weld,50 LWI

Appearance _____ Red Semi-Solid to Solid Grease

Case# _____ 1007891

Dielectric Strength _____ Not Determined

Elastomer Compatibility _____ N/A

Flammability Class - CPSC _____ None

Flash point (F) _____ 302°F

Generic Description _____ Premium Red Grease

ISO Viscosity Grade _____ N/A

Leakage _____ 10g Max

Low Temp Torque _____ 13.0 Nm

NSF Category Code _____ H2

Net Fill _____ 14 Wt Oz

Pour Point _____ 5°F

Pour Point (F) _____ Not Determined

Recoat _____ N/A

Specific Gravity _____ 0.9 at 60°F

Treatment Ratio _____ N/A

Unit Dimensions _____ 3.44H x 4.13W x 4.13D in

Units per Case _____ 12

VOC Category _____ Not Regulated

VOC lbs/gal (Consumer Prod def) _____ 0.075

Water Washout _____ 4.10%

Working Temp (C) _____ -23 to 163°C

4 Ball Wear _____ 0.54 mm

Brand _____ Sta-Lube

DOT Proper Shipping Name _____ NOT REGULATED

Drop Point _____ 500+°F

Evaporation Rate _____ <1 (Butyl Acetate=1)

Flash point (C) _____ 150°C

Gap Fill _____ N/A

I 2 of 5 Code _____ 30072213319102

Item Number _____ SL3191

Locking Strength _____ N/A

NLGI Grade _____ 2

NSF Number _____ 145511

Oil Separation _____ 1.20%

Pour Point (C) _____ Not Determined

Propellant _____ None

Removal (How To) _____ Remove with a degreaser or brake cleaner product.

Timken OK Load [Lbs.] _____ 60 Lbs Min

UPC Code _____ 072213319101

Unit Package Description _____ 14 Ounce Can

VOC % (Consumer Product def) _____ 1

VOC g/L (Consumer Product def) _____ 9

Viscosity @68 F [cP] _____ Not Determined

Worked Penetration _____ 265 to 295

Working Temp (F) _____ -10 to 325°F



Part No. SL3192

Item# 1007894

Sta-Lube® Sta-Plex Premium Red Grease, 11 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Premium red grease with heavy-duty lubricant that withstands high temperature and high pressure. Red color allows for easy visual inspection of film coverage.

Applications

- Use on All Types of High Temperature
- Ball & Roller Bearings
- Trucks
- Buses
- Off-Road Operations
- Mowers
- Machining
- Striker Plates
- Cables
- Linkages
- Couplings
- Slides and More
- Performance and Heavy Load Applications Electric Motors
- Industrial Bearings
- Automobiles
- Construction Equipment
- Tractors
- Metal Production
- Assembly Plants
- Chains
- Tools
- Conveyors
- Shovels

4 Ball EP _____ 315

4 Ball Wear _____ 0.6 mm

Appearance _____ Red Viscous Grease

Brand _____ Sta-Lube

Case# _____ 1007893

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Drop Point _____ 500°F

Evaporation Rate _____ Fast

Film Type _____ Grease

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-5°C

Flash point (F) _____ <23°F

Generic Description _____ Premium Red Grease

I 2 of 5 Code _____ 30072213319201

ISO Viscosity Grade _____ Not Determined

Item Number _____ SL3192

Leakage _____ 5

MIR Limit (CA) _____ 0.45

NLGI Grade _____ 2

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Yes

Pour Point _____ 0°F

Pour Point (C) _____ -17.78°C

Pour Point (F) _____ 0°F

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with petroleum distillates.

Restricted From Sale In _____ None

Specific Gravity _____ 0.72

Timken OK Load [Lbs.] _____ 45

UPC Code _____ 072213319200

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 63

VOC % (Federal) _____ 24.9

VOC Category _____ Multi-Purpose Lubricant

VOC Lbs./Gal. (Federal) _____ 1.63

VOC g/L (Consumer Product def) _____ 453.6

VOC g/L (Federal) _____ 196

VOC lbs/gal (Consumer Prod def) _____ 3.78

Water Washout _____ Nil

Worked Penetration _____ 265 to 295

Working Temp (C) _____ -31.7 to 148.9A°C

Working Temp (F) _____ -25 to 300°F



Part No. 14744

Item# 1005019

SmartWasher® SW-323 Mobile Parts Washer Kit, 1 Kit

Description

Convenient pre-packaged kits. Each kit includes: 1 SW-23 SmartWasher® Unit, 3 5-Gallon jugs of Ozyz Juice® SW-3 Truck Grade Degreasing Solution, and 1 FL-4 OzyzMat® Multi-Layer Fluid Activation Mat.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Clear Liquid

Brand _____ SmartWasher

DOT Proper Shipping Name _____ _EMPTY_VALUE_

Evaporation Rate _____ Very Slow

Flammability Class - CPSC _____ See individual part numbers

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 181727

Generic Description _____ Parts Washer

Item Number _____ 14744

NSF Category Code _____ A1

NSF Number _____ 127000

Net Fill _____ 1 Kit

PH _____ 7.51

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.02

UPC Code _____ 649123000957

Unit Dimensions _____ 50H x 48W x 42D in

Unit Package Description _____ 1 Kit

Units per Case _____ 1

Working Temp (C) _____ 220 to 240°C

Working Temp (F) _____ 105 to 115°F



Part No. 14740

Item# 1005015

SmartWasher® SW-423 Mobile Parts Washer Kit, 1 Kit

Description

Searching for an environmentally friendly parts cleaning machine that helps eliminate hazardous waste? Looking for an effective tool to clean dirty automotive and industrial parts on the job? CRC SmartWasher® has the environmentally friendly cleaning solution! With the CRC SmartWasher® SW-423 Mobile Parts Washer Kit, you'll have everything you need to start cleaning parts across a variety of applications. Convenient pre-packaged kits. Each kit includes: 1 SW-23 SmartWasher® Unit, 3 5-Gallon jugs of OzzyJuice® SW-4 Heavy Duty Degreasing Solution, and 1 FL-4 OzzyMat® Multi-Layer Fluid Activation Mat.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ **Red Orange Liquid**

Brand _____ **SmartWasher**

DOT Proper Shipping Name _____ **Not Regulated**

Flammability Class - CPSC _____ **See individual part numbers**

Flash point (C) _____ **None**

Flash point (F) _____ **None**

Ford Tox No. _____ **202169**

Generic Description _____ **Parts Washer**

Item Number _____ **14740**

NSF Category Code _____ **A1**

NSF Number _____ **141824**

Net Fill _____ **1 Kit**

PH _____ **8**

Plastic Safe _____ **Yes**

Propellant _____ **None**

Removal (How To) _____ **Remove with water.**

Specific Gravity _____ **1.02**

UPC Code _____ **649123001138**

Unit Dimensions _____ **50H x 48W x 42D in**

Unit Package Description _____ **1 Kit**

Units per Case _____ **1**

Working Temp (C) _____ **40 to 46°C**

Working Temp (F) _____ **105 to 115°F**



Part No. 14162

Item# 1004859

SmartWasher® SW-37 Mobile Heavyweight Parts Washer

Description

An alternative to conventional petroleum-based parts washing systems. This bioremediating unit eliminates the expense and liability of hazardous waste removal. No flash point, no toxic solvents and no caustic materials while remaining intensely powerful. For information on spare parts and technical support please contact CRC Technical.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ 48" x 35" x 45" (overall dimensions) HDPE

Brand _____ SmartWasher

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Generic Description _____ Parts Washer

Item Number _____ 14162

Net Fill _____ 1 Unit

UPC Code _____ 649123001268

Unit Dimensions _____ 35.5H x 40W x 26.5D in

Unit Package Description _____ 1 Unit

Units per Case _____ 1

VOC Category _____ Not Regulated



Part No. 14741

Item# 1005016

SmartWasher® SW-437 Mobile Heavyweight Parts Washer Kit, 1 Kit

Description

The CRC SmartWasher® SW-437 Mobile Heavyweight Parts Washer Kit is the system you need for serious parts cleaning. Designed for large jobs and oversize parts, the SW-437 Kit has everything included to tackle the toughest parts cleaning tasks. Convenient pre-packaged kits. Each kit includes: 1 SW-37 SmartWasher® Unit, 5 5-Gallon jugs of OzzyJuice® SW-4 Heavy Duty Degreasing Solution, and 1 FL-4 OzzyMat® Multi-Layer Fluid Activation Mat. This parts washer kit is the ideal choice to clean industrial and large automotive parts. It will clean parts quickly, so you can keep the job moving!

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Red Orange Liquid

Brand _____ SmartWasher

DOT Proper Shipping Name _____ _EMPTY_VALUE_

Flammability Class - CPSC _____ See individual part numbers

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 202169

Generic Description _____ Parts Washer

Item Number _____ 14741

NSF Category Code _____ A1

NSF Number _____ 141824

Net Fill _____ 1 Kit

PH _____ 8

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.02

UPC Code _____ 649123001312

Unit Dimensions _____ 55H x 48W x 42D in

Unit Package Description _____ 1 Kit

Units per Case _____ 1

Working Temp (C) _____ 40 to 46°C

Working Temp (F) _____ 105 to 115°F



Part No. 14743

Item# 1005018

SmartWasher® SW-723 Mobile Parts Washer Kit, 1 Kit

Description

Convenient pre-packaged kits. Each kit includes: 1 SW-23 SmartWasher® Unit, 3 5-Gallon jugs of OzyJuice® SW-7 Parts/Brake Cleaning Solution, and 1 FL-4 OzyMat® Multi-Layer Fluid Activation Mat.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Clear Liquid

Brand _____ SmartWasher

DOT Proper Shipping Name _____ _EMPTY_VALUE_

Evaporation Rate _____ Very Slow

Flammability Class - CPSC _____ See individual part numbers

Flash point (C) _____ >93°C

Flash point (F) _____ >200°F

Generic Description _____ Parts Washer

Item Number _____ 14743

NSF Category Code _____ A1

NSF Number _____ 139730

Net Fill _____ 1 Kit

PH _____ 7.33

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.02

UPC Code _____ 649123000940

Unit Dimensions _____ 50H x 48W x 42D in

Unit Package Description _____ 1 Kit

Units per Case _____ 1

Working Temp (C) _____ 220 to 240°C

Working Temp (F) _____ 105 to 115°F



Part No. 14447

Item# 1004992

CRC® HydroForce® Zero VOC General Purpose Cleaner, 1 Gal

Discontinued

alternate available Product No. 14446 [ITEM# 1004990](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Provides maximum regulatory compliance without performance compromises. It is best for applications that will not allow butyl, but demand performance and versatility. NSF A1 Registered.

Applications

- Dirt
- Grime
- Parts
- Tires
- Drives
- Shop Equipment
- Fabric Stains
- Dust
- Grease & Oil on Tools
- Grills
- Engines
- Motors
- Lawn & Garden Equipment
- Floor Wax Removal

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1004991	Color	None
DOT Proper Shipping Name	_EMPTY_VALUE_	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Zero VOC General Purpose Cleaner
I 2 of 5 Code	30078254144475	Item Number	14447
NSF Category Code	A1	NSF Number	138267
Net Fill	1 Gal	PH	10.00
Plastic Safe	Yes	Product Lifecycle Status	DISC
Propellant	None	Removal (How To)	Spraying and wiping, emersion baths
Replacement Legacy Num	14446	Replacement Product SKU	1004990
Restricted From Sale In	No State Restrictions	Specific Gravity	1.04
UPC Code	078254144474	Unit Dimensions	10.25H x 5W x 6.13D in
Unit Package Description	1 Gallon Bottle	Units per Case	4
VOC % (Consumer Product def)	0	VOC % (Federal)	0
VOC Category	General Purpose Cleaners - Non-Aerosol	VOC Lbs./Gal. (Federal)	0
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	0
VOC lbs/gal (Consumer Prod def)	0		



Part No. 14446

Item# 1004990

CRC® HydroForce® Zero VOC General Purpose Cleaner, 32 Fl Oz


Description

Provides maximum regulatory compliance without performance compromises. It is best for applications that will not allow butyl, but demand performance and versatility. NSF A1 Registered.

Applications

- Dirt
- Grime
- Parts
- Tires
- Drives
- Shop Equipment
- Fabric Stains
- Dust
- Grease & Oil on Tools
- Grills
- Engines
- Motors
- Lawn & Garden Equipment
- Floor Wax Removal

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1004989	Color	None
DOT Proper Shipping Name	_EMPTY_VALUE_	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Zero VOC General Purpose Cleaner
I 2 of 5 Code	30078254144468	Item Number	14446
NSF Category Code	A1	NSF Number	138267
Net Fill	32 Fl Oz	PH	10.00
Plastic Safe	Yes	Propellant	None
Removal (How To)	Spraying and wiping, emersion baths	Specific Gravity	1.04
UPC Code	078254144467	Unit Dimensions	10.75H x 2.75W x 4.5D in
Unit Package Description	32 Ounce Spray Bottle	Units per Case	12
VOC % (Consumer Product def)	0	VOC % (Federal)	0
VOC Category	General Purpose Cleaner - Non-Aerosol	VOC Lbs./Gal. (Federal)	0
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	0
VOC lbs/gal (Consumer Prod def)	0		



Part No. 03135

Item# 1003413

CRC® Super-Soy™ Degreaser, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A unique, biodegradable, heavy duty cleaner/degreaser that is extremely effective for dissolving and removing grease, oil, lubricants, adhesives and tar.

Applications

- Air Tools
- Clutches
- Wire Rope
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Hazy Light Yellow Liquid	Brand	CRC
Case#	1003412	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	18,900 Volts
Evaporation Rate	Slow	Flammability Class - CPSC	Flammable
Flash point (C)	28.9°C	Flash point (F)	84°F
Generic Description	Cleaner/Degreaser	I 2 of 5 Code	30078254031355
Item Number	03135	NSF Category Code	K1
NSF Number	141172	Net Fill	15 Wt Oz
Plastic Safe	May Harm Sensitive Plastics	Product Lifecycle Status	DISC
Propellant	Carbon Dioxide	Removal (How To)	Remove with water.
Specific Gravity	0.89	UPC Code	078254031354
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	8.2
VOC % (Federal)	94.8	VOC Category	General Purpose Degreaser - Aerosol
VOC Lbs./Gal. (Federal)	12.3	VOC g/L (Consumer Product def)	73.3
VOC g/L (Federal)	1470	VOC lbs/gal (Consumer Prod def)	0.6



Part No. 14742

Item# 1005017

SmartWasher® SW-737 Mobile Parts Washer Kit, 1 Kit

Description

Parts cleaning is a mandatory and critical job in every automotive shop and maintenance facility. Finding the right tool for the job, especially with hard to clean surfaces, can be tough and costly. CRC SmartWasher® SW-737 Mobile Parts Washer Kit is the complete solution you need to clean greasy and grimy hard parts. Convenient pre-packaged kits. Each kit includes: 1 SW-37 SmartWasher® Unit, 5 5-Gallon jugs of OzzyJuice® SW-7 Parts/Brake Cleaning Solution, and 1 FL-4 OzzyMat® Multi-Layer Fluid Activation Mat.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Clear Liquid

Brand _____ SmartWasher

DOT Proper Shipping Name _____ _EMPTY_VALUE_

Evaporation Rate _____ Very Slow

Flammability Class - CPSC _____ See individual part numbers

Flash point (C) _____ >93°C

Flash point (F) _____ >200°F

Gap Fill _____ N/A

Generic Description _____ Parts Washer

Item Number _____ 14742

NSF Category Code _____ A1

NSF Number _____ 139730

Net Fill _____ 1 Kit

PH _____ 7.33

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.02

UPC Code _____ 649123001336

Unit Dimensions _____ 55H x 48W x 42D in

Unit Package Description _____ 1 Kit

Units per Case _____ 1

Working Temp (C) _____ 220 to 240°C

Working Temp (F) _____ 105 to 115°F



Part No. 14161

Item# 1004858

SmartWasher® SW-23 Mobile Parts & Brake Washer

Description

An alternative to conventional petroleum-based parts washing systems. This bioremediating unit eliminates the expense and liability of hazardous waste removal. No flash point, and no caustic materials while remaining intensely powerful. For information on spare parts and technical support please contact CRC Technical.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ 40" x 26.5" x 35" (overall dimensions) HDPE

Brand _____ SmartWasher

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Generic Description _____ Parts Washer

Item Number _____ 14161

Net Fill _____ 1 Unit

UPC Code _____ 649123000834

Unit Dimensions _____ 43H x 42W x 27D in

Unit Package Description _____ 1 Unit

Units per Case _____ 1

VOC Category _____ Not Regulated



Part No. 03916

Item# 1007981

CRC® T-Force® Degreaser Non-Flammable MUO (Manufacturing Use Only), 18 Wt Oz

Description

Quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment. T-Force® Degreaser Non-Flammable MUO evaporates rapidly, leaves no residue, and has a good health & safety profile.

Applications

Recommended For The Effective Removal of

- Grease
- Corrosion and Sludge From Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators and Compressors
- Oil
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003517

DOT Proper Shipping Name _____ Aerosols, Non- Flammable, LIMITED
QUANTITY

Dielectric Strength _____ 18,890 Volts

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaner /Degreaser

I 2 of 5 Code _____ 30078254039160

Item Number _____ 03916

KB Value _____ 75

NSF Category Code _____ K1

NSF Number _____ 155600

Net Fill _____ 18 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with water.

Restricted From Sale In _____ Manufacturing Use Only

UPC Code _____ 078254039169

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 67.1

VOC % (Federal) _____ 67.1


VOC Category _____ General Purpose Degreaser -
Not for Retail Sale

VOC Lbs./Gal. (Federal) _____ 7.17

VOC g/L (Consumer Product def) _____ 858.9

VOC g/L (Federal) _____ 858.9

VOC lbs/gal (Consumer Prod def) _____ 7.17



Part No. 1750018

Item# 1750018

CRC® T-Force® Next Generation Degreaser, 18 Wt Oz

Description

Utilizes revolutionary technology that combines the power of a high performance, industrial strength degreaser with lower VOCs. It is non-conductive, non-corrosive, non-staining and has no flash or fire point.

Applications

- Recommended For Use on Motors
- Generators
- Compressors
- Corroded Machinery
- Mechanical Brakes and Clutches
- Wire Ropes
- Dies
- Pumps
- Hoists
- Mechanical Equipment
- Air Tools
- Chains
- Bearings
- Molds

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1750016

DOT Proper Shipping Name _____ Aerosols, Non- Flammable, LIMITED QUANTITY

Dielectric Strength _____ 25,790 Volts

Dry Time Fully Dry _____ <1 Minute

Elastomer Compatibility _____ Butyl

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaner/Degreaser

I 2 of 5 Code _____ 30078254000078

Item Number _____ 1750018

KB Value _____ 31

NSF Category Code _____ K1

NSF Number _____ 156699

Net Fill _____ 18 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA, CO, CT, DE, MD, MI, NH, NY, OH, RI, parts of UT

UPC Code _____ 078254000077

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce (591 ml) Aerosol

Units per Case _____ 1

VOC % (Consumer Product def) _____ 49.8

VOC % (Federal) _____ 49.8


VOC Category _____ General Purpose Degreaser - Aerosol

VOC Lbs./Gal. (Federal) _____ 5.32

VOC g/L (Consumer Product def) _____ 637

VOC g/L (Federal) _____ 637

VOC lbs/gal (Consumer Prod def) _____ 5.32



Part No. 03116

Item# 1003392

CRC® T-Force® Degreaser, 1 Gal

Description

A high performance, industrial strength degreaser that is non-conductive, non-corrosive, non-staining and has no flash or fire point.

Applications

- Recommended For The Effective Removal of Grease
- Oil
- Corrosion and Sludge From Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators and Compressors
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003391

Color _____ None

DOT Proper Shipping Name _____ NOT REGULATED

Dielectric Strength _____ 29010 Volts

Elastomer Compatibility _____ No

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaner/Degreaser

I 2 of 5 Code _____ 30078254031164

Item Number _____ 03116

KB Value _____ 91

NSF Category Code _____ K1

NSF Number _____ 146292

Net Fill _____ 1 Gal

Plastic Safe _____ No

Propellant _____ None

Removal (How To) _____ Remove with water.

Restricted From Sale In _____ Manufacturing Use Only

Specific Gravity _____ 1.276

UPC Code _____ 078254031163

Unit Dimensions _____ 11H x 4W x 6.5D in

Unit Package Description _____ 1 Gallon Can

Units per Case _____ 4

VOC % (Consumer Product def) _____ 85

VOC % (Federal) _____ 85

VOC Category _____ General Purpose Degreaser - Not
for Retail Sale

VOC Lbs./Gal. (Federal) _____ 8.94

VOC g/L (Consumer Product
def) _____ 1071

VOC g/L (Federal) _____ 1071

VOC lbs/gal (Consumer Prod
def) _____ 8.94



Part No. 03915

Item# 1003516

CRC® T-Force® Degreaser MUO (Manufacturing Use Only), 18 Wt Oz

Description

Quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment. T-Force® Degreaser MUO evaporates rapidly, leaves no residue, and has a good health & safety profile.

Applications

Recommended For The Effective Removal of

- Grease
- Corrosion and Sludge From Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Oil
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003515

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, LIMITED
QUANTITY

Dielectric Strength _____ 29010 Volts

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaner/Degreaser

I 2 of 5 Code _____ 30078254039153

Item Number _____ 03915

KB Value _____ 91

NSF Category Code _____ K1

NSF Number _____ 146291

Net Fill _____ 18 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with water.

Restricted From Sale In _____ Manufacturing Use Only

Specific Gravity _____ 1.276

UPC Code _____ 078254039152

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 81.6

VOC % (Federal) _____ 81.6

VOC Category _____ General Purpose Degreaser -
Not for Retail Sale

VOC Lbs./Gal. (Federal) _____ 8.58

VOC g/L (Consumer Product def) _____ 1028

VOC g/L (Federal) _____ 1028

VOC lbs/gal (Consumer Prod def) _____ 8.58



Part No. 14449

Item# 1004993

CRC® HydroForce® Zero VOC General Purpose Cleaner, 55 Gal

Discontinued

alternate available Product No. 14446 ITEM# 1004990

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Provides maximum regulatory compliance without performance compromises. It is best for applications that will not allow butyl, but demand performance and versatility. NSF A1 Registered.

Applications

- Dirt
- Grime
- Parts
- Tires
- Drives
- Shop Equipment
- Fabric Stains
- Dust
- Grease & Oil on Tools
- Grills
- Engines
- Motors
- Lawn & Garden Equipment
- Floor Wax Removal

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ _EMPTY_VALUE_

Evaporation Rate _____ Slow

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Zero VOC General Purpose Cleaner

Item Number _____ 14449

NSF Category Code _____ A1

NSF Number _____ 138267

Net Fill _____ 55 Gal

PH _____ 10.00

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Spraying and wiping, emersion
baths

Replacement Legacy Num _____ 14446

Replacement Product SKU _____ 1004990

Restricted From Sale In _____ No State Restrictions

Specific Gravity _____ 1.04

UPC Code _____ 078254144498

Unit Dimensions _____ 40H x 23.75W x 23.75D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ General Purpose Cleaners - Non-
Aerosol

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod
def) _____ 0



Part No. SL3166

Item# 1007884

Sta-Lube® Hi Temperature Disc Brake Wheel Bearing Grease, 7 Lbs

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A very stable resistant Aluminum Complex grease. Contains rust & oxidation inhibitors, anti-wear and extreme pressure additives & fortified with "moly" and graphite. For use in automotive disc/drum brakes, chassis and suspension systems

Applications

- Automotive Applications
- Bearings
- Construction Ball & Roller Bearings
- Disc-Brake Systems
- Guides
- Press Rolls
- Slides
- Ball Joints
- ChassisPoints
- Conveyor Bearings
- Farm Equipment
- Mining Applications
- Roller Bearings
- Wheel Bearings

4 Ball EP _____ 30 LWI,315 Kg Weld

4 Ball Wear _____ 0.75 mm

Appearance _____ Dark Gray Semi-Solid to Solid Grease

Brand _____ Sta-Lube

Case# _____ 1007883

DOT Proper Shipping Name _____ Not Regulated

Drop Point _____ 500°F

Elastomer Compatibility _____ 0 to 30% vol; 0 to 15 hard

Evaporation Rate _____ <0.01 (Butyl Acetate=1)

Flammability Class - CPSC _____ None

Flash point (C) _____ >232°C

Flash point (F) _____ >450°F

Generic Description _____ Hi-Temp Disc Brake Wheel Grease

I 2 of 5 Code _____ 30072213316606

ISO Viscosity Grade _____ 205

Item Number _____ SL3166

Leakage _____ 10g Max

NLGI Grade _____ 2

Net Fill _____ 7 Liter

Oil Separation _____ <10%

Pour Point _____ 0°F

Pour Point (C) _____ -17.78°C

Pour Point (F) _____ 0°F

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with a degreaser or brake cleaner product.

Specific Gravity _____ 0.9 at 60°F

Timken OK Load [Lbs.] _____ 60 Lbs

UPC Code _____ 072213316605

Unit Dimensions _____ 7.75H x 7.5W x 7.5D in

Unit Package Description _____ 7 Pound Pail

Units per Case _____ 4

VOC % (Consumer Product def) _____ 0.4

VOC Category _____ Not Regulated

VOC g/L (Consumer Product def) _____ 3.6

VOC lbs/gal (Consumer Prod def) _____ 0.03

Water Washout _____ <15%

Worked Penetration _____ 265 to 295

Working Temp (C) _____ -18 to 162.5°C

Working Temp (F) _____ 0 to 325°F



Part No. SL3161

Item# 1007881

Sta-Lube® Hi Temperature Disc Brake Wheel Bearing Grease, 14 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A very stable resistant Aluminum Complex grease. Contains rust & oxidation inhibitors, anti-wear and extreme pressure additives & fortified with "moly" and graphite. For use in automotive disc/drum brakes, chassis and suspension systems

Applications

- Automotive Applications
- Bearings
- Construction Ball & Roller Bearings
- Disc-Brake Systems
- Guides
- Press Rolls
- Slides
- Ball Joints
- ChassisPoints
- Conveyor Bearings
- Farm Equipment
- Mining Applications
- Roller Bearings
- Wheel Bearings

4 Ball EP _____ 30 LWI,315 Kg Weld

4 Ball Wear _____ 0.75 mm

Appearance _____ Dark Gray Semi-Solid to Solid Grease

Brand _____ Sta-Lube

Case# _____ 1007880

DOT Proper Shipping Name _____ Not Regulated

Drop Point _____ 500°F

Elastomer Compatibility _____ 0 to 30% vol; 0 to 15 hard

Evaporation Rate _____ <0.01 (Butyl Acetate=1)

Flammability Class - CPSC _____ None

Flash point (C) _____ >232°C

Flash point (F) _____ >450°F

Generic Description _____ Hi-Temp Disc Brake Wheel Grease

I 2 of 5 Code _____ 30072213316101

ISO Viscosity Grade _____ 205

Item Number _____ SL3161

Leakage _____ 10g Max

NLGI Grade _____ 2

Net Fill _____ 14 Wt Oz

Oil Separation _____ <10%

Pour Point _____ 0°F

Pour Point (C) _____ -17.78°C

Pour Point (F) _____ 0°F

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with a degreaser or brake cleaner product.

Specific Gravity _____ 0.9 at 60°F

Timken OK Load [Lbs.] _____ 60 Lbs

UPC Code _____ 072213316100

Unit Dimensions _____ 3.44H x 4.13W x 4.13D in

Unit Package Description _____ 14 Ounce Can

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0.4

VOC Category _____ Not Regulated

VOC g/L (Consumer Product def) _____ 3.6

VOC lbs/gal (Consumer Prod def) _____ 0.03

Water Washout _____ <15%

Worked Penetration _____ 265 to 295

Working Temp (C) _____ -18 to 162.5°C

Working Temp (F) _____ 0 to 325°F



Part No. SL3165

Item# 1007882

Sta-Lube® Hi Temperature Disc Brake Wheel Bearing Grease, 35 Lbs

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A very stable resistant Aluminum Complex grease. Contains rust & oxidation inhibitors, anti-wear and extreme pressure additives & fortified with "moly" and graphite. For use in automotive disc/drum brakes, chassis and suspension systems

Applications

- Automotive Applications
- Bearings
- Construction Ball & Roller Bearings
- Disc-Brake Systems
- Guides
- Press Rolls
- Slides
- Ball Joints
- ChassisPoints
- Conveyor Bearings
- Farm Equipment
- Mining Applications
- Roller Bearings
- Wheel Bearings

4 Ball EP _____ 30 LWI,315 Kg Weld

4 Ball Wear _____ 0.75 mm

Appearance _____ Dark Gray Semi-Solid to Solid Grease

Brand _____ Sta-Lube

DOT Proper Shipping Name _____ Not Regulated

Drop Point _____ 500°F

Elastomer Compatibility _____ 0 to 30% vol; 0 to 15 hard

Evaporation Rate _____ <0.01 (Butyl Acetate=1)

Flammability Class - CPSC _____ None

Flash point (C) _____ >232°C

Flash point (F) _____ >450°F

Generic Description _____ Hi-Temp Disc Brake Wheel Grease

ISO Viscosity Grade _____ 205

Item Number _____ SL3165

Leakage _____ 10g Max

NLGI Grade _____ 2

Net Fill _____ 35 Liter

Oil Separation _____ <10%

Pour Point _____ 0°F

Pour Point (C) _____ -17.78°C

Pour Point (F) _____ 0°F

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with a degreaser or brake cleaner product.

Specific Gravity _____ 0.9 at 60°F

Timken OK Load [Lbs.] _____ 60 Lbs

UPC Code _____ 072213316506

Unit Dimensions _____ 14.5H x 12W x 12D in

Unit Package Description _____ 35 Pound Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0.4

VOC Category _____ Not Regulated

VOC g/L (Consumer Product def) _____ 3.6

VOC lbs/gal (Consumer Prod def) _____ 0.03

Water Washout _____ <15%

Worked Penetration _____ 265 to 295

Working Temp (C) _____ -18 to 162.5°C

Working Temp (F) _____ 0 to 325°F



Part No. 03117

Item# 1003393

CRC® T-Force® Degreaser, 5 Gal

Description

A high performance, industrial strength degreaser that is non-conductive, non-corrosive, non-staining and has no flash or fire point.

Applications

- Recommended For The Effective Removal of Grease
- Corrosion and Sludge From Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators and Compressors
- Oil
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ NOT REGULATED

Dielectric Strength _____ 29010 Volt

Elastomer Compatibility _____ No

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaner/Degreaser

Item Number _____ 03117

KB Value _____ 91

NSF Category Code _____ K1

NSF Number _____ 146292

Net Fill _____ 5 Gal

Plastic Safe _____ No

Propellant _____ None

Removal (How To) _____ Remove with water.

Restricted From Sale In _____ Manufacturing Use Only

Specific Gravity _____ 1.276

UPC Code _____ 078254031170

Unit Dimensions _____ 13.8H x 11.3W x 11.3D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 85

VOC % (Federal) _____ 85

VOC Category _____ General Purpose Degreaser - Not
for Retail Sale

VOC Lbs./Gal. (Federal) _____ 8.94

VOC g/L (Consumer Product
def) _____ 1071

VOC g/L (Federal) _____ 1071

VOC lbs/gal (Consumer Prod
def) _____ 8.94



Part No. 03118

Item# 1003394

CRC® T-Force® Degreaser, 55 Gal

Description

A high performance, industrial strength degreaser that is non-conductive, non-corrosive, non-staining and has no flash or fire point.

Applications

- Recommended For The Effective Removal of Grease
- Corrosion and Sludge From Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators and Compressors
- Oil
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ NOT REGULATED

Dielectric Strength _____ 29010 Volts

Elastomer Compatibility _____ No

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaner/Degreaser

Item Number _____ 03118

KB Value _____ 91

NSF Category Code _____ K1

NSF Number _____ 146292

Net Fill _____ 55 Gal

Plastic Safe _____ No

Propellant _____ None

Removal (How To) _____ Remove with water.

Restricted From Sale In _____ Manufacturing Use Only

Specific Gravity _____ 1.276

UPC Code _____ 078254031187

Unit Dimensions _____ 35H x 24.5W x 24.5D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 85

VOC % (Federal) _____ 85

VOC Category _____ General Purpose Degreaser - Not
for Retail Sale

VOC Lbs./Gal. (Federal) _____ 8.94

VOC g/L (Consumer Product
def) _____ 1071

VOC g/L (Federal) _____ 1071

VOC lbs/gal (Consumer Prod
def) _____ 8.94



Part No. 03096

Item# 1003368

CRC® Heavy Duty Degreaser, 1 Gal

Discontinued

alternate available Product No. 03095 **ITEM# 1003364**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effectively removes grease, oil, tar, etc. to increase operating efficiency of equipment. It evaporates quickly, leaves no residue and has no flash or fire point, making it an excellent alternative to 1,1,1-based cleaners. Use caution on plastics.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Clear Liquid	Brand	CRC
Case#	1003367	Color	None
DOT Proper Shipping Name	Tetrachloroethylene Mixture, Limited Quantity (Marine Pollutant)	Dielectric Strength	39,200 Volts
Evaporation Rate	Fast	Flammability Class - CPSC	None
Flash point (C)	None	Flash point (F)	None
Generic Description	Heavy Duty Degreaser	I 2 of 5 Code	30078254030969
Item Number	03096	KB Value	105
NSF Category Code	K1	NSF Number	017396
Net Fill	1 Gal	Plastic Safe	No
Product Lifecycle Status	DISC	Propellant	None
Replacement Legacy Num	03095	Replacement Product SKU	1003364
Restricted From Sale In	Manufacturing Use Only	Specific Gravity	1.58
UPC Code	078254030968	Unit Dimensions	10.25H x 5W x 6.13D in
Unit Package Description	1 Gallon Bottle	Units per Case	4
VOC % (Consumer Product def)	8	VOC % (Federal)	8
VOC Category	General Purpose Degreaser - Not for Retail Sale	VOC Lbs./Gal. (Federal)	1
VOC g/L (Consumer Product def)	126.4	VOC g/L (Federal)	124
VOC lbs/gal (Consumer Prod def)	1.05		



Part No. 03097

Item# 1003369

CRC® Heavy Duty Degreaser, 5 Gal

Discontinued

alternate available Product No. 03095 [ITEM# 1003364](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effectively removes grease, oil, tar, etc. to increase operating efficiency of equipment. It evaporates quickly, leaves no residue and has no flash or fire point, making it an excellent alternative to 1,1,1-based cleaners. Use caution on plastics.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Clear Liquid	Brand	CRC
Color	None	DOT Proper Shipping Name	Tetrachloroethylene Mixture (Marine Pollutant)
Dielectric Strength	39,200 Volts	Evaporation Rate	Fast
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Heavy Duty Degreaser
Item Number	03097	KB Value	105
NSF Category Code	K1	NSF Number	017396
Net Fill	5 Gal	Plastic Safe	No
Product Lifecycle Status	DISC	Propellant	None
Replacement Legacy Num	03095	Replacement Product SKU	1003364
Restricted From Sale In	Manufacturing Use Only	Specific Gravity	1.58
UPC Code	078254030975	Unit Dimensions	13.8H x 11.3W x 11.3D in
Unit Package Description	5 Gallon Pail	Units per Case	1
VOC % (Consumer Product def)	8	VOC % (Federal)	8
VOC Category	General Purpose Degreaser - Not for Retail Sale	VOC Lbs./Gal. (Federal)	1
VOC g/L (Consumer Product def)	126.4	VOC g/L (Federal)	124
VOC lbs/gal (Consumer Prod def)	1.05		



Part No. 03098

Item# 1003370

CRC® Heavy Duty Degreaser, 55 Gal

Description

Effectively removes grease, oil, tar, etc. to increase operating efficiency of equipment. It evaporates quickly, leaves no residue and has no flash or fire point, making it an excellent alternative to 1,1,1-based cleaners. Use caution on plastics.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Clear Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Tetrachloroethylene mixture
(Marine Pollutant)

Dielectric Strength _____ 39,200 Volts

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Heavy Duty Degreaser

Item Number _____ 03098

KB Value _____ 105

NSF Category Code _____ K1

NSF Number _____ 017396

Net Fill _____ 55 Gal

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 03095

Replacement Product SKU _____ 1003363

Restricted From Sale In _____ Manufacturing Use Only

Specific Gravity _____ 1.58

UPC Code _____ 078254030982

Unit Dimensions _____ 35H x 24.5W x 24.5D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 8

VOC % (Federal) _____ 8

VOC Category _____ General Purpose Degreaser -
Not for Retail Sale

VOC Lbs./Gal. (Federal) _____ 1

VOC g/L (Consumer Product def) _____ 126.4

VOC g/L (Federal) _____ 124

VOC lbs/gal (Consumer Prod def) _____ 1.05



Part No. 06019

Item# 1003886

CRC® Marine Cleaner and Degreaser, 19 Wt Oz

Description

Cleans and degreases marine engines and non-sensitive electrical parts and equipment in place. Breaks through tough grease on motors, gears, chains and other metal parts. Leaves no residue; non-flammable.

Applications

- Marine Engines
- Motors
- Chains
- Canvas
- Non-Sensitive Electrical Parts & Equipment
- Gears
- Wood
- Fabric

Appearance	Colorless Liquid	Brand	CRC
Case#	1003885	Color	None
DOT Proper Shipping Name	Aerosols, Poison, Limited Quantity (Marine Pollutant)	Dielectric Strength	37,500 Volts
Dry Time Fully Dry	Fast	Evaporation Rate	Very Fast
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Marine Cleaner and Degreaser
I 2 of 5 Code	30078254060195	Item Number	06019
KB Value	95	Net Fill	19 Wt Oz
Plastic Safe	No	Propellant	Carbon Dioxide
Restricted From Sale In	CA, CO, CT, DC, DE, IL, IN, MA, MD, ME, MI, NJ, NY, RI	Specific Gravity	1.62
UPC Code	078254060194	Unit Dimensions	9.25H x 2.63W x 2.63D in
Unit Package Description	20 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	0	VOC % (Federal)	0
VOC Category	General Purpose Cleaner - Aerosol	VOC Lbs./Gal. (Federal)	0
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	0
VOC lbs/gal (Consumer Prod def)	0		



Part No. SL3160

Item# 1007879

Sta-Lube® Hi Temperature Disc Brake Wheel Bearing Grease, 14 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A very stable resistant Aluminum Complex grease. Contains rust & oxidation inhibitors, anti-wear and extreme pressure additives & fortified with "moly" and graphite. For use in automotive disc/drum brakes, chassis and suspension systems

Applications

- Automotive Applications
- Bearings
- Construction Ball & Roller Bearings
- Disc-Brake Systems
- Guides
- Press Rolls
- Slides
- Ball Joints
- ChassisPoints
- Conveyor Bearings
- Farm Equipment
- Mining Applications
- Roller Bearings
- Wheel Bearings

4 Ball EP _____ 30 LWI,315 Kg Weld

4 Ball Wear _____ 0.75 mm

Appearance _____ Dark Gray Semi-Solid to Solid Grease

Brand _____ Sta-Lube

Case# _____ 1007878

DOT Proper Shipping Name _____ Not Regulated

Drop Point _____ 500°F

Elastomer Compatibility _____ 0 to 30% vol; 0 to 15 hard

Evaporation Rate _____ <0.01 (Butyl Acetate=1)

Flammability Class - CPSC _____ None

Flash point (C) _____ >232°C

Flash point (F) _____ >450°F

Generic Description _____ Hi-Temp Disc Brake Wheel Grease

I 2 of 5 Code _____ 30072213316002

ISO Viscosity Grade _____ 205

Item Number _____ SL3160

Leakage _____ 10g Max

NLGI Grade _____ 2

Net Fill _____ 14 Wt Oz

Oil Separation _____ <10%

Pour Point _____ 0°F

Pour Point (C) _____ -17.78°C

Pour Point (F) _____ 0°F

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with a degreaser or brake cleaner product.

Specific Gravity _____ 0.9 at 60°F

Timken OK Load [Lbs.] _____ 60 Lbs

UPC Code _____ 072213316001

Unit Dimensions _____ 9.31H x 2.13W x 2.13D in

Unit Package Description _____ 14 Ounce Cartridge

Units per Case _____ 10

VOC % (Consumer Product def) _____ 0.4

VOC Category _____ Not Regulated

VOC g/L (Consumer Product def) _____ 3.6


VOC lbs/gal (Consumer Prod def) _____ 0.03

Water Washout _____ <15%

Worked Penetration _____ 265 to 295

Working Temp (C) _____ -18 to 162.5°C

Working Temp (F) _____ 0 to 325°F



Part No. 02018

Item# 1003177

CRC® Lectra Clean® Heavy Duty Electrical Parts Degreaser, 19 Wt Oz

Description

Effectively removes contaminants to increase operating efficiency of energized electrical equipment. It evaporates quickly, leaves no residue and has no flash or fire point. Designed and labeled to be used on equipment where energy and/or residual exists during cleaning.

Applications

- Energized Electrical Equipment Such as Armatures
- Electric Motors
- Generators
- Compressors
- Relays
- Electric Panels

Appearance _____ Clear Liquid

Brand _____ CRC

Case# _____ 1003175

DOT Proper Shipping Name _____ Aerosols, Non- Flammable, LIMITED QUANTITY

Dielectric Strength _____ 50,500 Volts

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Heavy Duty Degreaser

I 2 of 5 Code _____ 30078254020182

Item Number _____ 02018

KB Value _____ 90

NSF Category Code _____ K2

NSF Number _____ 017216

Net Fill _____ 19 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Specific Gravity _____ 1.62

UPC Code _____ 078254020181

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 05528

Item# 1003820

CRC® Air Brake Anti Freeze, 1 Gal

Description

Provides complete winter protection for all brake systems. Will eliminate and prevent moisture accumulation and icing.

Applications

- For Use in All Air-Brake Systems

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003819

Color _____ None

DOT Proper Shipping Name _____ Methanol

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 12°C

Flash point (F) _____ 54°F

Generic Description _____ Premium Air Brake Anti Freeze

I 2 of 5 Code _____ 30078254055283

Item Number _____ 05528

Net Fill _____ 1 Gal

Plastic Safe _____ Yes

Propellant _____ None

Specific Gravity _____ 0.79

UPC Code _____ 078254055282

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Can

Units per Case _____ 4

VOC % (Consumer Product def) _____ 100

VOC % (Federal) _____ 100

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product def) _____ 792

VOC g/L (Federal) _____ 1550.6

VOC lbs/gal (Consumer Prod def) _____ 6.6



Part No. 05532

Item# 1003822

CRC® Air Brake Anti Freeze, 32 Fl Oz

Description

Keeping up with the winter care of your vehicle and brake system is critical. You can't afford to skip this important maintenance when the cold weather hits. CRC Air Brake Anti-Freeze is a specially formulated additive for air-brake systems. It provides complete protection by preventing damaging moisture accumulation and ice buildup in your brake system. Run smoothly all season long with CRC Air Brake Anti-Freeze.

Applications

- For Use in All Air-Brake Systems

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003821

Color _____ None

DOT Proper Shipping Name _____ Methanol, Limited Quantity

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 12.2°C

Flash point (F) _____ 54°F

Ford Tox No. _____ 198314

Generic Description _____ Premium Air Brake Anti Freeze

I 2 of 5 Code _____ 30078254055320

Item Number _____ 05532

Net Fill _____ 32 Fl Oz

Plastic Safe _____ Yes

Propellant _____ None

Specific Gravity _____ 0.79

UPC Code _____ 078254055329

Unit Dimensions _____ 8.5H x 3.13W x 4.13D in

Unit Package Description _____ 1 Quart Can

Units per Case _____ 12

VOC % (Consumer Product def) _____ 100

VOC % (Federal) _____ 100

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product def) _____ 792

VOC g/L (Federal) _____ 1550.6

VOC lbs/gal (Consumer Prod def) _____ 6.6



Part No. 06020

Item# 1003888

CRC® Marine Degreaser - Non-Chlorinated, 14 Wt Oz

Description

Degreases metal parts and non-sensitive marine equipment; removes grease, dirt and oil; leaves no residue

Applications

- Non-Sensitive Electrical Parts & Equipment
- Chains
- Canvas
- Gears
- Wood
- Fabric

Appearance _____ Clear Liquid

Brand _____ CRC

Case# _____ 1003887

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity (Marine Pollutant)

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-18°C

Flash point (F) _____ <0°F

Generic Description _____ Marine Degreaser, Non-Chlorinated

I 2 of 5 Code _____ 30078254060201

Item Number _____ 06020

KB Value _____ >200

Net Fill _____ 14 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA, CO, CT, DE, MD, MI, NH,
NY, OH, RI, parts of UT

Specific Gravity _____ 0.73

UPC Code _____ 078254060200

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 44.9

VOC % (Federal) _____ 444.89


VOC Category _____ General Purpose Degreaser -
Aerosol

VOC Lbs./Gal. (Federal) _____ 5.8

VOC g/L (Consumer Product def) _____ 327.8

VOC g/L (Federal) _____ 696.1

VOC lbs/gal (Consumer Prod def) _____ 2.73



Part No. 03095

Item# 1003364

CRC® Heavy Duty Degreaser, 19 Wt Oz

Description

Effectively removes grease, oil, tar, etc. to increase operating efficiency of equipment. It evaporates quickly, leaves no residue and has no flash or fire point, making it an excellent alternative to 1,1,1-based cleaners. Use caution on plastics.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003363

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Poison, Limited
Quantity

Dielectric Strength _____ 15,710 Volts

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 042300

Generic Description _____ Heavy Duty Degreaser

I 2 of 5 Code _____ 30078254030952

Item Number _____ 03095

KB Value _____ 95

NSF Category Code _____ K1

NSF Number _____ 017395

Net Fill _____ 19 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA, CO, CT, DC, DE, IL, IN, MA,
MD, ME, MI, NJ, NY, RI

Specific Gravity _____ 1.58

UPC Code _____ 078254030951

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 7.8

VOC % (Federal) _____ 7.82

VOC Category _____ General Purpose Degreaser -
Aerosol

VOC Lbs./Gal. (Federal) _____ 1.02

VOC g/L (Consumer Product def) _____ 122

VOC g/L (Federal) _____ 121.7

VOC lbs/gal (Consumer Prod def) _____ 7.8



Part No. 14414

Item# 1004968

CRC® HydroForce® Industrial Strength Degreaser, 18 Wt Oz

Discontinued

alternate available Product No. 14415 [ITEM# 1004970](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An aqueous cleaner with the powerful performance of a solvent. Removes heavy deposits of grease, oil & dirt. Biodegradable, concentrated, non-abrasive & non-flammable. Use caution on soft metals & painted surfaces.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Etc

Appearance	Clear Liquid	Brand	CRC
Case#	1004967	Color	None
DOT Proper Shipping Name	Aerosols, Corrosive, Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Industrial Strength Degreaser
I 2 of 5 Code	30078254144147	Item Number	14414
NSF Category Code	C1	NSF Number	136914
Net Fill	18 Wt Oz	PH	13.15
Plastic Safe	May Harm Sensitive Plastics	Product Lifecycle Status	DISC
Propellant	Hydrocarbon	Removal (How To)	Remove with water.
Replacement Legacy Num	14415	Replacement Product SKU	1004970
Specific Gravity	1.07	UPC Code	078254144146
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	9.9
VOC % (Federal)	9.86	VOC Category	General Purpose Degreaser - Aerosol
VOC Lbs./Gal. (Federal)	1.3	VOC g/L (Consumer Product def)	106.3
VOC g/L (Federal)	152.9	VOC lbs/gal (Consumer Prod def)	0.89



Part No. 14722

Item# 1005007

SmartWasher® OzzyJuice® SW-8 Aircraft, Weapons & Select Metals Degreasing Solution, 5 Gal.

Description

An aqueous Industrial Strength, pH neutral, non-corrosive, and non-flammable, cleaning fluid for use in the SmartWasher® Parts Washing System. Specifically formulated for use on aircraft & weapons metals.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Clear Liquid

Brand _____ SmartWasher

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ N/A

Evaporation Rate _____ Not Determined

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ > 110

Flash point (F) _____ > 230

Ford Tox No. _____ N/A

Gap Fill _____ N/A

Generic Description _____ Cleaning Solution

Item Number _____ 14722

KB Value _____ N/A

Locking Strength _____ N/A

Military Specification Number _____ Mil-PRF-29602A

NSF Category Code _____ A1

NSF Number _____ 143779

Net Fill _____ 5 Gal

PH _____ 7 to 8

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.0155

Treatment Ratio _____ N/A

UPC Code _____ 649123000490

Unit Dimensions _____ 15H x 11W x 12D in

Unit Package Description _____ 5 Gallon Jug

Units per Case _____ 1

VOC % (Federal) _____ 2

VOC Category _____ Solvent for Solvent Cleaning Machine

VOC Lbs./Gal. (Federal) _____ 0.17

VOC g/L (Federal) _____ 20.3

Viscosity @68 F [cP] _____ Not Determined

Working Temp (C) _____ 40 to 46°C



Part No. 02021

Item# 1003182

CRC® Lectra Clean® Heavy Duty Energized Electrical Parts Degreaser, 5 Gal

Discontinued

alternate available **Product No. 02018** **ITEM# 1003177**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effectively removes contaminants to increase operating efficiency of energized electrical equipment. It evaporates quickly, leaves no residue and has no flash or fire point. Designed and labeled to be used on equipment where energy and/or residual exists during cleaning.

Applications

- Energized Electrical Equipment Such as Armatures
- Generators
- Relays
- Electric Motors
- Compressors
- Electric Panels

Appearance _____ Clear Liquid

Brand _____ CRC

DOT Proper Shipping Name _____ Tetrachloroethylene Mixture
(Marine Pollutant)

Dielectric Strength _____ 50,500 Volts

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Heavy Duty Degreaser

Item Number _____ 02021

KB Value _____ 95

NSF Category Code _____ K1

NSF Number _____ 017217

Net Fill _____ 5 Gal

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 02018

Replacement Product SKU _____ 1003177

Specific Gravity _____ 1.62

UPC Code _____ 078254020211

Unit Dimensions _____ 13.8H x 11.3W x 11.3D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 02023

Item# 1003183

CRC® Lectra Clean® Heavy Duty Energized Electrical Parts Degreaser, 55 Gal

Discontinued

alternate available Product No. 02018 [ITEM# 1003177](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effectively removes contaminants to increase operating efficiency of energized electrical equipment. It evaporates quickly, leaves no residue and has no flash or fire point. Designed and labeled to be used on equipment where energy and/or residual exists during cleaning.

Applications

- Energized Electrical Cleaner

Appearance _____ Clear Liquid

Brand _____ CRC

DOT Proper Shipping Name _____ Tetrachloroethylene Mixture
(Marine Pollutant), RQ

Dielectric Strength _____ 50,500 Volts

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Very Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Heavy Duty Degreaser

Item Number _____ 02023

KB Value _____ 95

NSF Category Code _____ K1

NSF Number _____ 017217

Net Fill _____ 55 Gal

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 02018

Replacement Product SKU _____ 1003177

Specific Gravity _____ 1.62

UPC Code _____ 078254020235

Unit Dimensions _____ 35H x 24.5W x 24.5D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Energized Electrical Cleaner

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 02020

Item# 1003181

CRC® Lectra Clean® Heavy Duty Energized Electrical Parts Degreaser, 1 Gal

Discontinued

alternate available Product No. 02018 ITEM# 1003177

Discontinued product number may still be available for a limited time through your local supplier or retailer.


Description

Effectively removes contaminants to increase operating efficiency of energized electrical equipment. It evaporates quickly, leaves no residue and has no flash or fire point. Designed and labeled to be used on equipment where energy and/or residual exists during cleaning.

Applications

- Energized Electrical Equipment Such as Armatures
- Electric Motors
- Generators
- Compressors
- Relays
- Electric Panels

Appearance	Clear Liquid	Brand	CRC
Case#	1003180	DOT Proper Shipping Name	Tetrachloroethylene mixture, Limited Quantity
Dielectric Strength	18340 V	Dry Time Fully Dry	30 Seconds
Evaporation Rate	Very Fast	Flammability Class - CPSC	Not a Consumer Product
Flash point (C)	None	Flash point (F)	None
Generic Description	Heavy Duty Degreaser	I 2 of 5 Code	30078254020205
Item Number	02020	KB Value	90
NSF Category Code	K1	NSF Number	017217
Net Fill	1 Gal	Plastic Safe	No
Product Lifecycle Status	DISC	Propellant	None
Replacement Legacy Num	02018	Replacement Product SKU	1003177
Specific Gravity	1.62	UPC Code	078254020204
Unit Dimensions	10.25H x 5W x 6.13D in	Unit Package Description	1 Gallon Bottle
Units per Case	4	VOC % (Consumer Product def)	0
VOC % (Federal)	0	VOC Category	Energized Electrical Cleaner
VOC Lbs./Gal. (Federal)	0	VOC g/L (Consumer Product def)	0
VOC g/L (Federal)	0	VOC lbs/gal (Consumer Prod def)	0



Part No. 05025CA

Item# 1003644

CRC® Engine Degreaser, 15 Wt Oz

Description

Engine Degreaser quickly lifts grease & grime off engines for cooler more efficient running. Easy to use - just spray on & rinse off. Leaves no residue.

Applications

- Automobiles
- Construction Applications
- Metal Parts
- Boats
- Engines
- Machinery

Appearance _____ Clear Light Amber Liquid

Brand _____ CRC

Case# _____ 1003643

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 72°C

Flash point (F) _____ 162°F

Generic Description _____ Engine Degreaser

I 2 of 5 Code _____ 30078254250251

Item Number _____ 05025CA

Net Fill _____ 15 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Specific Gravity _____ 0.83

UPC Code _____ 078254250250

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 10

VOC % (Federal) _____ 97.2

VOC Category _____ Engine Degreasers

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product def) _____ 83

VOC g/L (Federal) _____ 1507.2

VOC lbs/gal (Consumer Prod def) _____ 0.69



Part No. 14418

Item# 1004974

CRC® HydroForce® Industrial Strength Degreaser, 55 Gal

Discontinued

alternate available Product No. 14415 ITEM# 1004970

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An aqueous cleaner with the powerful performance of a solvent. Removes heavy deposits of grease, oil & dirt. Biodegradable, concentrated, non-abrasive & non-flammable. Use caution on soft metals & painted surfaces.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Etc

Appearance _____ Clear Red Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Corrosive Liquids, N.O.S.
(Potassium Hydroxide, Sodium Metasilicate)

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 161560

Generic Description _____ Industrial Strength Degreaser

Item Number _____ 14418

NSF Category Code _____ C1

NSF Number _____ 136912

Net Fill _____ 55 Gal

PH _____ 13.05

Plastic Safe _____ May Harm Sensitive Plastics

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Replacement Legacy Num _____ 14415

Replacement Product SKU _____ 1004970

Specific Gravity _____ 1.078

UPC Code _____ 078254144184

Unit Dimensions _____ 40H x 23.75W x 23.75D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0.4 (at dilution),3.96
(concentrate)

VOC % (Federal) _____ 8.2 concentrate; .82 min dilution

VOC Category _____ General Purpose Degreaser -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0.74 concentrate; 0.007 min
dilution

VOC g/L (Consumer Product def) _____ 4.27 (at dilution),42.7
(concentrate)

VOC g/L (Federal) _____ 89.2 concentrate; 8.92 min dilution

VOC lbs/gal (Consumer Prod def) _____ 0.04 (at dilution),0.36
(concentrate)



Part No. 14417

Item# 1004973

CRC® HydroForce® Industrial Strength Degreaser, 5 Gal

Discontinued

alternate available Product No. 14415 [ITEM# 1004970](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An aqueous cleaner with the powerful performance of a solvent. Removes heavy deposits of grease, oil & dirt. Biodegradable, concentrated, non-abrasive & non-flammable. Use caution on soft metals & painted surfaces.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Etc

Appearance _____ Clear Red Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Corrosive Liquids, N.O.S.
(Potassium Hydroxide, Sodium Metasilicate)

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 161560

Generic Description _____ Industrial Strength Degreaser

Item Number _____ 14417

NSF Category Code _____ C1

NSF Number _____ 136912

Net Fill _____ 5 Gal

PH _____ 13.05

Plastic Safe _____ May Harm Sensitive Plastics

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Replacement Legacy Num _____ 14415

Replacement Product SKU _____ 1004970

Specific Gravity _____ 1.078

UPC Code _____ 078254144177

Unit Dimensions _____ 15.25H x 12.5W x 12.5D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0.4 (at dilution),3.96
(concentrate)

VOC % (Federal) _____ 8.2 concentrate; .82 min dilution

VOC Category _____ General Purpose Degreaser -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 0.74 concentrate; 0.007 min
dilution

VOC g/L (Consumer Product def) _____ 4.27 (at dilution),42.7
(concentrate)

VOC g/L (Federal) _____ 89.2 concentrate; 8.92 min dilution

VOC lbs/gal (Consumer Prod def) _____ 0.04 (at dilution),0.36
(concentrate)



Part No. 14415

Item# 1004970

CRC® HydroForce® Industrial Strength Degreaser, 32 Fl Oz

Description

An aqueous cleaner with the powerful performance of a solvent. Removes heavy deposits of grease, oil & dirt. Biodegradable, concentrated, non-abrasive & non-flammable. Use caution on soft metals & painted surfaces.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Etc

Appearance	Clear Red Liquid	Brand	CRC
Case#	1004969	Color	None
DOT Proper Shipping Name	Corrosive Liquids, N.O.S. (Potassium Hydroxide, Sodium Metasilicate), Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Ford Tox No.	161560
Generic Description	Industrial Strength Degreaser	I 2 of 5 Code	30078254144154
Item Number	14415	NSF Category Code	C1
NSF Number	136912	Net Fill	32 Fl Oz
PH	13.05	Plastic Safe	May Harm Sensitive Plastics
Propellant	None	Removal (How To)	Remove with water.
Restricted From Sale In	CA	Specific Gravity	1.078
UPC Code	078254144153	Unit Dimensions	10.75H x 2.75W x 4.5D in
Unit Package Description	32 Ounce Spray Bottle	Units per Case	12
VOC % (Consumer Product def)	3.96	VOC % (Federal)	8.21
VOC Category	General Purpose Degreaser - Non-Aerosol	VOC Lbs./Gal. (Federal)	1.1
VOC g/L (Consumer Product def)	42.7	VOC g/L (Federal)	127.4
VOC lbs/gal (Consumer Prod def)	0.36		



Part No. 14416

Item# 1004972

CRC® HydroForce® Industrial Strength Degreaser, 1 Gal

Discontinued

alternate available Product No. 14415 [ITEM# 1004970](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An aqueous cleaner with the powerful performance of a solvent. Removes heavy deposits of grease, oil & dirt. Biodegradable, concentrated, non-abrasive & non-flammable. Use caution on soft metals & painted surfaces.

Applications

- Tools
- Tires
- Drives
- Shop Equipment
- Fabric
- Appliances
- Tubs
- Showers
- Fiberglass
- Vinyl
- Vehicle Washing
- Chrome
- Polished Metals
- Grills
- Engines
- Motors
- Lawn Equipment
- Floors
- Vents
- Sinks
- Plastic
- Canvas
- Pressure Washers
- Walls
- Stainless Steel
- Etc

Appearance	Clear Red Liquid	Brand	CRC
Case#	1004971	Color	None
DOT Proper Shipping Name	Corrosive Liquids, N.O.S. (Potassium Hydroxide, Sodium Metasilicate)	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Ford Tox No.	161560
Generic Description	Industrial Strength Degreaser	I 2 of 5 Code	30078254144161
Item Number	14416	NSF Category Code	C1
NSF Number	136912	Net Fill	1 Gal
PH	13.05	Plastic Safe	May Harm Sensitive Plastics
Product Lifecycle Status	DISC	Propellant	None
Removal (How To)	Remove with water.	Replacement Legacy Num	14415
Replacement Product SKU	1004970	Specific Gravity	1.078
UPC Code	078254144160	Unit Dimensions	10.25H x 5W x 6.13D in
Unit Package Description	1 Gallon Bottle	Units per Case	4
VOC % (Consumer Product def)	0.4 (at dilution),3.96 (concentrate)	VOC % (Federal)	8.2 concentrate; .82 min dilution
VOC Category	General Purpose Degreaser - Non-Aerosol	VOC Lbs./Gal. (Federal)	0.74 concentrate; 0.007 min dilution
VOC g/L (Consumer Product def)	4.27 (at dilution),42.7 (concentrate)	VOC g/L (Federal)	89.2 concentrate; 8.92 min dilution
VOC lbs/gal (Consumer Prod def)	0.04 (at dilution),0.36 (concentrate)		



Part No. 03120

Item# 1003398

CRC® Heavy Duty Degreaser II, 15 Wt Oz

Description

Non-chlorinated, zero VOC formula for cleaning where chlorinated solvents are not acceptable. High flashpoint of 180°F. Effectively removes soils with no residue build-up. Use caution on plastics.

Applications

- Mechanical Equipment
- Switch Gears
- A Wide Variety of Industrial & Electrical Equipment
- Motors
- Transformers

Appearance	Clear Water-White Liquid	Brand	CRC
Case#	1003397	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	42,100 Volts
Dry Time Fully Dry	>30 Minutes	Evaporation Rate	Slow
Flammability Class - CPSC	Flammable	Flash point (C)	85°C
Flash point (F)	185°F	Ford Tox No.	186638
Generic Description	Non-Chlorinated Heavy Duty Degreaser	I 2 of 5 Code	30078254031201
Item Number	03120	KB Value	75
NSF Category Code	K1,K2	NSF Number	017399
Net Fill	15 Wt Oz	Plastic Safe	No
Propellant	Carbon Dioxide	Specific Gravity	0.839
UPC Code	078254031200	Unit Dimensions	9.25H x 2.63W x 2.63D in
Unit Package Description	20 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	0	VOC % (Federal)	96.05
VOC Category	General Purpose Degreaser - Aerosol	VOC Lbs./Gal. (Federal)	12.4
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	1489.3
VOC lbs/gal (Consumer Prod def)	0		



Part No. 03123

Item# 1003402

CRC® Heavy Duty Degreaser II, 55 Gal

Discontinued

alternate available Product No. 03120 ITEM# 1003398

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Non-chlorinated, zero VOC formula for cleaning where chlorinated solvents are not acceptable. High flashpoint of 180°F. Effectively removes soils with no residue build-up. Use caution on plastics.

Applications

- Mechanical Equipment
- Switch Gears
- A Wide Variety of Industrial & Electrical Equipment
- Motors
- Transformers

Appearance	Clear Water-White Liquid	Brand	CRC
Color	None	DOT Proper Shipping Name	Not Regulated
Dielectric Strength	42,100 Volts	Dry Time Fully Dry	>30 Minutes
Evaporation Rate	Slow	Flammability Class - CPSC	Combustible
Flash point (C)	85°C	Flash point (F)	185°F
Generic Description	Non-Chlorinated Heavy Duty Degreaser	Item Number	03123
KB Value	75	NSF Category Code	K1,K2
NSF Number	017398	Net Fill	55 Gal
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	None	Replacement Legacy Num	03120
Replacement Product SKU	1003398	Specific Gravity	0.839
UPC Code	078254031231	Unit Dimensions	35H x 24.5W x 24.5D in
Unit Package Description	55 Gallon Drum	Units per Case	1
VOC % (Consumer Product def)	0	VOC % (Federal)	100
VOC Category	General Purpose Degreaser - Non-Aerosol	VOC Lbs./Gal. (Federal)	12.9
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	1550.6
VOC lbs/gal (Consumer Prod def)	0		



Part No. 14159

Item# 1004857

SmartWasher® SW-LF OzyzJuice® Low Foam Degreasing Solution, 5 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.



Part No. 05131

Item# 1003738

CRC® VisiClear® Display & Electronics Screen Cleaner, 6.9 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A unique, high quality, natural water based foam cleaner for all televisions, monitors, notebooks/laptops, camcorders, navigation systems, touch screens, PDSs, scanners, and copy machines. It clings to surfaces and will not drip from vertical surfaces. Works to remove dirt, dust, fingerprints, nicotine, & haze deposits.

Applications

- All Televisions
- Notebooks/Laptops
- Navigation Systems
- Pdas
- Monitors
- Camcorders
- Touch Screens
- Scanners and Copy Machines

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003737

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Screen Cleaner

I 2 of 5 Code _____ 30078254051315

Item Number _____ 05131

Net Fill _____ 6.9 Wt Oz

PH _____ 9 to 10

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Propane/Butane

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1

UPC Code _____ 078254051314

Unit Dimensions _____ 6.88H x 2W x 2D in

Unit Package Description _____ 8 ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 3.1

VOC % (Federal) _____ 3.1


VOC Category _____ Glass Cleaners - Aerosol

VOC Lbs./Gal. (Federal) _____ 0.4

VOC g/L (Consumer Product def) _____ 31

VOC g/L (Federal) _____ 48.1

VOC lbs/gal (Consumer Prod def) _____ 0.26



Part No. 14149

Item# 1007983

SmartWasher® FL-3 OzzyMat® Single Layer Fluid Activation Mat

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Works with all grades of fluid. Filters must be used for proper cleaning and operation of the SmartWasher® system.

Applications

- For Use With Smartwasher Parts Cleaning System

Appearance _____ Solid Filter buff to brown color

Brand _____ SmartWasher

Case# _____ 1004854

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Regular Grade Filter

I 2 of 5 Code _____ 60649123000058

Item Number _____ 14149

Net Fill _____ 1 Filter

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Specific Gravity _____ 0.5 to 0.7

UPC Code _____ 078254141497

Unit Dimensions _____ 6.5H x 1W x 12D in

Unit Package Description _____ 1 Filter

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0


VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 14005

Item# 1004762

CRC® Natural Degreaser™ Citrus-Based Degreaser, 16 Wt Oz

Description

A blend of natural citrus and organic solvents that effectively clean and degrease. Perfect for use on all metals. Leaves no sticky residue. NSF C1 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Clear Water-White Liquid	Brand	CRC
Case#	1004761	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	28,600 Volts
Evaporation Rate	Slow	Flammability Class - CPSC	Flammable
Flash point (C)	66°C	Flash point (F)	150°F
Ford Tox No.	045600	Generic Description	Cleaner/Degreaser
I 2 of 5 Code	30078254140057	Item Number	14005
KB Value	>200	NSF Category Code	C1
NSF Number	017422	Net Fill	16 Wt Oz
Plastic Safe	No	Propellant	Carbon Dioxide
Removal (How To)	Remove with water-based degreaser.	Specific Gravity	0.93
UPC Code	078254140056	Unit Dimensions	9.25H x 2.63W x 2.63D in
Unit Package Description	20 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	9.7	VOC % (Federal)	97
VOC Category	General Purpose Degreaser - Aerosol	VOC Lbs./Gal. (Federal)	12.6
VOC g/L (Consumer Product def)	89.8	VOC g/L (Federal)	1504.1
VOC lbs/gal (Consumer Prod def)	0.75		



Part No. 06064

Item# 1003900

CRC® Marine Carb & Choke Cleaner, 12 Wt Oz

Description

Designed to maximize carburetor performance. Quickly dissolves carburetor deposits such as gum, sludge & varnish to improve fuel system performance & enhance fuel economy.

Applications

- Automatic Chokes
- Crankcase Breather Element
- General Purpose Cleaner For Non-Painted Surfaces
- Intake Parts
- Carburetor Components
- Exhaust Gas Recycling Valve (Egr)
- Heat Risers
- Positive Crankcase Ventilating System Including PCV Valve

Appearance	Clear Liquid	Brand	CRC
Case#	1003899	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	6,300 Volts
Evaporation Rate	Fast	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-18°C	Flash point (F)	<0°F
Generic Description	Marine Carb & Choke Cleaner	I 2 of 5 Code	30078254060645
Item Number	06064	KB Value	>200
Net Fill	12 Wt Oz	Plastic Safe	No
Propellant	Carbon Dioxide	Specific Gravity	0.78
UPC Code	078254060644	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	9.2	VOC % (Federal)	9.2
VOC Category	Carburetor Cleaner	VOC Lbs./Gal. (Federal)	0.65
VOC g/L (Consumer Product def)	77.4	VOC g/L (Federal)	77.4
VOC lbs/gal (Consumer Prod def)	0.65		



Part No. 14400

Item# 1004947

CRC® HydroForce® Foaming Citrus All Purpose Cleaner, 18 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Rich, foamy, all-purpose aqueous-based degreaser with a citrus scent. Clings to tough, stubborn stains on vertical or inverted surfaces without runs or drips. Its foaming action instantly begins to lift-off & eliminate dirt, dust, ink, & grime deposits.

Applications

- Desks
- Walls
- Grills
- Lawn Equip
- Vents
- Tubs
- Showers
- Fabrics
- Plastic
- Vinyl
- Polished Metals
- Non-Porous Surfaces
- Counters
- Ink Rollers
- Shop Equip
- Appliances
- Exhaust Fans
- Sinks
- Garbage Cans
- Canvas
- Fiberglass
- Rubber
- Stainless Steel

Appearance	Light Yellow, Hazy Liquid	Brand	CRC
Case#	1004946	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	All Purpose Cleaner
I 2 of 5 Code	30078254144000	Item Number	14400
NSF Category Code	C1	NSF Number	136913
Net Fill	18 Wt Oz	PH	10.9
Plastic Safe	Yes	Product Lifecycle Status	DISC
Propellant	Hydrocarbon	Removal (How To)	Remove with water.
Specific Gravity	1.005	UPC Code	078254144009
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	7.7
VOC % (Federal)	7.7	VOC Category	General Purpose Cleaner - Aerosol
VOC Lbs./Gal. (Federal)	0.65	VOC g/L (Consumer Product def)	77.55
VOC g/L (Federal)	77.55	VOC lbs/gal (Consumer Prod def)	0.65



Part No. 03121

Item# 1003400

CRC® Heavy Duty Degreaser II, 1 Gal

Discontinued

alternate available Product No. 03120 **ITEM# 1003398**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Non-chlorinated, zero VOC formula for cleaning where chlorinated solvents are not acceptable. High flashpoint of 180°F. Effectively removes soils with no residue build-up. Use caution on plastics.

Applications

- Mechanical Equipment
- Switch Gears
- A Wide Variety of Industrial & Electrical Equipment
- Motors
- Transformers

Appearance	Clear Water-White Liquid	Brand	CRC
Case#	1003399	Color	None
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	42,100 Volts
Dry Time Fully Dry	>30 Minutes	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	85°C
Flash point (F)	185°F	Generic Description	Non-Chlorinated Heavy Duty Degreaser
I 2 of 5 Code	30078254031218	Item Number	03121
KB Value	75	NSF Category Code	K1,K2
NSF Number	017398	Net Fill	1 Gal
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	None	Replacement Legacy Num	03120
Replacement Product SKU	1003398	Specific Gravity	0.839
UPC Code	078254031217	Unit Dimensions	10.25H x 5W x 6.13D in
Unit Package Description	1 Gallon Bottle	Units per Case	4
VOC % (Consumer Product def)	0	VOC % (Federal)	100
VOC Category	General Purpose Degreaser - Non-Aerosol	VOC Lbs./Gal. (Federal)	12.9
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	1550.6
VOC lbs/gal (Consumer Prod def)	0		



Part No. 03122

Item# 1003401

CRC® Heavy Duty Degreaser II, 5 Gal

Discontinued

alternate available Product No. 03120 [ITEM# 1003398](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Non-chlorinated, zero VOC formula for cleaning where chlorinated solvents are not acceptable. High flashpoint of 180°F. Effectively removes soils with no residue build-up. Use caution on plastics.

Applications

- Mechanical Equipment
- Switch Gears
- A Wide Variety of Industrial & Electrical Equipment
- Motors
- Transformers

Appearance _____ Clear Water-White Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ 42,100 Volts

Dry Time Fully Dry _____ >30 Minutes

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 85°C

Flash point (F) _____ 185°F

Generic Description _____ Non-Chlorinated Heavy Duty
Degreaser

Item Number _____ 03122

KB Value _____ 75

NSF Category Code _____ K1,K2

NSF Number _____ 017398

Net Fill _____ 5 Gal

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 03120

Replacement Product SKU _____ 1003398

Specific Gravity _____ 0.839

UPC Code _____ 078254031224

Unit Dimensions _____ 13.8H x 11.3W x 11.3D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 100

VOC Category _____ General Purpose Degreaser -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 1550.6

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 14171

Item# 1004863

CRC® Citrus Degreaser, 15 Fl Oz


Description

Removes grease, oil and lubricants with no water wash-off. Evaporates quickly and leaves no residue. Pleasant citrus scent. NSF C1 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Clear Liquid	Brand	CRC
Case#	1004862	Color	None
DOT Proper Shipping Name	Not Regulated by Ground	Dielectric Strength	35,000 Volts
Dry Time Fully Dry	4 to 5 Minutes	Evaporation Rate	Fast
Flammability Class - CPSC	Combustible	Flash point (C)	38°C
Flash point (F)	100°F	Ford Tax No.	170990
Generic Description	Heavy Duty Cleaner/Degreaser	I 2 of 5 Code	30078254141719
Item Number	14171	KB Value	54
NSF Category Code	C1	NSF Number	123530
Net Fill	15 Fl Oz	Plastic Safe	No
Propellant	None	Restricted From Sale In	Manufacturing Use Only
Specific Gravity	0.82	UPC Code	078254141718
Unit Dimensions	10H x 2.63W x 3.75D in	Unit Package Description	16 Ounce Non-Aerosol Spray Can
Units per Case	12	VOC % (Consumer Product def)	100
VOC % (Federal)	100	VOC Category	General Purpose Degreaser - Not for Retail Sale
VOC Lbs./Gal. (Federal)	12.9	VOC g/L (Consumer Product def)	820
VOC g/L (Federal)	1550.6	VOC lbs/gal (Consumer Prod def)	6.83



Part No. 14170

Item# 1004861

CRC® Citrus Degreaser, 15 Wt Oz

Description

New Low VOC Formula. Removes grease, oil and lubricants with no water wash-off. Controlled evaporation and leaves no residue. Pleasant citrus scent. NSF C1 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Clear Water-White Liquid	Brand	CRC
Case#	1004860	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	58,600 Volts
Evaporation Rate	Slow	Flammability Class - CPSC	Flammable
Flash point (C)	76.7°C	Flash point (F)	170°F
Generic Description	Heavy Duty Cleaner/Degreaser	I 2 of 5 Code	30078254141702
Item Number	14170	KB Value	32
NSF Category Code	C1	NSF Number	123521
Net Fill	15 Wt Oz	Plastic Safe	No
Propellant	Carbon Dioxide	Removal (How To)	Remove with petroleum distillates.
Specific Gravity	0.81	UPC Code	078254141701
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	9.8
VOC % (Federal)	97.5	VOC Category	General Purpose Degreaser - Aerosol
VOC Lbs./Gal. (Federal)	12.6	VOC g/L (Consumer Product def)	79.4
VOC g/L (Federal)	1511.8	VOC lbs/gal (Consumer Prod def)	0.66



Part No. 03194

Item# 1003449

CRC® Graffiti Remover, 12 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Removes spray paints, marking inks, crayons, scuff marks, lipstick, lacquers, and varnish. Contains no methylene chloride.

Applications

- Brick and Concrete Walls
- Trucks
- Buses
- Seats
- Lockers
- Light Posts
- Etc
- Road Signs
- Trains
- Bus Stops
- Desks
- Counters
- Bathroom Partitions

Appearance _____ Light Grey Viscous Liquid

Brand _____ CRC

Case# _____ 1003448

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 13.3°C

Flash point (F) _____ 56°F

Generic Description _____ Graffiti Remover

I 2 of 5 Code _____ 30078254031942

Item Number _____ 03194

NSF Category Code _____ C3

NSF Number _____ 142830

Net Fill _____ 12 Wt Oz

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Removal (How To) _____ Wipe or scrape off

Specific Gravity _____ 0.7419

UPC Code _____ 078254031941

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 47.5

VOC % (Federal) _____ 47.5

VOC Category _____ Graffiti Remover - Aerosol

VOC Lbs./Gal. (Federal) _____ 6.1

VOC g/L (Consumer Product def) _____ 352.4

VOC g/L (Federal) _____ 736.5

VOC lbs/gal (Consumer Prod def) _____ 2.94



Part No. 03200

Item# 1003455

CRC® Electronic Component Cleaner, 13 Wt Oz

Description

High purity, fast penetrating formula aggressively dissolves grease, dust, lint, oils, etc. from most non-plastic surfaces. It has no flash or fire point, evaporates rapidly and leaves no residue.

Applications

- Contacts
- Motors
- Generators
- Busbars
- Scales & Sensors Not Recommended For Use on Lexan®, Noryl®, or Polycarbonate-Type Plastics
- Metal Switches
- Relays
- Edge Connectors
- Circuit Breakers

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1003454	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	26,100 Volts
Dry Time Fully Dry	Fast	Evaporation Rate	Fast
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Electronic Component Cleaner
I 2 of 5 Code	30078254032000	Item Number	03200
KB Value	45	NSF Category Code	K2
NSF Number	139595	Net Fill	13 Wt Oz
Plastic Safe	No	Propellant	Carbon Dioxide
Restricted From Sale In	CA	Specific Gravity	1.27
UPC Code	078254032009	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	57.5	VOC % (Federal)	57.5
VOC Category	Electronic Cleaner	VOC Lbs./Gal. (Federal)	7.4
VOC g/L (Consumer Product def)	730.3	VOC g/L (Federal)	891.6
VOC lbs/gal (Consumer Prod def)	6.1		



Part No. 14430

Item# 1004982

CRC® HydroForce® Germicidal Foam Cleaner, 19 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

CRC HydroForce® Germicidal Foam Cleaner has demonstrated effectiveness against viruses similar to SARS-CoV-2 (COVID-19 Coronavirus) on hard, non-porous surfaces. Therefore, CRC HydroForce® Germicidal Foam Cleaner can be used against SARS-CoV-2 (COVID-19 Coronavirus) when used in accordance with the directions for use against adenovirus on hard, non-porous surfaces. Refer to the CDC website for additional information. Cleans, disinfects and deodorizes in one easy step.

Applications

- Hospitals
- Nursing Homes
- Schools
- Hotels For Use on Commonly Shared Tools
- Sinks
- Walls
- Furniture
- Institutions
- Offices
- Motels
- Bathtubs
- Shower Stalls
- Tile Surfaces

Appearance _____ Foaming Spray

Brand _____ CRC

Case# _____ 1004981

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ 53

Generic Description _____ Germicidal Foam Cleaner

I 2 of 5 Code _____ 30078254144307

Item Number _____ 14430

NSF Category Code _____ C1

NSF Number _____ 127864

Net Fill _____ 19 Wt Oz

PH _____ 11.8 to 12.8

Product Lifecycle Status _____ DSEL

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with water.

Restricted From Sale In _____ For Sale in United States and
Puerto Rico ONLY.

Specific Gravity _____ 1.0 to 1.01

UPC Code _____ 078254144306

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 7.9

VOC Category _____ General Purpose Cleaner -
Aerosol

VOC g/L (Consumer Product
def) _____ 77

VOC lbs/gal (Consumer Prod def) _____ 0.6



Part No. 14144

Item# 1004851

SmartWasher® SW-28 SuperSink Parts Washer

Description

An alternative to conventional petroleum-based parts washing systems. Has a large 8"H x 41"W x 24"D sink and side mounted control panel. For information on spare parts and technical support please contact CRC Technical.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Brand _____ SmartWasher

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ N/A

Film Type _____ N/A

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ 41" Parts Cleaner

Item Number _____ 14144

Net Fill _____ 1 Unit

Propellant _____ N/A

Removal (How To) _____ N/A

UPC Code _____ 649123000629

Unit Dimensions _____ 47H x 47W x 37D in

Unit Package Description _____ 1 Unit

Units per Case _____ 1

VOC Category _____ Not Regulated



Part No. 14710

Item# 1005003

SmartWasher® SW-28XE SuperSink XE Parts Washer

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An alternative to conventional petroleum-based parts washing systems. This bioremediating unit eliminates the expense and liability of hazardous waste removal. No flash point, no toxic solvents and no caustic materials while remaining intensely powerful. Contains 2 brush stations, light kit, and a parts basket. For information on spare parts and technical support please contact CRC Technical

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Brand _____ SmartWasher

DOT Proper Shipping Name _____ Not Regulated

Generic Description _____ Parts Washer

Item Number _____ 14710

Net Fill _____ 1 Unit

Product Lifecycle Status _____ DSEL

UPC Code _____ 649123001077

Unit Dimensions _____ 47H x 42W x 38D in

Unit Package Description _____ 1 Unit

Units per Case _____ 1

VOC Category _____ Not Regulated



Part No. 14174

Item# 1004867

CRC® Citrus Degreaser, 55 Gal

Description

Removes grease, oil and lubricants with no water wash-off. Evaporates quickly and leaves no residue. Pleasant citrus scent. NSF C1 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated by Ground

Dielectric Strength _____ 35,000 Volts

Dry Time Fully Dry _____ 4 to 5 Minutes

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ 38°C

Flash point (F) _____ 100°F

Ford Tox No. _____ 170990

Generic Description _____ Heavy Duty Cleaner/Degreaser

Item Number _____ 14174

KB Value _____ 54

NSF Category Code _____ C1

NSF Number _____ 123530

Net Fill _____ 55 Gal

Plastic Safe _____ No

Propellant _____ None

Restricted From Sale In _____ Manufacturing Use Only

Specific Gravity _____ 0.82

UPC Code _____ 078254141749

Unit Dimensions _____ 35H x 24.5W x 24.5D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 100

VOC % (Federal) _____ 100

VOC Category _____ General Purpose Degreaser - Not
for Retail Sale

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product
def) _____ 820

VOC g/L (Federal) _____ 1550.6

VOC lbs/gal (Consumer Prod
def) _____ 6.83



Part No. 14173

Item# 1004866

CRC® Citrus Degreaser, 5 Gal

Discontinued

alternate available Product No. 14172 [ITEM# 1004865](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Removes grease, oil and lubricants with no water wash-off. Evaporates quickly and leaves no residue. Pleasant citrus scent. NSF C1 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated by Ground

Dielectric Strength _____ 35,000 Volts

Dry Time Fully Dry _____ 4 to 5 Minutes

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 38°C

Flash point (F) _____ 100°F

Ford Tox No. _____ 170990

Generic Description _____ Heavy Duty Cleaner/Degreaser

Item Number _____ 14173

KB Value _____ 54

NSF Category Code _____ C1

NSF Number _____ 123530

Net Fill _____ 5 Gal

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 14172

Replacement Product SKU _____ 1004865

Restricted From Sale In _____ Manufacturing Use Only

Specific Gravity _____ 0.82

UPC Code _____ 078254141732

Unit Dimensions _____ 13.8H x 11.3W x 11.3D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 100

VOC % (Federal) _____ 100

VOC Category _____ General Purpose Degreaser -
Not for Retail Sale

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product def) _____ 820

VOC g/L (Federal) _____ 1550.6

VOC lbs/gal (Consumer Prod def) _____ 6.83



Part No. 14172

Item# 1004865

CRC® Citrus Degreaser, 1 Gal

Description

Removes grease, oil and lubricants with no water wash-off. Evaporates quickly and leaves no residue. Pleasant citrus scent. NSF C1 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1004864	Color	None
DOT Proper Shipping Name	Not Regulated by Ground	Dielectric Strength	35,000 Volts
Dry Time Fully Dry	4 to 5 Minutes	Evaporation Rate	Fast
Flammability Class - CPSC	Not a Consumer Product	Flash point (C)	37.8°C
Flash point (F)	100°F	Ford Tax No.	170990
Generic Description	Heavy Duty Cleaner/Degreaser	I 2 of 5 Code	30078254141726
Item Number	14172	KB Value	54
NSF Category Code	C1	NSF Number	123530
Net Fill	1 Gal	Plastic Safe	No
Propellant	None	Restricted From Sale In	Manufacturing Use Only
Specific Gravity	0.82	UPC Code	078254141725
Unit Dimensions	10.25H x 5W x 6.13D in	Unit Package Description	1 Gallon Bottle
Units per Case	4	VOC % (Consumer Product def)	100
VOC % (Federal)	100	VOC Category	General Purpose Degreaser - Not for Retail Sale
VOC Lbs./Gal. (Federal)	12.9	VOC g/L (Consumer Product def)	820
VOC g/L (Federal)	1550.6	VOC lbs/gal (Consumer Prod def)	6.83



Part No. 06102

Item# 1003913

CRC® Marine QD® Electronic Cleaner, 11 Wt Oz

Description

Cleans sensitive electronic components & contacts. Use on electronic engine controls, data sensors & wiring, GPS, fishfinders, computers, VCRs, stereos, CD & DVD players. Helps prevent contact failure or malfunction. Evaporates quickly. Leaves no residue.

Applications

- Sensitive Electronics
- Clocks
- Fans
- Electronics
- Flux Removal
- Lexan
- Lighting
- Noryl (Plastic)
- Pcs
- Switches
- Tape Heads
- Terminals
- Circuit Breakers
- Contacts
- Motors
- Fiberglass
- Generators
- Light Sockets
- Metal Parts
- Nylon
- Plugs
- PVC
- Telephones

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1003912	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity (Marine Pollutant)	Dry Time Fully Dry	30 Seconds
Evaporation Rate	Very Fast	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-17.8°C	Flash point (F)	<0°F
Generic Description	Electronic Cleaner	I 2 of 5 Code	30078254061024
Item Number	06102	KB Value	27
Net Fill	11 Wt Oz	Plastic Safe	Yes
Propellant	HFC-152a	Specific Gravity	0.66
UPC Code	078254061023	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	75	VOC % (Federal)	75
VOC Category	Electronic Cleaner	VOC Lbs./Gal. (Federal)	9.7
VOC g/L (Consumer Product def)	495	VOC g/L (Federal)	1163
VOC lbs/gal (Consumer Prod def)	4.1		



Part No. 03113

Item# 1003386

CRC® Super Degreaser™ Cleaner/Degreaser, 55 Gal

Discontinued

alternate available Product No. 03118 [ITEM# 1003394](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Non-chlorinated, non-corrosive, non-staining formula quickly dissolves grease, oil & sludge. It has no flash or fire point, evaporates rapidly & leaves no residue. NSF K2 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Clear Colorless Liquid	Brand	CRC
Color	None	DOT Proper Shipping Name	Not Regulated
Dielectric Strength	26,800 Volts	Dry Time Fully Dry	30 Seconds
Evaporation Rate	Fast	Flammability Class - CPSC	None
Flash point (C)	None	Flash point (F)	None
Generic Description	Cleaner/Degreaser	Item Number	03113
KB Value	125	NSF Category Code	K2
NSF Number	116810	Net Fill	55 Gal
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	None	Replacement Legacy Num	03118
Replacement Product SKU	1003394	Restricted From Sale In	Manufacturing Use Only
Specific Gravity	1.33	UPC Code	078254031132
Unit Dimensions	35H x 24.5W x 24.5D in	Unit Package Description	55 Gallon Drum
Units per Case	1	VOC % (Consumer Product def)	100
VOC % (Federal)	100	VOC Category	General Purpose Degreaser - Not for Retail Sale
VOC Lbs./Gal. (Federal)	12.9	VOC g/L (Consumer Product def)	1300
VOC g/L (Federal)	1550.6	VOC lbs/gal (Consumer Prod def)	11



Part No. 03111

Item# 1003384

CRC® Super Degreaser™ Cleaner/Degreaser, 1 Gal

Discontinued

alternate available Product No. 03116 [ITEM# 1003392](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Non-chlorinated, non-corrosive, non-staining formula quickly dissolves grease, oil & sludge. It has no flash or fire point, evaporates rapidly & leaves no residue. NSF K2 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1003383	Color	None
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	26,800 Volts
Dry Time Fully Dry	30 Seconds	Evaporation Rate	Fast
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Cleaner/Degreaser
I 2 of 5 Code	30078254031119	Item Number	03111
KB Value	125	NSF Category Code	K2
NSF Number	116810	Net Fill	1 Gal
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	None	Replacement Legacy Num	03116
Replacement Product SKU	1003392	Restricted From Sale In	Manufacturing Use Only
Specific Gravity	1.33	UPC Code	078254031118
Unit Dimensions	11H x 4W x 6.5D in	Unit Package Description	1 Gallon Can
Units per Case	4	VOC % (Consumer Product def)	100
VOC % (Federal)	100	VOC Category	General Purpose Degreaser - Not for Retail Sale
VOC Lbs./Gal. (Federal)	12.9	VOC g/L (Consumer Product def)	1300
VOC g/L (Federal)	1550.6	VOC lbs/gal (Consumer Prod def)	11



Part No. 03114

Item# 1003388

CRC® Super Degreaser™ Cleaner/Degreaser, 13 Fl Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Non-chlorinated, non-corrosive, non-staining formula quickly dissolves grease, oil & sludge. It has no flash or fire point, evaporates rapidly & leaves no residue. NSF K2 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Clear Colorless Liquid	Brand	CRC
Case#	1003387	Color	None
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	26,800 Volts
Dry Time Fully Dry	30 Seconds	Evaporation Rate	Fast
Flammability Class - CPSC	Not a Consumer Product	Flash point (C)	None
Flash point (F)	None	Generic Description	Cleaner/Degreaser
I 2 of 5 Code	30078254031140	Item Number	03114
KB Value	125	NSF Category Code	K2
NSF Number	116810	Net Fill	13 Fl Oz
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	None	Restricted From Sale In	Manufacturing Use Only
Specific Gravity	1.33	UPC Code	078254031149
Unit Dimensions	10H x 2.63W x 3.75D in	Unit Package Description	16 Ounce Non-Aerosol Spray Can
Units per Case	12	VOC % (Consumer Product def)	100
VOC % (Federal)	100	VOC Category	General Purpose Degreaser - Not for Retail Sale
VOC Lbs./Gal. (Federal)	12.9	VOC g/L (Consumer Product def)	1300
VOC g/L (Federal)	1550.6	VOC lbs/gal (Consumer Prod def)	11



Part No. 03112

Item# 1003385

CRC® Super Degreaser™ Cleaner/Degreaser, 5 Gal

Discontinued

alternate available Product No. 03117 [ITEM# 1003393](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Non-chlorinated, non-corrosive, non-staining formula quickly dissolves grease, oil & sludge. It has no flash or fire point, evaporates rapidly & leaves no residue. NSF K2 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ 26,800 Volts

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaner/Degreaser

Item Number _____ 03112

KB Value _____ 125

NSF Category Code _____ K2

NSF Number _____ 116810

Net Fill _____ 5 Gal

Plastic Safe _____ No

Product Lifecycle Status _____ DSEL

Propellant _____ None

Replacement Legacy Num _____ 03117

Replacement Product SKU _____ 1003393

Restricted From Sale In _____ Manufacturing Use Only

Specific Gravity _____ 1.33

UPC Code _____ 078254031125

Unit Dimensions _____ 13.8H x 11.3W x 11.3D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 100

VOC % (Federal) _____ 100

VOC Category _____ General Purpose Degreaser - Not
for Retail Sale

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product
def) _____ 1300

VOC g/L (Federal) _____ 1550.6

VOC lbs/gal (Consumer Prod
def) _____ 11



Part No. 05815

Item# 1003859

CRC® Gasoline 1-Tank Power Renew®, 15 Fl Oz

Description

A concentrated one-tank cleanup that delivers a powerful SHOCK to your dirty fuel system. Made with the maximum available chemistry it's the most powerful fuel system cleaner on the market. Excellent cleanup with proven results. Up to 5.7% MPG increase, 97% total power restoration, 99% injector flow improvement and cleaner emissions. Only needed 4x per year.

Applications

- For Use in Direct or Port Injection Engines to Super-Clean Fuel System

Appearance _____ Clear Yellow Liquid

Brand _____ CRC

Case# _____ 1003858

Color _____ None

DOT Proper Shipping Name _____ Corrosive liquids, n.o.s.
(polyether amine), Limited
Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ 72°C

Flash point (F) _____ 161°F

Generic Description _____ Complete Fuel System Cleanup

I 2 of 5 Code _____ 50078254058158

Item Number _____ 05815

Net Fill _____ 15 Fl Oz

Plastic Safe _____ No

Propellant _____ None

Removal (How To) _____ Remove with petroleum distillates.

Specific Gravity _____ 0.878

Treatment Ratio _____ 1 Bottle (15 fl oz) treats 25 Gal of
gasoline

UPC Code _____ 078254058153

Unit Dimensions _____ 8.75H x 3.69W x 3.5D in

Unit Package Description _____ 16 Ounce Bottle

Units per Case _____ 6

VOC % (Consumer Product def) _____ 94

VOC % (Federal) _____ 100

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 7.09

VOC g/L (Consumer Product def) _____ 774

VOC g/L (Federal) _____ 850

VOC lbs/gal (Consumer Prod def) _____ 6.46



Part No. 14132

Item# 1004850

SmartWasher® Odor Neutralizer, 4 Fl Oz

Description

Odor neutralizer for use with the SmartWasher® parts cleaning system.

Applications

- For Use With Smartwasher Parts Cleaning System

Appearance	Colorless to Light Yellow Liquid	Brand	CRC
Case#	1752727	Color	None
DOT Proper Shipping Name	Not Regulated	Evaporation Rate	Not Determined
Flammability Class - CPSC	Not a Consumer Product	Flash point (C)	84°C
Flash point (F)	183.2°F	Generic Description	Odor Neutralizer
I 2 of 5 Code	40649123000863	Item Number	14132
Net Fill	4 Fl Oz	PH	N/A
Plastic Safe	Yes	Propellant	None
Removal (How To)	Water	Specific Gravity	1.02
Treatment Ratio	One bottle treats entire SmartWasher unit	UPC Code	649123000865
Unit Dimensions	10H x 1W x 1D in	Unit Package Description	4 Ounce Bottle
Units per Case	1	VOC % (Consumer Product def)	18.3
VOC Category	Not Regulated	VOC g/L (Consumer Product def)	29.8
VOC lbs/gal (Consumer Prod def)	1.5	Viscosity @68 F [cP]	Not Determined



Part No. 14428

Item# 1004980

CRC® HydroForce® Foaming Degreaser, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Foaming water-based formula aggressive enough to break down and dissolve grease, grime, oil, rubber marks and other oil-based contaminants while remaining gentle enough for painted and plastic surfaces.

Applications

- Maintenance Equipment
- Painted Surfaces
- Chrome & Stainless Steel Metallic Parts and Heavy Machinery

Appearance _____ Clear Light Yellow Liquid

Brand _____ CRC

Case# _____ 1004979

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Non-Flammable,
Limited Quantity

Dry Time Fully Dry _____ Slow

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Water-based Cleaner

I 2 of 5 Code _____ 30078254144284

Item Number _____ 14428

NSF Category Code _____ C1

NSF Number _____ 149476

Net Fill _____ 15 Wt Oz

PH _____ 9.9

Plastic Safe _____ Safe on Most Plastics (Test small
area)

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.034

UPC Code _____ 078254144283

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 9.7

VOC % (Federal) _____ 9.7

VOC Category _____ General Purpose Degreaser -
Aerosol

VOC Lbs./Gal. (Federal) _____ 0.81

VOC g/L (Consumer Product def) _____ 97

VOC g/L (Federal) _____ 97

VOC lbs/gal (Consumer Prod def) _____ 0.81



Part No. 06046

Item# 1003896

CRC® Marine Battery Terminal Protector, 7.5 Wt Oz

Discontinued

alternate available Product No. 05046 **ITEM# 1003657**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead free soft protective coating.

Applications

- Battery Posts
- Hold-Downs and Casings Used in Vehicles
- Handling Equipment and Uninterrupted Power Supplies (Ups)
- Security and Emergency Back-Up Systems
- Terminals
- Boats
- Used For Computer

Appearance	Dark Red Viscous Liquid	Brand	CRC
Case#	1003895	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Evaporation Rate	Fast
Film Type	Soft, Visible, Viscous	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-18°C	Flash point (F)	<0°F
Generic Description	Marine Battery Terminal Protector	I 2 of 5 Code	30078254060461
Item Number	06046	MIR Limit (CA)	2.0
MIR Limit (EPA)	None	MIR Value	1.25
Net Fill	7.5 Wt Oz	Plastic Safe	Yes
Product Lifecycle Status	DISC	Propellant	Hydrocarbon
Removal (How To)	Remove with a degreaser or brake cleaner product.	Replacement Legacy Num	05046
Replacement Product SKU	1003657	Specific Gravity	0.727
UPC Code	078254060460	Unit Dimensions	6.25H x 2.63W x 2.63D in
Unit Package Description	12 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	86.3	VOC % (Federal)	86.3
VOC Category	Aerosol Coating: Electrical Coating	VOC Lbs./Gal. (Federal)	11.2
VOC g/L (Consumer Product def)	627.4	VOC g/L (Federal)	1338.2
VOC lbs/gal (Consumer Prod def)	5.23		



Part No. 401224

Item# 1008135

CRC® FiberLock® Head Gasket & Block Repair, 32 Fl Oz

Description

A blown head gasket is a serious problem that causes engine damage and high repair costs. If your vehicle is showing symptoms of a bad head gasket, you can still have time to fix the issue before it becomes a more serious one. CRC FiberLock® Head Gasket & Block Repair will help you permanently repair leaks in head gaskets, engine blocks, and more, all in about 30 minutes!

Applications

- Repairs Head Gaskets
- Cylinder Heads
- Heater Cores and Coolant Leaks on Cars
- Buses
- Engine Blocks Intake Gaskets
- Freeze Plugs
- Trucks

Appearance _____ Beige Fibrous Liquid

Brand _____ CRC

Case# _____ 1006063

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Gap Fill _____ N/A

Generic Description _____ Pour 'N Go Permanent Head Gasket
& Block Repair

I 2 of 5 Code _____ 20078372012246

ISO Viscosity Grade _____ N/A

Item Number _____ 401224

Locking Strength _____ N/A

NSF Number _____ N/A

Net Fill _____ 32 Fl Oz

PH _____ 11.4

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Hot Water

SAE Grade _____ N/A

Specific Gravity _____ 1.07

Treatment Ratio _____ 16 fl oz (1/2 bottle) treats up
to 25 quart cooling systems

UPC Code _____ 078372012242

Unit Dimensions _____ 9.54H x 3.4W x 3.4D in

Unit Package Description _____ 32 Ounce Bottle

Units per Case _____ 6

VOC % (Consumer Product def) _____ < 0.1

VOC % (Federal) _____ < 0.1

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ < 0.01

VOC g/L (Consumer Product
def) _____ < 1

VOC g/L (Federal) _____ < 1

VOC lbs/gal (Consumer Prod
def) _____ < 0.01

Viscosity @68 F [cP] _____ N/A



Part No. 14721

Item# 1005006

SmartWasher® OzzyJuice® SW-7 Parts/Brake Cleaning Solution, 5 Gal

Description

Looking for a heavy-duty solution to clean industrial and automotive parts, while reducing pollutants in the shop? Let CRC SmartWasher® OzzyJuice® tackle the grime! OzzyJuice® SW-7 Parts and Brake Cleaning Solution is an aqueous, industrial-strength cleaning fluid for exclusive use in CRC SmartWasher® parts washing systems.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Slightly Hazy Liquid

Brand _____ SmartWasher

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Not Determined

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ 93.3°C

Flash point (F) _____ 200°F

Ford Tox No. _____ N/A

Generic Description _____ Cleaning Solution

Item Number _____ 14721

NSF Category Code _____ A1

NSF Number _____ 139730

Net Fill _____ 5 Gal

PH _____ 6.8 - 7.8

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.0185

UPC Code _____ 649123000841

Unit Dimensions _____ 15H x 11W x 12D in

Unit Package Description _____ 5 Gallon Jug

Units per Case _____ 1

VOC % (Federal) _____ < 0.5

VOC Category _____ Solvent for Solvent Cleaning Machine

VOC Lbs./Gal. (Federal) _____ < 0.05

VOC g/L (Federal) _____ < 5

Working Temp (C) _____ 40 to 46°C



Part No. 14158

Item# 1004856

SmartWasher® SW-6 OzzyJuice® Select Metals Degreasing Solution, 5 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

An aqueous Industrial Strength, pH neutral, VOC-free, non-corrosive, non-flammable, biodegradable cleaning fluid for use in the SmartWasher® Parts Washing System. Perfect for use on all aircraft metals. Meets requirements of MIL-PRF-29602A.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Clear Liquid

Brand _____ SmartWasher

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaning Solution

Item Number _____ 14158

Military Specification Number _____ Mil-PRF-29602A

NSF Category Code _____ A1

NSF Number _____ 127001

Net Fill _____ 5 Gal

PH _____ 7 to 8

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.0025

UPC Code _____ 649123000483

Unit Dimensions _____ 15H x 12.5W x 12.5D in

Unit Package Description _____ 5 Gallon Jug

Units per Case _____ 1

VOC % (Federal) _____ 1.7

VOC Category _____ Solvent for Solvent Cleaning Machine

VOC Lbs./Gal. (Federal) _____ 0.14

VOC g/L (Federal) _____ 17



Part No. SL3303

Item# 1007902

Sta-Lube® Synthetic Brake & Caliper Grease, 12 Wt Oz

Description

Sta-Lube® Synthetic Brake & Caliper Grease is a uniquely formulated synthetic grease, designed specifically for disc and brake systems. It's the ideal solution to ensure the smooth operation of the brake system and its components. Sta-Lube® is rubber safe, plastic safe, moisture resistant, and formulated for use at high temperatures. Use it on metal-to-metal contact points, as well as on sliding surfaces. Here are a few reasons why professionals and DIY-ers trust Sta-Lube®.

Applications

- Backing Plates
- Caliper O-Rings
- Disc Brake Pads
- Grommets
- Pivot Points
- Brake Pad Contact Points
- Calipers
- Drum Brake Systems
- Parking Brake Areas of Lubrication
- Self Adjusters

4 Ball Wear	0.6 mm	Appearance	Black Semi-Solid Grease
Brand	Sta-Lube	Case#	1007901
DOT Proper Shipping Name	Not Regulated	Drop Point	None
Elastomer Compatibility	EPDM	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	260°C
Flash point (F)	500°F	Generic Description	Brake Caliper Synthetic Grease
I 2 of 5 Code	30072213330305	Item Number	SL3303
Leakage	None	NLGI Grade	2
Net Fill	12 Wt Oz	Pour Point	-20°F
Pour Point (C)	-29°C	Pour Point (F)	-40°F
Propellant	None	Removal (How To)	Remove with a degreaser or brake cleaner product.
Specific Gravity	0.89	Timken OK Load [Lbs.]	60 Lbs
UPC Code	072213330304	Unit Dimensions	4.25H x 4W x 4D in
Unit Package Description	12 Ounce Tub With Brush	Units per Case	12
VOC % (Consumer Product def)	0.58	VOC % (Federal)	0.58
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	0.08
VOC g/L (Consumer Product def)	5.62	VOC g/L (Federal)	9
VOC lbs/gal (Consumer Prod def)	0.04	Water Washout	1.68
Worked Penetration	265 to 295	Working Temp (C)	-40 to 257°C
Working Temp (F)	-40 to 495°F		



Part No. SL3301

Item# 1007898

Sta-Lube® Synthetic Brake & Caliper Grease, 2.5 Wt Oz

Description

A specially developed synthetic grease with a high-tech formula for use in disc & drum brake systems. High temperature grease is plastic & rubber safe. Use on metal to metal contact points and sliding surfaces. Resists moisture and will not washout.

Applications

- Backing Plates
- Caliper O-Rings
- Disc Brake Pads
- Grommets
- Pivot Points
- Brake Pad Contact Points
- Calipers
- Drum Brake Systems
- Parking Brake Areas of Lubrication
- Self Adjusters

4 Ball Wear	0.6 mm	Appearance	Black Semi-Solid Grease
Brand	Sta-Lube	Case#	1007897
DOT Proper Shipping Name	Not Regulated	Drop Point	None
Elastomer Compatibility	EPDM	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	260°C
Flash point (F)	500°F	Generic Description	Brake Caliper Synthetic Grease
I 2 of 5 Code	30072213330107	Item Number	SL3301
Leakage	None	NLGI Grade	2
Net Fill	2.5 Wt Oz	Pour Point	-20°F
Pour Point (C)	-29°C	Pour Point (F)	-40°F
Propellant	None	Removal (How To)	Remove with a degreaser or brake cleaner product.
Specific Gravity	0.89	Timken OK Load [Lbs.]	60 Lbs
UPC Code	072213330106	Unit Dimensions	6.19H x 2W x 1.5D in
Unit Package Description	2.5 Ounce Tube	Units per Case	6
VOC % (Consumer Product def)	0.58	VOC % (Federal)	0.58
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	0.08
VOC g/L (Consumer Product def)	5.62	VOC g/L (Federal)	9
VOC lbs/gal (Consumer Prod def)	0.04	Water Washout	1.68
Worked Penetration	265 to 295	Working Temp (C)	-40 to 257°C
Working Temp (F)	-40 to 495°F		



Part No. 06113

Item# 1003915

CRC® Marine Premium Dielectric Grease, 3.3 Wt Oz


Description

Best New Packaging in the performance category at the 2015 AAPEX/SEMA Show! Simply turn the dial on the Select-A-BEAD® Nozzle to select the best bead width for your project. A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing & voltage drop. Also ideal for lubricating plastic & rubber. Improves electrical performance in adverse weather conditions. Patented finger-actuated delivery system for smooth, continuous coverage.

Applications

- Electrical Connectors and Contacts
- Breakers
- Shore Power Inlets
- Bulkhead Connectors
- Spark Plugs
- Light Bulbs & Sockets
- Electrical Panels
- Trailer Connectors
- Battery Terminals

Appearance	Opaque White Gel	Brand	CRC
Case#	1003914	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Dielectric Strength	>450 Volts/Mil
Federal Specification Number	FDA-CFR-21-178.3570	Film Type	Non-Curing Silicone Paste
Flammability Class - CPSC	None	Flash point (C)	>300°C
Flash point (F)	>572°F	Generic Description	Premium Dielectric Grease
I 2 of 5 Code	30078254061130	Item Number	06113
Military Specification Number	SAE-AS-8660	NLGI Grade	2
Net Fill	3.3 Wt Oz	Oil Separation	<1%
Plastic Safe	Safe on Most Plastics (Test small area)	Propellant	Nitrogen
Removal (How To)	Remove with petroleum distillates and chlorinated solvents.	Specific Gravity	0.97
UPC Code	078254061139	Unit Dimensions	8.75H x 2W x 2D in
Unit Package Description	6 Ounce Pressurized Can	Units per Case	12
VOC % (Consumer Product def)	<1	VOC % (Federal)	<1
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	<0.13
VOC g/L (Consumer Product def)	<0.01	VOC g/L (Federal)	<15.5
VOC lbs/gal (Consumer Prod def)	<0.1	Working Temp (C)	-56.7 to 204.4°C
Working Temp (F)	-70 to 400°F		



Part No. 05359

Item# 1003791

CRC® Brake Caliper Synthetic Grease, 8 oz. tub

Description

A specially developed synthetic grease with a high-tech formula for use in disc & drum brake systems. High temperature grease is plastic & rubber safe. Use on metal to metal contact points and sliding surfaces. Resists moisture and will not washout.

Applications

- Backing Plates
- Caliper O-Rings
- Disc Brake Pads
- Grommets
- Pivot Points
- Brake Pad Contact Points
- Calipers
- Drum Brake Systems
- Parking Brake Areas of Lubrication
- Self Adjusters

4 Ball Wear	0.67 mm	Appearance	Black Semi-Solid Grease
Brand	CRC	Case#	1003790
Color	None	DOT Proper Shipping Name	Not Regulated
Drop Point	>600°F	Elastomer Compatibility	EPDM
Evaporation Rate	Slow	Federal Specification Number	0.58
Flammability Class - CPSC	None	Flash point (C)	260°C
Flash point (F)	500°F	Generic Description	Brake Caliper Synthetic Grease
I 2 of 5 Code	30078254053593	Item Number	05359
Leakage	None	NLGI Grade	2
Net Fill	8 Fl Oz	Oil Separation	7.4
Plastic Safe	Yes	Pour Point	-20°F
Pour Point (C)	-29°C	Pour Point (F)	-40°F
Propellant	None	Removal (How To)	Remove with a degreaser or brake cleaner product.
Specific Gravity	0.89	Timken OK Load [Lbs.]	50 Lbs
UPC Code	078254053592	Unit Dimensions	4.25H x 2.5W x 2.5D in
Unit Package Description	8 Ounce Bottle	Units per Case	6
VOC % (Consumer Product def)	0	VOC % (Federal)	0.58
VOC Category	Not Regulated	VOC g/L (Consumer Product def)	No
VOC lbs/gal (Consumer Prod def)	No	Water Washout	1.68
Worked Penetration	265 to 295	Working Temp (C)	-40 to 257°C
Working Temp (F)	-40 to 495°F		



Part No. 05353

Item# 1003789

CRC® Brake Caliper Synthetic Grease, 12 Wt Oz

Description

A specially developed synthetic grease with a high-tech formula for use in disc & drum brake systems. High temperature grease is plastic & rubber safe. Use on metal to metal contact points and sliding surfaces. Resists moisture and will not washout.

Applications

- Backing Plates
- Caliper O-Rings
- Disc Brake Pads
- Grommets
- Pivot Points
- Brake Pad Contact Points
- Calipers
- Drum Brake Systems
- Parking Brake Areas of Lubrication
- Self Adjusters

4 Ball Wear	0.6 mm	Appearance	Black Semi-Solid Grease
Brand	CRC	Case#	1003788
Color	None	DOT Proper Shipping Name	Not Regulated
Drop Point	None	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	260°C
Flash point (F)	500°F	Generic Description	Brake Caliper Synthetic Grease
I 2 of 5 Code	30078254053531	Item Number	05353
Leakage	None	NLGI Grade	2
Net Fill	12 Wt Oz	Pour Point	-20°F
Pour Point (C)	-29°C	Pour Point (F)	-40°F
Propellant	None	Removal (How To)	Remove with a degreaser or brake cleaner product.
Specific Gravity	0.89	Timken OK Load [Lbs.]	60 Lbs
UPC Code	078254053530	Unit Dimensions	4.25H x 4W x 4D in
Unit Package Description	12 Ounce Tub With Brush	Units per Case	12
VOC % (Consumer Product def)	0	VOC % (Federal)	0.58
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	0.08
VOC g/L (Consumer Product def)	5.62	VOC g/L (Federal)	9
VOC lbs/gal (Consumer Prod def)	0.04	Water Washout	1.68
Worked Penetration	265 to 295	Working Temp (C)	-40 to 257°C
Working Temp (F)	-40 to 495°F		



Part No. 05351

Item# 1003785

CRC® Brake Caliper Synthetic Grease, 2.5 Wt Oz

Discontinued

alternate available Product No. 05353 [ITEM# 1003789](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A specially developed synthetic grease with a high-tech formula for use in disc & drum brake systems. High temperature grease is plastic & rubber safe. Use on metal to metal contact points and sliding surfaces. Resists moisture and will not washout.

Applications

- Backing Plates
- Caliper O-Rings
- Disc Brake Pads
- Grommets
- Pivot Points
- Brake Pad Contact Points
- Calipers
- Drum Brake Systems
- Parking Brake Areas of Lubrication
- Self Adjusters

4 Ball Wear	0.6 mm	Appearance	Black Semi-Solid Grease
Brand	CRC	Case#	1003784
Color	None	DOT Proper Shipping Name	Not Regulated
Drop Point	None	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	260°C
Flash point (F)	500°F	Generic Description	Brake Caliper Synthetic Grease
I 2 of 5 Code	30078254053517	Item Number	05351
Leakage	None	NLGI Grade	2
Net Fill	2.5 Wt Oz	Pour Point	-20°F
Pour Point (C)	-29°C	Pour Point (F)	-40°F
Product Lifecycle Status	DISC	Propellant	None
Removal (How To)	Remove with a degreaser or brake cleaner product.	Replacement Legacy Num	05353
Replacement Product SKU	1003789	Specific Gravity	0.89
Timken OK Load [Lbs.]	60 Lbs	UPC Code	078254053516
Unit Dimensions	6.19H x 2W x 1.5D in	Unit Package Description	2.5 Ounce Tube
Units per Case	6	VOC % (Consumer Product def)	0.58
VOC % (Federal)	0.58	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	0.08	VOC g/L (Consumer Product def)	5.62
VOC g/L (Federal)	9	VOC lbs/gal (Consumer Prod def)	0.04
Water Washout	1.68	Worked Penetration	265 to 295
Working Temp (C)	-40 to 257°C	Working Temp (F)	-40 to 495°F



Part No. SL3131

Item# 1007862

Sta-Lube® Heavy Duty Drum Brake Wheel Bearing Grease, 14 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A sodium-based short fiber grease for autos & trucks with drum brake systems and slow speed industrial bearings. Meets most demands for economical wheel bearing lubrication. Good adhesive characteristics.

Applications

- Drum Brake Systems
- For Use Where Heavy Loads & Slow Speeds Are Present

Appearance _____ **Dark Amber Semi-Solid to Solid Grease**

Brand _____ **Sta-Lube**

Case# _____ **1007861**

DOT Proper Shipping Name _____ **Not Regulated**

Drop Point _____ **360°F**

Evaporation Rate _____ **<0.01 (Butyl Acetate=1)**

Flammability Class - CPSC _____ **None**

Flash point (C) _____ **220°C**

Flash point (F) _____ **428°F**

Generic Description _____ **HD Drum Brake Wheel Bearing Grease**

I 2 of 5 Code _____ **30072213313100**

ISO Viscosity Grade _____ **190**

Item Number _____ **SL3131**

NLGI Grade _____ **2.5**

Net Fill _____ **14 Wt Oz**

Oil Separation _____ **<10**

Pour Point _____ **10.4°F**

Pour Point (C) _____ **-17.78°C**

Pour Point (F) _____ **10.4°F**

Product Lifecycle Status _____ **DISC**

Propellant _____ **None**

Removal (How To) _____ **Remove with a degreaser or brake cleaner product.**

Specific Gravity _____ **0.9 at 60°F**

UPC Code _____ **072213313109**

Unit Dimensions _____ **3.44H x 4.13W x 4.13D in**

Unit Package Description _____ **14 Ounce Can**

Units per Case _____ **12**

VOC % (Consumer Product def) _____ **0**

VOC Category _____ **Not Regulated**

VOC g/L (Consumer Product def) _____ **0**

VOC lbs/gal (Consumer Prod def) _____ **0**

Worked Penetration _____ **235 to 265**

Working Temp (C) _____ **-12.2 to 121.1°C**

Working Temp (F) _____ **10 to 250°F**



Part No. SL3136

Item# 1007864

Sta-Lube® Heavy Duty Drum Brake Wheel Bearing Grease, 7 Lbs

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A sodium-based short fiber grease for autos & trucks with drum brake systems and slow speed industrial bearings. Meets demands for most economical wheel bearing lubrication. Good adhesive characteristics.

Applications

- Drum Brake Systems
- For Use Where Heavy Loads & Slow Speeds Are Present

Appearance _____ **Dark Amber Semi-Solid to Solid Grease**

Brand _____ **Sta-Lube**

Case# _____ **1007863**

DOT Proper Shipping Name _____ **Not Regulated**

Drop Point _____ **360°F**

Evaporation Rate _____ **<0.01 (Butyl Acetate=1)**

Flammability Class - CPSC _____ **None**

Flash point (C) _____ **220°C**

Flash point (F) _____ **428°F**

Generic Description _____ **HD Drum Brake Wheel Bearing Grease**

I 2 of 5 Code _____ **30072213313605**

ISO Viscosity Grade _____ **190**

Item Number _____ **SL3136**

NLGI Grade _____ **2.5**

Net Fill _____ **7 Liter**

Oil Separation _____ **<10**

Pour Point _____ **10.4°F**

Pour Point (C) _____ **-17.78°C**

Pour Point (F) _____ **10.4°F**

Product Lifecycle Status _____ **DISC**

Propellant _____ **None**

Removal (How To) _____ **Remove with a degreaser or brake cleaner product.**

Specific Gravity _____ **0.9 at 60°F**

UPC Code _____ **072213313604**

Unit Dimensions _____ **7.75H x 7.5W x 7.5D in**

Unit Package Description _____ **7 Pound Pail**

Units per Case _____ **4**

VOC % (Consumer Product def) _____ **0**

VOC Category _____ **Not Regulated**

VOC g/L (Consumer Product def) _____ **0**

VOC lbs/gal (Consumer Prod def) _____ **0**

Worked Penetration _____ **235 to 265**

Working Temp (C) _____ **-12.2 to 121.1°C**

Working Temp (F) _____ **10 to 250°F**



Marine Battery Cleaner, 11 Wt Oz
 No. 06023 | Item# 1003890 | Case# 1003889

Product Description	Removes corrosion from cables, terminals, cases, and hold-downs. Neutralizes acid spills. Assures maximum battery current flow and promotes longer life.
Applications	Clean battery terminals, battery casings, cable connectors and hold downs.
Unit Package Description	12 Ounce Aerosol
Brand	CRC
Generic Description 1	Marine Battery Cleaner
Net Fill	11 Wt Oz
UPC Code	078254060231
Unit Dimensions	6.25H x 2.63W x 2.63D in
Units Per Case	12
Case Dimensions	6.7H x 8.3W x 11.1D in
Cases Per Pallet	171
Case Weight	11 lbs
I 2 of 5 Code	30078254060232
Appearance	Yellow Foam
Flash point (F)	None
Flash point (C)	None
Flammability Class - CPSC	None
Spec Gravity Concentrate	1.04
Plastic Safe	Yes
Evaporation Rate	Slow
Propellant	Hydrocarbon
Aerosol Flammability Level	I
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity
VOC % (Consumer Product def)	7.9
VOC g/L (Consumer Product def)	82.16
VOC lbs/gal (Consumer Prod def)	0.68
VOC Category	Single Purpose Cleaner/Degreaser



Part No. 03095T

Item# 1003366

CRC® Heavy Duty Degreaser, 19 Wt Oz

Discontinued

alternate available Product No. 03095 **ITEM# 1003364**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Effectively removes grease, oil, tar, etc. to increase operating efficiency of equipment. It evaporates quickly, leaves no residue and has no flash or fire point, making it an excellent alternative to 1,1,1-based cleaners. Use caution on plastics.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance	Colorless Liquid	Brand	CRC
Case#	1003365	Color	None
DOT Proper Shipping Name	AEROSOLS, non-flammable, containing substances in Class 6.1, packing group III	Dielectric Strength	39,200 Volts
Evaporation Rate	Fast	Flammability Class - CPSC	None
Flash point (C)	None	Flash point (F)	None
Ford Tox No.	042300	Generic Description	Heavy Duty Degreaser
I 2 of 5 Code	30078254130959	Item Number	03095T
KB Value	95	NSF Category Code	K1
NSF Number	017395	Net Fill	19 Wt Oz
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	Carbon Dioxide	Replacement Legacy Num	03095
Replacement Product SKU	1003364	Restricted From Sale In	CA, CO, CT, DC, DE, IL, IN, MA, MD, ME, MI, NJ, NY, RI
Specific Gravity	1.58	UPC Code	078254130958
Unit Dimensions	9.25H x 2.63W x 2.63D in	Unit Package Description	20 ounce Aerosol with Trigger
Units per Case	12	VOC % (Consumer Product def)	7.8
VOC % (Federal)	7.8	VOC Category	General Purpose Degreaser - Aerosol
VOC Lbs./Gal. (Federal)	1.02	VOC g/L (Consumer Product def)	122
VOC g/L (Federal)	122	VOC lbs/gal (Consumer Prod def)	1.02



Part No. 14007

Item# 1004763

CRC® Natural Degreaser™ Citrus-Based Degreaser, 5 Gal

Discontinued

alternate available Product No. 14005 [ITEM# 1004762](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A blend of natural citrus and organic solvents that effectively clean and degrease. Perfect for use on all metals. Leaves no sticky residue. NSF C1 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Clear Liquid

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ 45,700 Volts

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 78°C

Flash point (F) _____ 172°F

Generic Description _____ Cleaner/Degreaser

Item Number _____ 14007

KB Value _____ 111

NSF Category Code _____ C1

NSF Number _____ 017423

Net Fill _____ 5 Gal

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 14005

Replacement Product SKU _____ 1004762

Restricted From Sale In _____ CA

Specific Gravity _____ 0.88

UPC Code _____ 078254140070

Unit Dimensions _____ 13.8H x 11.3W x 11.3D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 4

VOC % (Federal) _____ 100

VOC Category _____ General Purpose Degreaser - Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product def) _____ 35.2

VOC g/L (Federal) _____ 1550.6

VOC lbs/gal (Consumer Prod def) _____ 0.29



Part No. 03109

Item# 1003380

CRC® Super Degreaser™ Plus Degreaser, 18 Wt Oz

Description

This high performance, industrial strength formula quickly dissolves grease, oil and sludge. It has no flash evaporates rapidly and leaves no residue. This product is non-corrosive and non-staining.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003379

DOT Proper Shipping Name _____ Aerosols, Non-Flammable, Limited
Quantity

Dielectric Strength _____ 25,790 Volts

Dry Time Fully Dry _____ 20 Seconds

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Cleaner/Degreaser

I 2 of 5 Code _____ 30078254031096

Item Number _____ 03109

KB Value _____ 31

NSF Category Code _____ K1

NSF Number _____ 155110

Net Fill _____ 18 Wt Oz

Plastic Safe _____ Use Caution (test small area)

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA, CO, CT, DE, MD, MI, NH, NY, OH,
RI, parts of UT

UPC Code _____ 078254031095

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 49.8

VOC % (Federal) _____ 49.8

VOC Category _____ General Purpose Degreaser -
Aerosol

VOC Lbs./Gal. (Federal) _____ 5.32

VOC g/L (Consumer Product def) _____ 637

VOC g/L (Federal) _____ 637

VOC lbs/gal (Consumer Prod def) _____ 5.32



Part No. 14148

Item# 1004853

SmartWasher® OzzyJuice® SW-4 Heavy Duty Degreasing Solution, 5 Gal

Description

Looking for a safer, stronger, more economical choice in parts cleaning? Trust the CRC SmartWasher® family of products to get the job done. CRC SmartWasher® OzzyJuice® SW-4 Heavy Duty Degreasing Solution is perfectly blended to handle the most difficult cleaning processes. For use in CRC SmartWasher® parts washing systems, this unique, aqueous-based formula contains a mixture of pH-neutral emulsifiers and surfactants. This blend delivers superior parts cleaning, while remaining solvent and carcinogen-free. Choose OzzyJuice® for a highly effective and environmentally friendly clean. Awarded the EPA's coveted Safer Choice Seal of Approval.

Applications

Parts Cleaning in

- Preventative Maintenance & Repair Facilities
- Automotive Repair Shops
- Industrial Manufacturing Plants
- Metal Fabricators

Appearance _____ Orange Liquid

Brand _____ SmartWasher

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Very Slow

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Ford Tox No. _____ 202169

Generic Description _____ Cleaning Solution

Item Number _____ 14148

NSF Category Code _____ A1

NSF Number _____ 141824

Net Fill _____ 5 Gal

PH _____ 8

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Specific Gravity _____ 1.02

UPC Code _____ 649123001121

Unit Dimensions _____ 15H x 11W x 12D in

Unit Package Description _____ 5 Gallon Jug

Units per Case _____ 1

VOC % (Federal) _____ 0.2

VOC Category _____ Solvent for Solvent Cleaning Machine

VOC Lbs./Gal. (Federal) _____ 0.02

VOC g/L (Federal) _____ 2.3

Working Temp (C) _____ 40 to 46°C

Working Temp (F) _____ 105 to 115°F



Part No. 05021

Item# 1003638

CRC® Gasket Remover, 12 Wt Oz

Description

Used for the removal of conventional & formed in place gaskets on motors, pumps & flanges.

Applications

- Motors
- Flanges
- Stone
- Pumps
- Metal

Appearance	Slightly hazy viscous liquid	Brand	CRC
Case#	1003637	Color	None
DOT Proper Shipping Name	AEROSOLS, FLAMMABLE, LIMITED QUANTITY	Evaporation Rate	Fast
Flammability Class - CPSC	Flammable	Flash point (C)	-20.0 °C
Flash point (F)	-4.0 °F	Generic Description	Gasket Remover
I 2 of 5 Code	30078254050219	Item Number	05021
Net Fill	12 Wt Oz	Plastic Safe	No
Propellant	Hydrocarbon	Removal (How To)	Wipe or scrape off
Specific Gravity	0.7419	UPC Code	078254050218
Unit Dimensions	7.75H x 2.63W x 2.63D in	Unit Package Description	16 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	47.5
VOC % (Federal)	47.5	VOC Category	Gasket Remover
VOC Lbs./Gal. (Federal)	6.1	VOC g/L (Consumer Product def)	352.4
VOC g/L (Federal)	736.5	VOC lbs/gal (Consumer Prod def)	2.94



Part No. 03017

Item# 1003266

CRC® Gasket Remover / Paint and Decal Remover, 12 Wt Oz

Description

Removes baked on fiber gaskets, gasket adhesives and sealants. Dissolves and aids removal of paints, lacquers, adhesives, and varnish. Contains no methylene chloride.

Applications

- Motors
- Flanges
- Stone
- Pumps
- Metal

Appearance Slightly hazy viscous liquid

Brand CRC

Case# 1003265

Color None

DOT Proper Shipping Name AEROSOLS, FLAMMABLE,
LIMITED QUANTITY

Evaporation Rate Fast

Flammability Class - CPSC Not a Consumer Product

Flash point (C) -20.0 °C

Flash point (F) -4.0 °F

Generic Description Paint and Decal Remover

I 2 of 5 Code 30078254030174

Item Number 03017

NSF Category Code C3

NSF Number 017394

Net Fill 12 Wt Oz

Plastic Safe No

Propellant Hydrocarbon

Removal (How To) Wipe or scrape off

Specific Gravity 0.7419

UPC Code 078254030173

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 47.5

VOC % (Federal) 47.5

VOC Category Gasket Remover

VOC Lbs./Gal. (Federal) 6.1

VOC g/L (Consumer Product def) 371

VOC g/L (Federal) 736.5

VOC lbs/gal (Consumer Prod def) 3.1



Part No. 14101

Item# 1004839

CRC® Tyme® 1 Carburetor & Cold Parts Cleaner, 1 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

TYME® 1 is a two phase water rinsable, cold tank liquid parts cleaner, designed to quickly remove carbon, varnish and grease.

Applications

- Aluminum
- Carburetors
- Motors
- Steel
- Carburetor Components
- Corroded Machinery
- Small Metal Parts
- Steel Alloys

Appearance _____ Yellow Opaque Emulsion

Brand _____ CRC

Case# _____ 1004838

Color _____ None

DOT Proper Shipping Name _____ Corrosive Liquids, Toxic,
N.O.S. (Potassium Hydroxide,
Morpholine), Limited Quantity

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Carburetor & Cold Parts Cleaner

I 2 of 5 Code _____ 30078254141016

Item Number _____ 14101

Net Fill _____ 1 Gal

PH _____ 12.2

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ None

Restricted From Sale In _____ CA

Specific Gravity _____ 1.245

UPC Code _____ 078254141015

Unit Dimensions _____ 11H x 4W x 6.5D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 10.25

VOC % (Federal) _____ 13.95

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 1.8

VOC g/L (Consumer Product
def) _____ 126

VOC g/L (Federal) _____ 216.3

VOC lbs/gal (Consumer Prod
def) _____ 1.06



Part No. 14104

Item# 1004840

CRC® Tyme® 1 Carburetor & Cold Parts Cleaner, 5 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

TYME® 1 is a two phase water rinsable, cold tank liquid parts cleaner, designed to quickly remove carbon, varnish and grease.

Applications

- Aluminum
- Carburetors
- Motors
- Steel
- Carburetor Components
- Corroded Machinery
- Small Metal Parts
- Steel Alloys

Appearance _____ Yellow Opaque Emulsion

Brand _____ CRC

Color _____ None

DOT Proper Shipping Name _____ Corrosive Liquids, Toxic, N.O.S.
(Potassium Hydroxide, Morpholine),
Marine Pollutant

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Carburetor & Cold Parts
Cleaner

Item Number _____ 14104

Net Fill _____ 5 Gal

PH _____ 12.2

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ None

Restricted From Sale In _____ CA

Specific Gravity _____ 1.245

UPC Code _____ 078254141046

Unit Dimensions _____ 13.8H x 11.3W x 11.3D in

Unit Package Description _____ 5 Gallon Pail

Units per Case _____ 1

VOC % (Consumer Product def) _____ 10.25

VOC % (Federal) _____ 13.95

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 1.8

VOC g/L (Consumer Product
def) _____ 126

VOC g/L (Federal) _____ 216.3

VOC lbs/gal (Consumer Prod
def) _____ 1.06



Part No. 14008

Item# 1004764

CRC® Natural Degreaser™ Citrus-Based Degreaser, 55 Gal

Discontinued

alternate available Product No. 14005 [ITEM# 1004762](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A blend of natural citrus and organic solvents that effectively clean and degrease. Perfect for use on all metals. Leaves no sticky residue. NSF C1 Registered.

Applications

- Air Tools
- Clutches
- Wire Ropes
- Dies
- Parts
- Generators
- Mechanical Brakes
- Chains
- Motors
- Molds
- Bearings
- Compressors

Appearance _____ Clear Liquid

Brand _____ CRC

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ 45,700 Volts

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 78°C

Flash point (F) _____ 172°F

Generic Description _____ Cleaner/Degreaser

Item Number _____ 14008

KB Value _____ 111

NSF Category Code _____ C1

NSF Number _____ 017423

Net Fill _____ 55 Gal

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 14005

Replacement Product SKU _____ 1004762

Restricted From Sale In _____ CA

Specific Gravity _____ 0.88

UPC Code _____ 078254140087

Unit Dimensions _____ 35H x 24.5W x 24.5D in

Unit Package Description _____ 55 Gallon Drum

Units per Case _____ 1

VOC % (Consumer Product def) _____ 4

VOC % (Federal) _____ 100

VOC Category _____ General Purpose Degreaser -
Non-Aerosol

VOC Lbs./Gal. (Federal) _____ 12.9

VOC g/L (Consumer Product def) _____ 35.2

VOC g/L (Federal) _____ 1550.6

VOC lbs/gal (Consumer Prod def) _____ 0.29



Part No. 14424

Item# 1004977

CRC® HydroForce® Stainless Steel Cleaner and Polish, 18 Wt Oz

Description

Exclusive ultra-shine formula eliminates dirt, dust, fingerprints and watermarks. Leaves behind a protective, non-greasy barrier that resists the return of stains. NSF C1 Registered.

Applications

- Aluminum
- Other Shiny Metal Surfaces Located in Heavily Industrial Environments
- Chrome
- Stainless Steel

Appearance	White Emulsion	Brand	CRC
Case#	1004976	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	None	Flash point (C)	None
Flash point (F)	None	Generic Description	Stainless Steel Cleaner/Polish
I 2 of 5 Code	30078254144246	Item Number	14424
NSF Category Code	C1	NSF Number	120893
Net Fill	18 Wt Oz	PH	10.5
Plastic Safe	Yes	Propellant	Hydrocarbon
Removal (How To)	Remove with detergent and water.	Specific Gravity	0.95
UPC Code	078254144245	Unit Dimensions	9.25H x 2.63W x 2.63D in
Unit Package Description	20 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	14.5	VOC % (Federal)	35.2
VOC Category	Metal Polish or Cleanser - Aerosol	VOC Lbs./Gal. (Federal)	2.7
VOC g/L (Consumer Product def)	133.4	VOC g/L (Federal)	324
VOC lbs/gal (Consumer Prod def)	1.11		



Part No. 06164

Item# 1003933

CRC® Marine Fuel Stabilizer - Gasoline, 1 Gal

Description

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

Applications

- All 2 and 4 Cycle Gasoline Engines
- Marine Engines
- Agricultural Equipment
- Lawn & Garden Equipment
- Chainsaws
- Generators
- Jet Skis
- Lawn Mowers
- Motorcycles
- Snow Blowers
- Snowmobiles
- Tractors

Appearance _____ Amber Liquid

Brand _____ CRC

Case# _____ 1003932

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Combustible

Flash point (C) _____ 70°C

Flash point (F) _____ 158°F

Generic Description _____ Marine Fuel Stabilizer-Gasoline

I 2 of 5 Code _____ 30078254061642

Item Number _____ 06164

Net Fill _____ 1 Gal

Propellant _____ None

Specific Gravity _____ 0.89

Treatment Ratio _____ 1 Fl Oz treats 5 Gal.

UPC Code _____ 078254061641

Unit Dimensions _____ 10.25H x 5W x 6.13D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 27.6

VOC % (Federal) _____ > 91.4

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ > 6.77

VOC g/L (Consumer Product def) _____ 245.6

VOC g/L (Federal) _____ >810

VOC lbs/gal (Consumer Prod def) _____ 2.1



Part No. 06161

Item# 1003927

CRC® Marine Fuel Stabilizer - Gasoline, 8 Fl Oz

Description

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

Applications

- All 2 and 4 Cycle Gasoline Engines
- Marine Engines
- Agricultural Equipment
- Lawn & Garden Equipment
- Chainsaws
- Generators
- Jet Skis
- Lawn Mowers
- Motorcycles
- Snow Blowers
- Snowmobiles
- Tractors

Appearance ———— Amber Liquid

Brand ———— CRC

Case# ———— 1003926

Color ———— None

DOT Proper Shipping Name ———— Not Regulated

Evaporation Rate ———— Slow

Flammability Class - CPSC ———— Combustible

Flash point (C) ———— 70°C

Flash point (F) ———— 158°F

Generic Description ———— Marine Fuel Stabilizer-Gasoline

I 2 of 5 Code ———— 30078254061611

Item Number ———— 06161

Net Fill ———— 8 Fl Oz

Propellant ———— None

Specific Gravity ———— 0.89

Treatment Ratio ———— 1 Fl Oz treats 5 Gal.

UPC Code ———— 078254061610

Unit Dimensions ———— 7.13H x 1.5W x 2.75D in

Unit Package Description ———— 8 Ounce Bottle

Units per Case ———— 12

VOC % (Consumer Product def) ———— 27.6

VOC % (Federal) ———— > 91.4

VOC Category ———— Not Regulated

VOC Lbs./Gal. (Federal) ———— > 6.77

VOC g/L (Consumer Product def) ———— 245.6

VOC g/L (Federal) ———— >810

VOC lbs/gal (Consumer Prod def) ———— 2.1



Part No. 06162

Item# 1003929

CRC® Marine Fuel Stabilizer - Gasoline, 16 Fl Oz

Discontinued

alternate available Product No. 06161 [ITEM# 1003927](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

Applications

- All 2 and 4 Cycle Gasoline Engines
- Marine Engines
- Agricultural Equipment
- Lawn & Garden Equipment
- Chainsaws
- Generators
- Jet Skis
- Lawn Mowers
- Motorcycles
- Snow Blowers
- Snowmobiles
- Tractors

Appearance	Amber Liquid	Brand	CRC
Case#	1003928	Color	None
DOT Proper Shipping Name	Flammable Liquids, N.O.S. (Hydroxyethylated Aminoethylamide, Distillates (Petroleum), Hydrotreated Light)	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	54.6°C
Flash point (F)	130.2°F	Generic Description	Marine Fuel Stabilizer-Gasoline
I 2 of 5 Code	30078254061628	Item Number	06162
Net Fill	16 Fl Oz	Product Lifecycle Status	DISC
Propellant	None	Replacement Legacy Num	06161
Replacement Product SKU	1003927	Specific Gravity	0.89
Treatment Ratio	1 Fl Oz treats 5 Gal.	UPC Code	078254061627
Unit Dimensions	9.5H x 1.5W x 3.38D in	Unit Package Description	16 Ounce Bottle
Units per Case	12	VOC % (Consumer Product def)	27.6
VOC % (Federal)	> 91.4	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	> 6.77	VOC g/L (Consumer Product def)	245.6
VOC g/L (Federal)	>810	VOC lbs/gal (Consumer Prod def)	2.1
Viscosity @68 F [cP]	6.6		



Part No. 06163

Item# 1003931

CRC® Marine Fuel Stabilizer - Gasoline, 30 Fl Oz

Discontinued

alternate available Product No. 06164 **ITEM# 1003933**

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A concentrated, high-potency formula that keeps stored gas fresh for easy start-up next season & optimum performance year round. Formulated to reduce the harmful impact of Ethanol-blended gasoline. Protects against gum & resin build-up.

Applications

- All 2 and 4 Cycle Gasoline Engines
- Marine Engines
- Agricultural Equipment
- Lawn & Garden Equipment
- Chainsaws
- Generators
- Jet Skis
- Lawn Mowers
- Motorcycles
- Snow Blowers
- Snowmobiles
- Tractors

Appearance	Amber Liquid	Brand	CRC
Case#	1003930	Color	None
DOT Proper Shipping Name	Flammable Liquids, Nos (xylene,, ethylbenzene) Limited Quantity	Evaporation Rate	Slow
Flammability Class - CPSC	Combustible	Flash point (C)	54.6°C
Flash point (F)	130.2°F	Generic Description	Marine Fuel Stabilizer-Gasoline
I 2 of 5 Code	30078254061635	Item Number	06163
Net Fill	30 Fl Oz	Product Lifecycle Status	DISC
Propellant	None	Replacement Legacy Num	06164
Replacement Product SKU	1003933	Restricted From Sale In	No State Restrictions
Specific Gravity	0.89	Treatment Ratio	1 Fl Oz treats 5 Gal.
UPC Code	078254061634	Unit Dimensions	7.5H x 2.13W x 5.25D in
Unit Package Description	1 Quart Bottle	Units per Case	12
VOC % (Consumer Product def)	27.6	VOC % (Federal)	> 91.4
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	> 6.77
VOC g/L (Consumer Product def)	245.6	VOC g/L (Federal)	>810
VOC lbs/gal (Consumer Prod def)	2.1	Viscosity @68 F [cP]	6.6



Part No. 05113

Item# 1003734

CRC® Technician Grade Dielectric Grease, 3.3 Wt Oz


Description

Best New Packaging in the performance category at the 2015 AAPEX/SEMA Show! Simply turn the dial on the Select-A-BEAD® Nozzle to select the best bead width for your project. A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing & voltage drop. Also ideal for lubricating plastic & rubber. Improves electrical performance in adverse weather conditions. Patented finger-actuated delivery system for smooth, continuous coverage.

Applications

- Electrical Connections
- Contacts
- Trailer Connectors
- Battery Terminals
- Lubrication of Plastic
- Circuit Breakers
- Spark Plug Boots
- Hei Distributor
- Contacts
- Rubber Parts & O-Rings

Appearance	Opaque White Gel	Brand	CRC
Case#	1003735	Color	None
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity	Dielectric Strength	>450 Volts/Mil
Drop Point	None	Federal Specification Number	FDA-CFR-21-178.3570
Film Type	Non-Curing Silicone Paste	Flammability Class - CPSC	None
Flash point (C)	>300°C	Flash point (F)	>572°F
Generic Description	Dielectric Grease	I 2 of 5 Code	60078254051132
Item Number	05113	Military Specification Number	SAE-AS-8660
NLGI Grade	2	Net Fill	3.3 Wt Oz
Oil Separation	<1%	Plastic Safe	Safe on Most Plastics (Test small area)
Propellant	Nitrogen	Removal (How To)	Remove with petroleum distillates and chlorinated solvents.
Specific Gravity	0.97	UPC Code	078254051130
Unit Dimensions	8.75H x 2.25W x 2.25D in	Unit Package Description	6 Ounce Pressurized Can
Units per Case	12	VOC % (Consumer Product def)	<1
VOC % (Federal)	<1	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	<0.13	VOC g/L (Consumer Product def)	<0.01
VOC g/L (Federal)	<15.5	VOC lbs/gal (Consumer Prod def)	<0.1
Worked Penetration	Varies with grade	Working Temp (C)	-56.7 to 204.4°C
Working Temp (F)	-70 to 400°F		



Part No. 05107

Item# 1003724

CRC® Bulb & Connector Dielectric Grease, 0.28 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing, voltage drop & other conditions. Also ideal for lubrication plastic & rubber.

Applications

- Electrical Connections
- Contacts
- Trailer Connectors
- Battery Terminals
- Lubrication of Plastic
- Circuit Breakers
- Spark Plug Boots
- Hei Distributor
- Contacts
- Rubber Parts & O-Rings

Appearance	Opaque White Gel	Brand	CRC
Case#	1003723	Color	None
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	500 Volts/Mil
Drop Point	None	Evaporation Rate	<0.01 (Butyl Acetate=1)
Federal Specification Number	FDA-CFR-178.3570 FDA-CFR-175.300	Film Thickness	Non-Drying
Film Type	Wet	Flammability Class - CPSC	None
Flash point (C)	>260°C	Flash point (F)	>500°F
Generic Description	Bulb & Connector Dielectric Grease	I 2 of 5 Code	30078254051070
Item Number	05107	Military Specification Number	Mil-S-8660C(DM-3), Mil-C-21567A(DM-2)
Net Fill	0.28 Wt Oz	Plastic Safe	Safe on Most Plastics (Test small area)
Product Lifecycle Status	DISC	Propellant	None
Removal (How To)	Remove with petroleum distillates and chlorinated solvents.	Specific Gravity	1.06
UPC Code	078254051079	Unit Dimensions	6.25H x 4.5W x .75D in
Unit Package Description	0.28 Ounce Tube	Units per Case	12
VOC % (Consumer Product def)	0	VOC % (Federal)	0
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	0
VOC g/L (Consumer Product def)	0	VOC g/L (Federal)	0
VOC lbs/gal (Consumer Prod def)	0	Working Temp (C)	-56.7 to 204.4°C
Working Temp (F)	-70 to 400°F		



Part No. 05109

Item# 1003727

CRC® Technician Grade Dielectric Grease with Precision Tip Applicator, .5 Wt Oz

Description

A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing, voltage drop & other conditions. Also ideal for lubrication of plastic & rubber.

Applications

- Electrical Connections
- Contacts
- Trailer Connectors
- Battery Terminals
- Lubrication of Plastic
- Circuit Breakers
- Spark Plug Boots
- Hei Distributor
- Contacts
- Rubber Parts & O-Rings

Appearance	Translucent White	Brand	CRC
Case#	1003726	Color	None
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	500 Volts/Mil
Drop Point	None	Evaporation Rate	Slow
Film Type	Grease	Flammability Class - CPSC	None
Flash point (C)	299°C	Flash point (F)	570°F
Generic Description	Dielectric Grease	I 2 of 5 Code	30078254051094
Item Number	05109	Leakage	None
NLGI Grade	3	Net Fill	0.5 Wt Oz
Plastic Safe	Yes	Pour Point	-50°F
Pour Point (C)	-45.56°C	Pour Point (F)	-50°F
Propellant	None	Removal (How To)	Remove with a degreaser.
Specific Gravity	1.03	UPC Code	078254051093
Unit Dimensions	7.88H x 2.75W x 1D in	Unit Package Description	0.5 Ounce Tube
Units per Case	12	VOC % (Consumer Product def)	0
VOC Category	Not Regulated	VOC g/L (Consumer Product def)	0
VOC lbs/gal (Consumer Prod def)	0	Water Washout	0.75
Worked Penetration	230 to 245	Working Temp (C)	298.89°C
Working Temp (F)	570°F		



Part No. 02031

Item# 1003185

CRC® Lectra Shield™ Long Term Corrosion Inhibitor, 10 Wt Oz

Discontinued

alternate available Product No. 03282 ITEM# 1003481

Discontinued product number may still be available for a limited time through your local supplier or retailer.


Description

Designed for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions. Film is highly resistant to humidity and salt spray and seals out moisture completely. Long-term protection lasts up to 2 years outdoors.

Applications

- Armature Storage
- Molds
- Outdoor Storage of Raw Materials & Finished Stock
- Pipe Fittings
- Long Term Parts in Storage
- Motors
- Overseas Shipment Protection
- Protection of Equipment Subject to Heat/Humidity/Chemicals /Severely Corrosive Conditions

Appearance	Dark Amber Viscous Liquid	Brand	CRC
Case#	1003184	Coverage	1,000 Sq Ft per Gal
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dry Time Tack Free	1 Hour
Evaporation Rate	Fast	Film Thickness	2 Mils
Film Type	Waxy, Dry, Transparent	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-18°C	Flash point (F)	<0°F
Generic Description	Long Term Corrosion Inhibitor	I 2 of 5 Code	30078254020311
Item Number	02031	Military Specification Number	Mil-C-16173 Grade 4 Corrosion test only
Net Fill	10 Wt Oz	Product Lifecycle Status	DISC
Propellant	Hydrocarbon	Removal (How To)	May be removed with mineral spirits, Stoddard solvents, or Alaphatic Petroleum solvents. May also be diluted with the above materials.
Replacement Legacy Num	03282	Replacement Product SKU	1003481
Specific Gravity	0.787	UPC Code	078254020310
Unit Dimensions	7.75H x 2.63W x 2.63D in	Unit Package Description	16 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	79.2
VOC % (Federal)	79.2	VOC Category	Not Regulated
VOC Lbs./Gal. (Federal)	10.2	VOC g/L (Consumer Product def)	623.3
VOC g/L (Federal)	1228.1	VOC lbs/gal (Consumer Prod def)	5.2
Working Temp (C)	-20 to 79.4°C	Working Temp (F)	-4 to 175°F



Part No. 14131

Item# 1007982

SmartWasher® OzyzyBooster® Microbial Enhancer, 8.5 Fl Oz (250 ml)

Description

Add to existing SmartWasher® fluid to boost microbe activity.

Applications

- Microbial Enhancer Added to Smartwasher® Parts Cleaning System

Appearance _____ Free-Flowing Blue Liquid

Brand _____ SmartWasher

Case# _____ 1004849

Color _____ None

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Not Determined

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ Microbial Enhancer

I 2 of 5 Code _____ 60649123002274

Item Number _____ 14131

Net Fill _____ 250 Milliliter

PH _____ 7

Plastic Safe _____ Yes

Propellant _____ None

Specific Gravity _____ 1

UPC Code _____ 649123000506

Unit Dimensions _____ 5H x 5W x 5D in

Unit Package Description _____ 8.5 Ounce (250 ml) Bottle

Units per Case _____ 1

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 0

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 0

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 18410

Item# 1005236

CRC® Seal Coat® Red Urethane Coating, 11 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Polyurethane coating that insulates electrical equipment and seals out water and moisture. The red formula allows for visualization of equipment.

Applications

- On Motor Windings
- Bus Bars
- Stator Coils
- Terminals
- Commutator Ends
- PC Boards

Appearance	Red Viscous Liquid	Brand	CRC
Case#	1005235	Color	Red
Coverage	20 to 25 Sq Ft	DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
Dielectric Strength	3,100 Volts/Mil	Dry Time Fully Dry	72 Hours
Dry Time Tack Free	15 to 30 Minutes	Evaporation Rate	Moderate
Film Type	Dry	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	-20°C	Flash point (F)	-4°F
Generic Description	Urethane Coating	I 2 of 5 Code	30078254184105
Item Number	18410	MIR Limit (CA)	2.0
MIR Limit (EPA)	None	MIR Value	1.37
Net Fill	11 Wt Oz	Plastic Safe	Yes
Product Lifecycle Status	DSEL	Propellant	Hydrocarbon
Removal (How To)	DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine	Specific Gravity	0.731
UPC Code	078254184104	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	57.1	VOC % (Federal)	57.03
VOC Category	Aerosol Coating: Electrical Coating	VOC Lbs./Gal. (Federal)	7.4
VOC g/L (Consumer Product def)	417.4	VOC g/L (Federal)	884.3
VOC lbs/gal (Consumer Prod def)	3.5	Working Temp (C)	-67.8 to 121.1°C
Working Temp (F)	-90 to 250°F		



Part No. 05646

Item# 1003836

CRC® Single Use Battery Terminal Protector, 3 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead-free soft protective coating.

Applications

- Battery Posts
- Hold-Downs and Casings Used in Vehicles
- Handling Equipment and Uninterrupted Power Supplies (Ups)
- Security and Emergency Back-Up Systems
- Terminals
- Boats
- Used For Computer

Appearance	Dark Red Viscous Liquid	Brand	CRC
Case#	1003835	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Evaporation Rate	Fast
Film Type	Soft, Visible, Viscous	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-18°C	Flash point (F)	<0°F
Generic Description	Battery Terminal Protector	I 2 of 5 Code	30078254056464
Item Number	05646	MIR Limit (CA)	2.0
MIR Limit (EPA)	None	MIR Value	1.25
Net Fill	3 Wt Oz	Plastic Safe	Yes
Product Lifecycle Status	DISC	Propellant	Hydrocarbon
Removal (How To)	Remove with a degreaser or brake cleaner product.	Specific Gravity	0.727
UPC Code	078254056463	Unit Dimensions	5.25H x 2.13W x 2.13D in
Unit Package Description	6 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	86.3	VOC Category	Aerosol Coating: Electrical Coating
VOC g/L (Consumer Product def)	627.4	VOC lbs/gal (Consumer Prod def)	5.23



Part No. 05046

Item# 1003657

CRC® Battery Terminal Protector, 7.5 Wt Oz

Description

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead-free soft protective coating.

Applications

- Battery Posts
- Hold-Downs and Casings Used in Vehicles
- Handling Equipment and Uninterrupted Power Supplies (Ups)
- Security and Emergency Back-Up Systems
- Terminals
- Boats
- Used For Computer

Appearance	Dark Red Viscous Liquid	Brand	CRC
Case#	1003656	Color	None
DOT Proper Shipping Name	AEROSOLS, FLAMMABLE, LIMITED QUANTITY	Evaporation Rate	Fast
Film Type	Soft, Visible, Viscous	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	-18 °C	Flash point (F)	0 °F
Generic Description	Battery Terminal Protector	I 2 of 5 Code	30078254050462
Item Number	05046	MIR Limit (CA)	2.0
MIR Limit (EPA)	None	MIR Value	1.25
Net Fill	7.5 Wt Oz	Plastic Safe	Yes
Propellant	Hydrocarbon	Removal (How To)	Remove with a degreaser or brake cleaner product.
Specific Gravity	0.727	UPC Code	078254050461
Unit Dimensions	6.25H x 2.63W x 2.63D in	Unit Package Description	12 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	86.3
VOC % (Federal)	86.3	VOC Category	Aerosol Coating: Electrical Coating
VOC Lbs./Gal. (Federal)	11.2	VOC g/L (Consumer Product def)	627.4
VOC g/L (Federal)	1338.2	VOC lbs/gal (Consumer Prod def)	5.23



Part No. 03175

Item# 1003433

CRC® Battery Terminal Protector, 7.5 Wt Oz

Description

Soft, dry, lead-free protective coating that keeps moisture, salts and road grime from corroding metal contacts. Prevents corrosion-related leakage. Red color provides easy visual inspection.

Applications

- Battery Posts
- Hold-Downs and Casings Used in Vehicles
- Handling Equipment and Uninterrupted Power Supplies (Ups)
- Security and Emergency Back-Up Systems
- Terminals
- Boats
- Used For Computer

Appearance	Dark Red Liquid	Brand	CRC
Case#	1003432	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Evaporation Rate	Fast
Film Type	Soft, Visible, Viscous	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-18°C	Flash point (F)	<0°F
Generic Description	Battery Terminal Protector	I 2 of 5 Code	30078254031751
Item Number	03175	MIR Limit (CA)	2.0
MIR Limit (EPA)	None	MIR Value	1.25
Net Fill	7.5 Wt Oz	Plastic Safe	Yes
Propellant	Hydrocarbon	Removal (How To)	Remove with a degreaser or brake cleaner product.
Specific Gravity	0.727	UPC Code	078254031750
Unit Dimensions	6.25H x 2.63W x 2.63D in	Unit Package Description	12 Ounce Aerosol
Units per Case	12	VOC % (Consumer Product def)	86.3
VOC % (Federal)	86.3	VOC Category	Aerosol Coating: Electrical Coating
VOC Lbs./Gal. (Federal)	11.2	VOC g/L (Consumer Product def)	627.4
VOC g/L (Federal)	1338.2	VOC lbs/gal (Consumer Product def)	5.23



Part No. 03282

Item# 1003481

CRC® SP-400™ Corrosion Inhibitor, 10 Wt Oz

Description

Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage. Indoor/Outdoor protection up to 2 years.

Applications

- Motors
- Equipment Exposed to Elements
- Shafts
- Outdoor Storage of Raw Materials & Finished Stock

Appearance _____ Dark Amber Viscous Liquid

Brand _____ CRC

Case# _____ 1003480

Color _____ None

Coverage _____ 1,000 Sq Ft per Gal

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Tack Free _____ 1 Hour

Evaporation Rate _____ Fast

Film Thickness _____ 2 Mils

Film Type _____ Waxy, Dry, Transparent

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ <-17.8°C

Flash point (F) _____ <0°F

Generic Description _____ Corrosion Inhibitor (Extreme Duty)

I 2 of 5 Code _____ 30078254032826

Item Number _____ 03282

Military Specification Number _____ Mil-C-16173 Grade 4
(Corrosion test only)

NSF Category Code _____ H2

NSF Number _____ 145049

Net Fill _____ 10 Wt Oz

Propellant _____ Hydrocarbon

Removal (How To) _____ May be removed with mineral spirits, Stoddard solvents, or Alaphatic Petroleum solvents.

Specific Gravity _____ 0.787

UPC Code _____ 078254032825

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 79.2

VOC % (Federal) _____ 79.2

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 10.2

VOC g/L (Consumer Product def) _____ 623.3

VOC g/L (Federal) _____ 1228.1

VOC lbs/gal (Consumer Prod def) _____ 5.2



Part No. SX32M

Item# 1007976

CRC® Salt Term Eng Flush & Corrosion Inhib w/Mxr, 32 Fl Oz

Description

Cleans & protects anything exposed to salt (saltwater, salt air, road salt). Dissolves salt & leaves a protective coating to inhibit corrosion. Essential as a motor flush for marine engines in both saltwater and freshwater environments.

Applications

- Flushes Marine Engines
- Heat Exchanges; Cleans & Protects Boats
- Trailers
- Fishing Tackle
- Rvs
- Tools
- Atvs
- Patio Furniture & More!
- Cooling Systems
- Pwcs
- Gear
- Autos
- Trucks
- Motorcycles
- Bicycles

Appearance _____ Blue Liquid

Brand _____ CRC

Case# _____ 1007975

DOT Proper Shipping Name _____ Not Regulated

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ 93.3

Flash point (F) _____ 200

Generic Description _____ Engine Flush, Cleaner and
Corrosion Inhibitor

I 2 of 5 Code _____ 30078254000030

Item Number _____ SX32M

Locking Strength _____ N/A

Net Fill _____ 32 Fl Oz

PH _____ 9.1 to 9.9

Plastic Safe _____ Yes

Propellant _____ None

Recoat _____ N/A

Removal (How To) _____ Remove with water.

Treatment Ratio _____ 4 Fl Oz to 1 Gal water (118 ml
to 3.785 L)

UPC Code _____ 078254000039

Unit Dimensions _____ 9.5H x 7.3W x 3D in

Unit Package Description _____ 32 Ounce Bottle with Mixer

Units per Case _____ 6

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 9.4

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0.81

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 96.8

VOC lbs/gal (Consumer Prod
def) _____ 0

Working Temp (C) _____ 0 to 100°C

Working Temp (F) _____ 32 to 212°F



Part No. SX32

Item# 1007973

CRC® Salt Terminator Eng Flush Clr & Corrosion Inhib, 32 Fl Oz

Discontinued

alternate available Product No. SX128 ITEM# 1007968

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Cleans & protects anything exposed to salt (saltwater, salt air, road salt). Dissolves salt & leaves a protective coating to inhibit corrosion. Essential as a motor flush for marine engines in both saltwater and freshwater environments.

Applications

- Flushes Marine Engines
- Heat Exchanges; Cleans & Protects Boats
- Trailers
- Fishing Tackle
- Rvs
- Tools
- Atvs
- Patio Furniture & More!
- Cooling Systems
- Pwcs
- Gear
- Autos
- Trucks
- Motorcycles
- Bicycles

Appearance _____ Blue Liquid

Brand _____ CRC

Case# _____ 1007971

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ N/A

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ 93.3°C

Flash point (F) _____ 200°F

Generic Description _____ Engine Flush, Cleaner and
Corrosion Inhibitor

I 2 of 5 Code _____ 30078254000023

Item Number _____ SX32

Net Fill _____ 32 Fl Oz

PH _____ 9.1 to 9.9

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Removal (How To) _____ Remove with water.

Replacement Legacy Num _____ SX128

Replacement Product SKU _____ 1007968

Treatment Ratio _____ 4 Fl Oz to 1 Gal water (118 ml
to 3.785 L)

UPC Code _____ 078254000022

Unit Dimensions _____ 9.5H x 5.3W x 2.8D in

Unit Package Description _____ 32 Ounce Bottle

Units per Case _____ 7

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 9.4

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0.81

VOC g/L (Consumer Product
def) _____ 0

VOC g/L (Federal) _____ 96.8

VOC lbs/gal (Consumer Prod
def) _____ 0

Working Temp (C) _____ 0 to 100°C

Working Temp (F) _____ 32 to 212°F



Part No. 10200

Item# 1004726

CRC® Aviation 3-36® Corrosion Inhibitor, 11 Wt Oz

Discontinued

alternate available Product No. 03005 [ITEM# 1003255](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A corrosion inhibitor which helps prevent electrical and electronic malfunctions caused by water penetration, humidity, condensation, or corrosion. Displaces moisture and inhibits corrosion.

Applications

- Protects Seat & Cargo Tracks
- Lower Fuselage Interiors
- Facing Surfaces
- Electrical Connectors
- Circuit Breakers
- Switchgear
- Hinges
- Controls
- Landing Gear
- Flight Controls
- Crevices
- Relays
- Transformers
- Motors
- Generators
- Instruments

Appearance	Amber Liquid	Brand	CRC
Case#	1004725	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dielectric Strength	30,000 Volts
Evaporation Rate	Slow	Federal Specification Number	O-W-1284,V-V-P-216
Film Thickness	0.1 to 0.2 Mils	Film Type	Non-Drying
Flammability Class - CPSC	Flammable	Flash point (C)	62°C
Flash point (F)	144°F	Generic Description	Corrosion Inhibitor
I 2 of 5 Code	30078254102000	Item Number	10200
Military Specification Number	Mil-C-81309E	Net Fill	11 Wt Oz
Product Lifecycle Status	DISC	Propellant	Carbon Dioxide
Removal (How To)	Remove with petroleum products, mineral spirits, or Aviation Super Degreaser.	Replacement Legacy Num	03005
Replacement Product SKU	1003255	Specific Gravity	0.8
UPC Code	078254102009	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	72.9	VOC % (Federal)	73.11
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	9.5
VOC g/L (Consumer Product def)	583.2	VOC g/L (Federal)	1133.7
VOC lbs/gal (Consumer Prod def)	4.86	Working Temp (C)	Max 148.9°C
Working Temp (F)	Max 300°F		



Part No. 03262

Item# 1003477

CRC® SP-350™ Corrosion Inhibitor, 11 Wt Oz

Description

Superior lubrication and corrosion protection for metal parts and assemblies that are stored indoors. Protection lasts up to 2 years. Promotes easy start-up of stored equipment.

Applications

- Precision Machine Surfaces
- Start-Up Lubricant For Stored Machinery
- Protective Coating For Assemblies in Storage or in Shipment

Appearance	Tan Creamy Liquid	Brand	CRC
Case#	1003476	Color	None
Coverage	2,000 Sq Ft per Gal	DOT Proper Shipping Name	AEROSOLS, FLAMMABLE, LIMITED QUANTITY
Dielectric Strength	19,800 Volts	Dry Time Fully Dry	Non-drying
Evaporation Rate	Slow	Film Thickness	0.2 to 0.3 Mils
Film Type	Non-Drying	Flammability Class - CPSC	Flammable
Flash point (C)	62°C	Flash point (F)	144°F
Generic Description	Corrosion Inhibitor (Heavy Duty)	I 2 of 5 Code	30078254032628
Item Number	03262	NSF Category Code	H2
NSF Number	017409	Net Fill	10 Wt Oz
Plastic Safe	No	Propellant	Carbon Dioxide
Removal (How To)	Remove with petroleum distillate.	Specific Gravity	0.853
UPC Code	078254032627	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	24.5	VOC % (Federal)	89.49
VOC Category	Rust Preventative Lubricant	VOC Lbs./Gal. (Federal)	11.6
VOC g/L (Consumer Product def)	213.2	VOC g/L (Federal)	1387.6
VOC lbs/gal (Consumer Prod def)	1.78		



Part No. 18411

Item# 1005238

CRC® Seal Coat® Clear Urethane Coating, 11 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

It provides a conformal polyurethane coating that insulates electrical equipment and seals out water and moisture. This product allows clear visualization of whatever it is sprayed upon. It is an excellent insulator of PC boards, since it allows visualization of circuit paths. It dries quickly to a hard, durable, flexible film.

Applications

- On Motor Windings
- Bus Bars
- Stator Coils
- Terminals
- Commutator Ends
- PC Boards

Appearance	Clear Viscous Liquid	Brand	CRC
Case#	1005237	Color	Clear
Coverage	20 to 25 Sq Ft	DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
Dielectric Strength	3,000 Volts/Mil	Dry Time Fully Dry	72 Hours
Dry Time Tack Free	15 to 30 Minutes	Evaporation Rate	Moderate
Film Type	Dry	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	-20°C	Flash point (F)	-4°F
Generic Description	Urethane Coating	I 2 of 5 Code	30078254184112
Item Number	18411	MIR Limit (CA)	2.0
MIR Limit (EPA)	None	MIR Value	1.46
Net Fill	11 Wt Oz	Plastic Safe	Yes
Product Lifecycle Status	DISC	Propellant	Hydrocarbon
Removal (How To)	Extremely difficult to remove, scraping is recommended.	Specific Gravity	0.717
UPC Code	078254184111	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	63.9	VOC % (Federal)	63.86
VOC Category	Aerosol Coating: Electrical Coating	VOC Lbs./Gal. (Federal)	8.3
VOC g/L (Consumer Product def)	457.8	VOC g/L (Federal)	990.2
VOC lbs/gal (Consumer Prod def)	3.8	Working Temp (C)	-67.8 to 121.1°C
Working Temp (F)	-90 to 250°F		



Part No. 05347

Item# 1003779

CRC® Rubberized Spray Undercoating, 16 Wt Oz

Description

A rubberized compound that provides a tough, flexible shield against moisture, salt and road debris. It dries quickly and is exceptionally resistant to abrasion.

Applications

- Seals Underbody
- Weld Joints
- Trunk Interior and Firewall of Motor Vehicles

Appearance	Black Opaque Liquid	Brand	CRC
Case#	1003778	Color	None
Coverage	20 Sq Ft per Can	DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
Dry Time Fully Dry	36 to 48 Hours	Dry Time Tack Free	30 Minutes
Evaporation Rate	Not Determined	Film Thickness	2 to 3 Mils
Film Type	Asphaltic	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	-20°C	Flash point (F)	-4°F
Generic Description	Rubberized Spray Undercoating	I 2 of 5 Code	30078254053470
Item Number	05347	Net Fill	16 Wt Oz
Plastic Safe	No	Propellant	Hydrocarbon
Removal (How To)	Petroleum Distillates	Specific Gravity	0.85 to 0.90
UPC Code	078254053479	Unit Dimensions	9.25H x 2.63W x 2.63D in
Unit Package Description	20 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	38.2	VOC % (Federal)	38.2
VOC Category	Undercoating	VOC g/L (Consumer Product def)	334.3
VOC lbs/gal (Consumer Prod def)	2.78	Working Temp (C)	-17.8 to 37.8&3176;C
Working Temp (F)	0 to 100°F		



Part No. 06026

Item# 1003892

CRC® Heavy Duty Corrosion Inhibitor, 10 Wt Oz

Description

A long term, flexible corrosion inhibitor that protects & preserves metal surfaces, electrical connections, engine components & fasteners, subject to salt spray and high humidity. Also provides effective protection for steering & throttle linkages.

Applications

- Electrical Connections (Connections Must Be Made First)
- Equipment Storage
- Motors
- Shaft
- Steering & Throttle Linkages
- Engine Components
- Fasteners
- Salt Spray Protection
- Spindles

Appearance	Dark Amber Viscous Liquid	Brand	CRC
Case#	1003891	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dry Time Tack Free	1 Hour
Evaporation Rate	Fast	Film Thickness	2 Mils
Film Type	Waxy, Dry, Transparent	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	<-18°C	Flash point (F)	<0°F
Generic Description	Heavy Duty Corrosion Inhibitor	I 2 of 5 Code	30078254060263
Item Number	06026	Military Specification Number	Mil-C-16173 Grade 4
Net Fill	10 Wt Oz	Propellant	Hydrocarbon
Removal (How To)	May be removed with CRC Cleaner & Degreaser, mineral spirits, Stoddard solvents, or Alaphatic petroleum solvents. May also be diluted with the above materials.	Specific Gravity	0.787
UPC Code	078254060262	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	79.2	VOC % (Federal)	79.2
VOC Category	Not Regulated	VOC Lbs./Gal. (Federal)	10.2
VOC g/L (Consumer Product def)	623.3	VOC g/L (Federal)	1228.1
VOC lbs/gal (Consumer Prod def)	5.2	Working Temp (C)	-40 to 79.4°C
Working Temp (F)	-40 to 175°F		



Part No. 18412

Item# 1005240

CRC® Zinc-It® Instant Cold Galvanize, 13 Wt Oz

Description

High-performance coating of >93% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. It actively fights rust and corrosion. Use as a touch-up for damaged galvanized coatings. Dries quickly. Outdoor protection: 1-2 years.

Applications

- On Threads
- Fasteners
- Strapping
- Fencing
- Grates
- Breaker Panel Housings
- Signs
- Trailers
- Catwalks
- Exposed Edges
- Conduit
- Welds
- Railings
- Electrical Poles
- Rain Spouts
- Doors
- Waste Containers
- Guard Rails Meets Astm A780

Appearance	Gray Viscous Liquid	Brand	CRC
Case#	1005239	Coverage	24 Sq Ft at 1 Mil Dry
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dry Time Fully Dry	8 Hours
Dry Time Tack Free	20 Minutes	Federal Specification Number	DOD-P-21035A
Film Thickness	2 to 3 Mils	Film Type	Dry, Gray, Matte Finish
Flammability Class - CPSC	Extremely Flammable	Flash point (C)	-19°C
Flash point (F)	-2°F	Generic Description	Instant Cold Galvanized Coating
I 2 of 5 Code	30078254184129	Item Number	18412
MIR Limit (CA)	1.25	MIR Limit (EPA)	1.9
MIR Value	1.2	Military Specification Number	Mil-P-21035B, Mil-P-26915, Mil-P-46105
Net Fill	13 Wt Oz	Plastic Safe	Yes
Propellant	Hydrocarbon	Recoat	Before 1 Hour or After 48 Hours
Removal (How To)	Remove with aromatic solvents, Xylene. Toluene can be used, but is not recommended.	Specific Gravity	0.77 to 0.85
UPC Code	078254184128	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Federal)	45.6	VOC Category	Aerosol Coating: Metallic Coating
VOC Lbs./Gal. (Federal)	5.9	VOC g/L (Federal)	707.1
Working Temp (C)	54.4°C (Continuous) / 65.6°C (Intermittent)	Working Temp (F)	130°F (Continuous) / 150°F (Intermittent)



Part No. 05048

Item# 1003659

CRC® Zinc-It® Instant Cold Galvanize, 13 Wt Oz

Description

High Performance coating of >93% pure zinc that actively fights rust and corrosion. Provides protection of hot dip galvanize with on the job convenience.

Applications

- Threads
- Fasteners
- Strapping
- Fencing
- Grates
- Breaker Panel Housings
- Signs
- Trailers
- Catwalks
- Exposed Edges
- Conduit
- Welds
- Railings
- Electrical Poles
- Rain Spouts
- Doors
- Waste Containers
- Guard Rails

Appearance	Gray Viscous Liquid	Brand	CRC
Case#	1003658	Color	None
Coverage	28 to 32 Sq Ft at 3 Mil Dry	DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity (Marine Pollutant)
Dry Time Fully Dry	8 Hours	Dry Time Tack Free	20 Minutes
Evaporation Rate	>1 (Butyl Acetate=1)	Federal Specification Number	DOD-P-21035A
Film Thickness	2 to 3 Mils	Film Type	Dry, Gray, Matte Finish
Flammability Class - CPSC	Extremely Flammable	Flash point (C)	-19°C
Flash point (F)	-2.2°F	Generic Description	Instant Cold Galvanized Coating
I 2 of 5 Code	30078254050486	Item Number	05048
MIR Limit (CA)	1.25	MIR Limit (EPA)	1.9
MIR Value	1.17	Military Specification Number	Mil-P-26915, Mil-P-46105
Net Fill	13 Wt Oz	Plastic Safe	Yes
Propellant	Hydrocarbon	Recoat	Before 1 Hour or After 48 Hours
Removal (How To)	Remove with aromatic solvents, Xylene. Toluene can be used, but is not recommended.	Specific Gravity	0.77 to 0.85
UPC Code	078254050485	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Federal)	50.2	VOC Category	Aerosol Coating: Metallic Coating
VOC Lbs./Gal. (Federal)	5.9	VOC g/L (Federal)	707.1
Working Temp (C)	54.4°C (Continuous) / 65.6°C (Intermittent)	Working Temp (F)	130°F (Continuous) / 150°F (Intermittent)



Part No. SXM XR

Item# 1007980

CRC® Salt Terminator® Engine Flush, Cleaner & Corrosion Inhibitor, 1 Mixer Unit

Description

Automatically dilutes the Salt Terminator concentrate and siphons it through a standard garden hose. Connect the hose to the marine engine's flushing unit and add extra years of service to outboards, I/O's, jet boars, and personal watercraft.

Applications

- Attach Mixer to A Standard Garden Hose to Dilute Formula For Easy Application on Large Areas
- or Connect The Hose to A Marine Engine Flushing Unit to Flush The Cooling System

Appearance _____ **Black housing, red valve and natural cup**

Brand _____ **CRC**

Case# _____ **1007979**

DOT Proper Shipping Name _____ **Not Regulated**

Generic Description _____ **For use with CRC Salt Terminator SX-32 or SX-128**

I 2 of 5 Code _____ **30078254000054**

Item Number _____ **SXMXR**

Net Fill _____ **N/A**

Restricted From Sale In _____ **N/A**

UPC Code _____ **078254000053**

Unit Dimensions _____ **7.4H x 2.4W x 2.7D in**

Unit Package Description _____ **1 Mixer Unit**

Units per Case _____ **12**



Part No. 18413

Item# 1005241

CRC® Zinc-It® Instant Cold Galvanize™ Zinc Rich Galvanize Coating, 1 Gal

Description

High-performance coating of >92% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. It actively fights rust and corrosion. Use as a touch-up for damaged galvanized coatings. Dries quickly. Outdoor protection: 1 - 2 years

Applications

- On Threads
- Fasteners
- Strapping
- Fencing
- Grates
- Breaker Panel Housings
- Signs
- Trailers
- Catwalks
- Exposed Edges
- Conduit
- Welds
- Railings
- Electrical Poles
- Rain Spouts
- Doors
- Waste Containers
- Guard Rails

Appearance _____ Gray Viscous Liquid

Brand _____ CRC

Coverage _____ 674 Sq Ft at 1 Mil Dry

DOT Proper Shipping Name _____ Paint, Limited Quantity

Dry Time Fully Dry _____ 72 Hours

Dry Time Tack Free _____ 30 Minutes

Evaporation Rate _____ Slow

Federal Specification Number _____ DOD-P-21035A

Film Thickness _____ 1.5 to 3 Mils

Film Type _____ Dry, Gray

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ 7°C

Flash point (F) _____ 45°F

Generic Description _____ Instant Cold Galvanized Coating

Item Number _____ 18413

Military Specification Number _____ Mil-P-26915, Mil-P-46105

Net Fill _____ 1 Gal

Plastic Safe _____ May Harm Sensitive Plastics

Propellant _____ None

Recoat _____ 8 Hours

Removal (How To) _____ Paint stripper or other solvent

Specific Gravity _____ 2.473

UPC Code _____ 078254184135

Unit Dimensions _____ 7.88H x 8W x 8D in

Unit Package Description _____ 1 Gallon Can

Units per Case _____ 1

VOC % (Consumer Product def) _____ 19.95

VOC % (Federal) _____ 19.98

VOC Category _____ Not Regulated - (Not for field application)

VOC Lbs./Gal. (Federal) _____ 2.6

VOC g/L (Consumer Product def) _____ 493.36

VOC g/L (Federal) _____ 309.8

VOC lbs/gal (Consumer Prod def) _____ 4.11

Working Temp (C) _____ 121.1 to 148.9°C
(Continuous), 232.2°C (Intermittent)

Working Temp (F) _____ 250 to 300°F (Continuous), Up to 450°F (Intermittent)



Part No. SX128

Item# 1007968

CRC® Salt Terminator Engine Flush Clr & Corrosion Inhib, 1 Gal

Description

Cleans & protects anything exposed to salt (saltwater, salt air, road salt). Dissolves salt & leaves a protective coating to inhibit corrosion. Essential as a motor flush for marine engines in both saltwater and freshwater environments.

Applications

- Flushes Marine Engines
- Heat Exchanges; Cleans & Protects Boats
- Trailers
- Fishing Tackle
- Rvs
- Tools
- Atvs
- Patio Furniture & More!
- Cooling Systems
- Pwcs
- Gear
- Autos
- Trucks
- Motorcycles
- Bicycles

Appearance _____ Blue Liquid

Brand _____ CRC

Case# _____ 1007966

DOT Proper Shipping Name _____ Not Regulated

Dielectric Strength _____ N/A

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ None

Flash point (C) _____ 93.3°C

Flash point (F) _____ 200°F

Generic Description _____ Engine Flush, Cleaner and Corrosion Inhibitor

I 2 of 5 Code _____ 30078254000047

Item Number _____ SX128

Net Fill _____ 1 Gal

PH _____ 9.1 to 9.9

Plastic Safe _____ Yes

Propellant _____ None

Removal (How To) _____ Remove with water.

Treatment Ratio _____ 4 Fl Oz to 1 Gal water (118 ml to 3.785 L)

UPC Code _____ 078254000046

Unit Dimensions _____ 10.3H x 7W x 5D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 6

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 9.4

VOC Category _____ Not Regulated

VOC Lbs./Gal. (Federal) _____ 0.81

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 96.8

VOC lbs/gal (Consumer Prod def) _____ 0

Working Temp (C) _____ 0 to 100°C

Working Temp (F) _____ 32 to 212°F



Part No. 02061

Item# 1003189

CRC® Stor & Lube® Corrosion Inhibitor, 11 Wt Oz

Discontinued

alternate available Product No. 03262 [ITEM# 1003477](#)

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Provides superior lubrication and corrosion protection for metal parts and assemblies stored indoors for up to 2 years. Promotes easy start-up of stored equipment. Protects all metals including copper and brass.

Applications

- Chain Drives
- Overhead Cranes & Trolleys
- Wire & Rope
- Lifts
- Jigs
- Machinery
- Exposed Shafts & Piping
- Cables
- Conveyor Systems
- Gears
- Dries
- Tools
- Bearings

Appearance _____ Tan Creamy Liquid

Brand _____ CRC

Case# _____ 1003188

Coverage _____ 2,000 Sq Ft per Gal

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 19,800 Volts

Dry Time Fully Dry _____ 2 to 4 Hours

Evaporation Rate _____ Slow

Film Thickness _____ 0.2 to 0.3 Mils

Film Type _____ Non-Drying

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 62°C

Flash point (F) _____ 144°F

Generic Description _____ Corrosion Inhibitor and Start-up
Lubricant

I 2 of 5 Code _____ 30078254020618

Item Number _____ 02061

NSF Category Code _____ H2

NSF Number _____ 017222

Net Fill _____ 11 Wt Oz

Plastic Safe _____ No

Product Lifecycle Status _____ DISC

Propellant _____ Carbon Dioxide

Removal (How To) _____ Remove with petroleum
distillate.

Replacement Legacy Num _____ 03262

Replacement Product SKU _____ 1003477

Specific Gravity _____ 0.853

UPC Code _____ 078254020617

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 24.5

VOC % (Federal) _____ 89.49

VOC Category _____ Rust Preventative Lubricant

VOC Lbs./Gal. (Federal) _____ 11.6

VOC g/L (Consumer Product def) _____ 213.2

VOC g/L (Federal) _____ 1387.6

VOC lbs/gal (Consumer Prod def) _____ 1.78



Part No. 18414

Item# 1005244

CRC® Bright Zinc-It® Instant Cold Galvanize, 13 Wt Oz

Description

An acrylic based, sacrificial zinc coating that protects ferrous metals from oxidizing. Creates a barrier film between the environment & the base metal to prevent the formation or spread of rust & corrosion. Meets requirements of ASTM-A780.

Applications

- On Threads
- Fasteners
- Strapping
- Fencing
- Grates
- Breaker Panel Housings
- Signs
- Trailers
- Catwalks
- Exposed Edges
- Conduit
- Welds
- Railings
- Electrical Poles
- Rain Spouts
- Doors
- Waste Containers
- Guard Rails

Appearance	Gray Liquid	Brand	CRC
Case#	1005243	Color	Silver
Coverage	28 to 32 Sq Ft per aerosol	DOT Proper Shipping Name	AEROSOLS, FLAMMABLE, LIMITED QUANTITY
Dielectric Strength	Conductive	Dry Time Fully Dry	48 Hours
Dry Time Tack Free	20 Minutes	Evaporation Rate	Fast
Federal Specification Number	ASTM-A780	Film Thickness	1.5 to 3 Mils
Film Type	Dry, Gray, Shiny Finish	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	-19°C	Flash point (F)	-2.2°F
Generic Description	Cold Galvanized Coating	I 2 of 5 Code	30078254184143
Item Number	18414	MIR Limit (CA)	1.25
MIR Limit (EPA)	1.9	MIR Value	1.1
Net Fill	13 Wt Oz	Plastic Safe	No
Propellant	Hydrocarbon	Recoat	20 Minutes to 16 Hours
Removal (How To)	Remove with petroleum solvents.	Specific Gravity	0.77 to 0.85
UPC Code	078254184142	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Federal)	46.9	VOC Category	Aerosol Coating: Metallic Coating
VOC Lbs./Gal. (Federal)	6.1	VOC g/L (Federal)	727.2



Part No. 06054

Item# 1003898

CRC® Marine Instant Galvanize, 13 Wt Oz

Discontinued

alternate available Product No. 05048 ITEM# 1003659

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

High performance coating of >93% pure zinc that electrochemically bonds to ferrous metals. Provides protection of hot dip galvanize with on the job convenience.

Applications

- Threads
- Fasteners
- Strapping
- Fencing
- Grates
- Breaker Panel Housings
- Signs
- Trailers
- Catwalks
- Exposed Edges
- Conduit
- Welds
- Railings
- Electrical Poles
- Rain Spouts
- Doors
- Waste Containers
- Guard Rails

Appearance	Gray Viscous Liquid	Brand	CRC
Case#	1003897	Color	None
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity	Dry Time Fully Dry	8 Hours
Dry Time Tack Free	20 Minutes	Evaporation Rate	Fast
Federal Specification Number	DOD-P-21035A	Film Thickness	2 to 3 MILS
Film Type	Dry, Gray, Matte Finish	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	-19°C	Flash point (F)	-2.2°F
Generic Description	Marine Instant Galvanize	I 2 of 5 Code	30078254060546
Item Number	06054	MIR Limit (CA)	1.25
MIR Limit (EPA)	1.9	MIR Value	1.2
Military Specification Number	Mil-P-26915,Mil-P-46105	Net Fill	13 Wt Oz
Plastic Safe	Yes	Product Lifecycle Status	DISC
Propellant	Hydrocarbon	Removal (How To)	Remove with aromatic solvents, Xylene. Toluene can be used, but is not recommended.
Replacement Legacy Num	05048	Replacement Product SKU	1003659
Specific Gravity	0.77 to 0.85	UPC Code	078254060545
Unit Dimensions	7.75H x 2.63W x 2.63D in	Unit Package Description	16 Ounce Aerosol
Units per Case	12	VOC % (Federal)	45.6
VOC Category	Aerosol Coating: Metallic Coating	VOC Lbs./Gal. (Federal)	5.9
VOC g/L (Federal)	707.1	Working Temp (C)	54.4°C (Continuous) 65.6°C (Intermittent)
Working Temp (F)	130°F (Continuous) 150°F (Intermittent)		



Part No. 03288

Item# 1003486

CRC® SP-400™ Corrosion Inhibitor, 55 Gal

Discontinued

alternate available Product No. 03286 ITEM# 1003485

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage. Indoor/Outdoor protection up to 2 years.

Applications

- Motors
- Equipment Exposed to Elements
- Shafts
- Outdoor Storage of Raw Materials & Finished Stock

Appearance	Dark Amber Viscous Liquid	Brand	CRC
Color	None	Coverage	1,000 Sq Ft per Gal
DOT Proper Shipping Name	Not Regulated by Ground	Dry Time Tack Free	1 Hour
Evaporation Rate	Slow	Film Thickness	2 Mils
Film Type	Waxy, Dry, Transparent	Flammability Class - CPSC	Combustible
Flash point (C)	48°C	Flash point (F)	119°F
Generic Description	Corrosion Inhibitor (Extreme Duty)	Item Number	03288
Military Specification Number	Mil-C-16173 Grade 4 (Corrosion test only)	NSF Category Code	H2
NSF Number	147459	Net Fill	55 Gal
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	None	Removal (How To)	May be removed with mineral spirits, Stoddard solvents, or Alaphatic Petroleum solvents.
Replacement Legacy Num	03286	Replacement Product SKU	1003485
Specific Gravity	0.878	UPC Code	078254032887
Unit Dimensions	35H x 24.5W x 24.5D in	Unit Package Description	55 Gallon Drum
Units per Case	1	VOC % (Consumer Product def)	50.2
VOC % (Federal)	50.17	VOC Category	Not Regulated - (Not for field application)
VOC Lbs./Gal. (Federal)	6.5	VOC g/L (Consumer Product def)	440.8
VOC g/L (Federal)	777.9	VOC lbs/gal (Consumer Prod def)	3.67
Working Temp (C)	-20 to 79.4°C	Working Temp (F)	-4 to 175°F



Part No. 03226

Item# 1003468

CRC® SP-250™ Corrosion Inhibitor, 5 Gal

Discontinued

alternate available Product No. 03266 ITEM# 1003478

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Thin, non-staining film protects indoors for up to 9 months. Use for protection of all metals and for parts subjected to high humidity conditions. Perfect as an anti-corrosion coating for shrink-wrapped parts and a moisture displacer for finished parts.

Applications

- Machined Surfaces
- Power Units
- Cutting Tools
- Welds
- H& Tools
- Molds
- Guns
- Parts in Process
- Electrical Boards
- Blades
- Aluminum Extrusions
- Dies
- Chains
- Artillery & Packaged Goods

Appearance	Amber Liquid	Brand	CRC
Color	None	Coverage	3,000 Sq Ft per Gal
DOT Proper Shipping Name	NOT REGULATED	Dielectric Strength	34,800 V
Dry Time Fully Dry	30 Minutes	Evaporation Rate	Slow
Federal Specification Number	No	Film Thickness	0.05 Mils
Film Type	Ultra Thin and Dry	Flash point (C)	90°C
Flash point (F)	194°F	Ford Tox No.	187293
Generic Description	Corrosion Inhibitor (Light Duty)	Item Number	03226
Military Specification Number	Mil-PRF-16173E, Grade 3 (Corrosion test only)	NSF Category Code	H2
NSF Number	132839	Net Fill	5 Gal
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	None	Removal (How To)	Remove with petroleum solvents, Stoddard solvent or mineral spirits.
Replacement Legacy Num	03266	Replacement Product SKU	1003478
Restricted From Sale In	No state restrictions	Specific Gravity	0.8034
UPC Code	078254032269	Unit Dimensions	13.75H x 11.25W x 11.25D in
Unit Package Description	5 Gallon Pail	Units per Case	1
Use Restrictions	None known	VOC % (Consumer Product def)	6.3
VOC % (Federal)	100	VOC Category	Not Regulated - (Not for field application)
VOC Lbs./Gal. (Federal)	11.7	VOC g/L (Consumer Product def)	51
VOC g/L (Federal)	810	VOC lbs/gal (Consumer Prod def)	0.43
Working Temp (C)	-40 to 148.89°C	Working Temp (F)	-40 to 300°F



Part No. 03266

Item# 1003478

CRC® SP-350™ Corrosion Inhibitor, 5 Gal

Description

Superior lubrication and corrosion protection for metal parts and assemblies that are stored indoors. Protection lasts up to 2 years. Promotes easy start-up of stored equipment.

Applications

- Precision Machine Surfaces
- Start-Up Lubricant For Stored Machinery
- A Protective Coating For Assemblies in Storage or in Shipment

Appearance	Tan Creamy Liquid	Brand	CRC
Color	None	Coverage	2,000 Sq Ft per Gal
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	21,700 Volts
Evaporation Rate	Slow	Film Thickness	0.2 to 0.3 Mils
Film Type	Non-Drying	Flammability Class - CPSC	Not a Consumer Product
Flash point (C)	88°C	Flash point (F)	190°F
Generic Description	Corrosion Inhibitor (Heavy Duty)	Item Number	03266
NSF Category Code	H2	NSF Number	135818
Net Fill	5 Gal	Plastic Safe	No
Propellant	None	Removal (How To)	Remove with petroleum distillate.
Specific Gravity	0.857	UPC Code	078254032665
Unit Dimensions	13.75H x 11.25W x 13.75D in	Unit Package Description	5 Gallon Pail
Units per Case	1	VOC % (Consumer Product def)	5.9
VOC % (Federal)	90.84	VOC Category	Not Regulated - (Not for field application)
VOC Lbs./Gal. (Federal)	11.8	VOC g/L (Consumer Product def)	49
VOC g/L (Federal)	1408.6	VOC lbs/gal (Consumer Prod def)	0.41



Part No. 03246

Item# 1003470

CRC® SP-300™ Corrosion Inhibitor, 5 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Thin, non-drying film that protects indoors up to 9 months. Displaces moisture. Provides short to medium corrosion protection.

Applications

- Manufacturing Equipment
- In-Process Metal Parts
- Aluminum Extrusions
- Dies
- Chains
- Fishing Gear
- Artillery
- Machined Surfaces
- Blades
- Polished Metals
- Molds
- Saws
- Guns
- Engine Parts & Bearings

Appearance	Clear Blue-Green Liquid	Brand	CRC
Color	None	Coverage	5,000 Sq Ft per Gal
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	32,500 Volts/Mil
Evaporation Rate	Slow	Federal Specification Number	O-W-1284,V-V-P-216
Film Thickness	0.025 to 0.075 Mils	Film Type	Wet
Flammability Class - CPSC	Combustible	Flash point (C)	63°C
Flash point (F)	145°F	Generic Description	Corrosion Inhibitor (Medium Duty)
Item Number	03246	NSF Category Code	H2
NSF Number	017437	Net Fill	5 Gal
Plastic Safe	Yes	Product Lifecycle Status	DISC
Propellant	None	Removal (How To)	Remove with petroleum solvents or Stoddard solvents.
Specific Gravity	0.8187	UPC Code	078254032467
Unit Dimensions	13.75H x 11.25W x 11.25D in	Unit Package Description	5 Gallon Pail
Units per Case	1	VOC % (Consumer Product def)	40.2
VOC % (Federal)	99.99	VOC Category	Not Regulated - (Not for field application)
VOC Lbs./Gal. (Federal)	12.9	VOC g/L (Consumer Product def)	329.1
VOC g/L (Federal)	1550.4	VOC lbs/gal (Consumer Prod def)	2.74
Working Temp (C)	Max 148.9°C	Working Temp (F)	Max 300°F



Part No. 03286

Item# 1003485

CRC® SP-400™ Corrosion Inhibitor, 5 Gal

Description

Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage. Indoor/Outdoor protection up to 2 years.

Applications

- Motors
- Equipment Exposed to Elements
- Shafts
- Outdoor Storage of Raw Materials & Finished Stock

Appearance	Dark Amber Viscous Liquid	Brand	CRC
Color	None	Coverage	1,000 Sq Ft per Gal
DOT Proper Shipping Name	Not Regulated by Ground	Dry Time Tack Free	1 Hour
Evaporation Rate	Slow	Film Thickness	2 Mils
Film Type	Waxy, Dry, Transparent	Flammability Class - CPSC	Not a Consumer Product
Flash point (C)	48°C	Flash point (F)	119°F
Generic Description	Corrosion Inhibitor (Extreme Duty)	Item Number	03286
Military Specification Number	Mil-C-16173 Grade 4 (Corrosion test only)	NSF Category Code	H2
NSF Number	147459	Net Fill	5 Gal
Plastic Safe	No	Propellant	None
Removal (How To)	May be removed with mineral spirits, Stoddard solvents, or Alaphatic Petroleum solvents.	Specific Gravity	0.878
UPC Code	078254032863	Unit Dimensions	13.75H x 11.25W x 11.25D in
Unit Package Description	5 Gallon Pail	Units per Case	1
VOC % (Consumer Product def)	50.2	VOC % (Federal)	50.17
VOC Category	Not Regulated - (Not for field application)	VOC Lbs./Gal. (Federal)	6.5
VOC g/L (Consumer Product def)	440.8	VOC g/L (Federal)	777.9
VOC lbs/gal (Consumer Prod def)	3.67	Working Temp (C)	-20 to 79.4°C
Working Temp (F)	-4 to 175°F		



Part No. 03228

Item# 1003469

CRC® SP-250™ Corrosion Inhibitor, 55 Gal

Discontinued

alternate available Product No. 03266 ITEM# 1003478

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Thin, non-staining film protects indoors for up to 9 months. Use for protection of all metals and for parts subjected to high humidity conditions. Perfect as an anti-corrosion coating for shrink-wrapped parts and a moisture displacer for finished parts.

Applications

- Machined Surfaces
- Power Units
- Cutting Tools
- Welds
- H& Tools
- Molds
- Guns
- Parts in Process
- Electrical Boards
- Blades
- Aluminum Extrusions
- Dies
- Chains
- Artillery & Packaged Goods

Appearance	Amber Liquid	Brand	CRC
Color	None	Coverage	3,000 Sq Ft per Gal
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	34,800 V
Dry Time Fully Dry	30 Minutes	Evaporation Rate	Slow
Federal Specification Number	No	Film Thickness	0.05 Mils
Film Type	Ultra Thin and Dry	Flash point (C)	90
Flash point (F)	194	Ford Tox No.	187293
Generic Description	Corrosion Inhibitor (Light Duty)	Item Number	03228
Military Specification Number	Meets requirements of Mil-PRF-16173E, Grade 3 (Corrosion test only)	NSF Category Code	H2
NSF Number	132839	Net Fill	55 Gal
Plastic Safe	No	Product Lifecycle Status	DISC
Propellant	None	Removal (How To)	Remove with petroleum solvents, Stoddard solvent or mineral spirits.
Replacement Legacy Num	03266	Replacement Product SKU	1003478
Restricted From Sale In	No state restrictions	Specific Gravity	0.8034
UPC Code	078254032283	Unit Dimensions	35H x 24.5W x 24.5D in
Unit Package Description	55 Gallon Drum	Units per Case	1
Use Restrictions	None known	VOC % (Consumer Product def)	6.3
VOC % (Federal)	100	VOC Category	Not Regulated - (Not for field application)
VOC Lbs./Gal. (Federal)	11.7	VOC g/L (Consumer Product def)	51
VOC g/L (Federal)	810	VOC lbs/gal (Consumer Prod def)	0.43
Working Temp (C)	-40 to 148.89°C	Working Temp (F)	-40 to 300°F



Part No. 03268

Item# 1003479

CRC® SP-350™ Corrosion Inhibitor, 55 Gal

Description

Superior lubrication and corrosion protection for metal parts and assemblies that are stored indoors. Protection lasts up to 2 years. Promotes easy start-up of stored equipment.

Applications

- Precision Machine Surfaces
- Start-Up Lubricant For Stored Machinery
- Protective Coating For Assemblies in Storage or in Shipment

Appearance	Tan Creamy Liquid	Brand	CRC
Color	None	Coverage	2,000 Sq Ft per Gal
DOT Proper Shipping Name	Not Regulated	Dielectric Strength	21,700 Volts
Evaporation Rate	Slow	Film Thickness	0.2 to 0.3 Mils
Film Type	Non-Drying	Flammability Class - CPSC	None
Flash point (C)	88°C	Flash point (F)	190°F
Generic Description	Corrosion Inhibitor (Heavy Duty)	Item Number	03268
NSF Category Code	H2	NSF Number	135818
Net Fill	55 Gal	Plastic Safe	No
Propellant	None	Removal (How To)	Remove with petroleum distillate.
Specific Gravity	0.857	UPC Code	078254032689
Unit Dimensions	35H x 24.5W x 24.5D in	Unit Package Description	55 Gallon Drum
Units per Case	1	VOC % (Consumer Product def)	5.9
VOC % (Federal)	90.84	VOC Category	Not Regulated - (Not for field application)
VOC Lbs./Gal. (Federal)	11.8	VOC g/L (Consumer Product def)	50.6
VOC g/L (Federal)	1408.6	VOC lbs/gal (Consumer Prod def)	0.42

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cse@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>