

Чистящие средства на водной основе

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cse@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>

INOX KLEEN

Cleaners - Water Based

Water based, foaming cleaner for degreasing and cleaning shiny metal surfaces.

CRC Inox Kleen is NSF A7,C1 registered for use in the food industry. It eliminates fingerprints, watermarks, dust and dirt from stainless steel. It leaves a protective non-greasy barrier for a long-term original aspect and provides metal surfaces with a long-term staining and contamination resistance. CRC Inox Kleen is also suitable for aluminum, chrome and most plastics (test prior to use).



	Ref.	Description	TDS
	20720-AS 1030406	Inox Kleen FPS 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu >>> IDS	MSDS
	20720-AU 1030407	Inox Kleen FPS 12x500 ML en,de,nl,fr,es,pt,it,el >>> IDS	MSDS

Public Data - A

20720-AS | Inox Kleen FPS 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Inox Kleen
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.563
Weight Per Carton (Kilogram)	6.756
Parts Per Pallet	720
EAN Code Single Part	5412386005039
EAN Code Carton	5412386863363
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Pressurised container: May burst if heated. Causes serious eye irritation.
GHS - Hazard Pictograms	GHS07
Intrastat / Tariff Code	34024200
UN Hazard Code	AEROSOLS
Road Tunnel Code	(E)
Hazard Class	2.2

Public Data - A

20720-AU | Inox Kleen FPS 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Inox Kleen
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.553
Weight Per Carton (Kilogram)	6.636
Parts Per Pallet	720
EAN Code Single Part	5412386059131
EAN Code Carton	5412386863370
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Pressurised container: May burst if heated. Causes serious eye irritation.
GHS - Hazard Pictograms	GHS07
Intrastat / Tariff Code	34024200
UN Hazard Code	AEROSOLS
Road Tunnel Code	(E)
Hazard Class	2.2

HYDROPOWER

Cleaners - Water Based

Water based, powerful degreaser, NSF approved

Water based pH neutral general degreaser. quickly and safely removes, grease, oil, lubricants, grime, and other tough contaminants from mechanical parts and surfaces. Safer and more environmentally friendly alternative to solvent cleaners.

Features:

- High Output for additional mechanical force, that flushes away the dirt.
- Food processing Safe/ NSF registered.
- No harmful Volatile Organic Components (VOCs).
- Readily Biodegradable formula ($\geq 60\%$ by OECD 301)
- Non-flammable.



	Ref.	Description	TDS
	33430-AA 1755345	HydroPower FPS 12x400 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu >>> IDS	MSDS

Public Data - A

33430-AA | HydroPower FPS 12x400 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	HydroPower
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.507
Weight Per Carton (Kilogram)	6.084
Parts Per Pallet	720
EAN Code Single Part	5412386072055
EAN Code Carton	5412386872181
Part Dimension - Width (mm)	66
Part Dimension - Depth (mm)	66
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Pressurised container: May burst if heated.
GHS - Hazard Pictograms	
Intrastat / Tariff Code	34024900
UN Hazard Code	AEROSOLS
Road Tunnel Code	(E)
Hazard Class	2.2

ECO FOAM CLEANER

Cleaners - Water Based

Non-flammable, slow drying water based cleaner, suitable for removing heavy contaminants in vertical applications in food processing areas.

A concentrated, water based degreaser for use in the food industry; NSF A1 registered. The stable, nondripping foam formula ensures a long contact with the contamination, especially on vertical surfaces. Rinse with water after application. Readily biodegradable according to OECD 301B: 64%.



	Ref.	Description	TDS
	<u>10278-AG</u> 1030086	ECO Foam Cleaner FPS 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu >>> IDS	MSDS

Public Data - A

10278-AG | ECO Foam Cleaner FPS 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	ECO Foam Cleaner
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.59
Weight Per Carton (Kilogram)	7.08
Parts Per Pallet	720
EAN Code Single Part	5412386059421
EAN Code Carton	5412386858154
Part Dimension - Width (mm)	66
Part Dimension - Depth (mm)	66
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Pressurised container: May burst if heated. Causes serious eye damage.
GHS - Hazard Pictograms	GHS05
Intrastat / Tariff Code	34024200
UN Hazard Code	AEROSOLS
Road Tunnel Code	(E)
Hazard Class	2.2

ECO COMPLEX BLUE

Cleaners - Water Based



Non-flammable, water-based cleaner for heavy contaminants in food processing areas (NSF A1 registered)

- Quickly removes grease, oil, lubricants, grime, blood, nicotine, food and other tough stains, virus, bacteria and fungus from any washable surface.
- It exists in concentrated and ready to use form for increased convenience and economy.
- Excellent product for use in dip tanks, pressure washer, ultrasonic and steam cleaning equipment.
- Dilute according to information on the datasheet.
- Safe on plastics. Rinse with water after application.
- Readily biodegradable concentrate according to OECD 301B:>64%.

	Ref.	Description	TDS
	10282-AA 1030087	ECO Complex Blue FPS 2x5 L en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	20123-AA 1030259	ECO Complex Blue FPS 20 L en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	30431-AA 1030621	ECO Complex Blue FPS 200 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs >>> IDS	MSDS
	33418-AA 1754597	ECO Complex Blue FPS 6x1 L en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	33418-AB 1754598	ECO Complex Blue FPS 6x1 L sv,fi,da,no,pl,et,lv,lt >>> IDS	MSDS
	33418-AC 1754599	ECO Complex Blue FPS 6x1 L hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS

Public Data - B

10282-AA | ECO Complex Blue FPS 2x5 L en,de,nl,fr,es,pt,it,el

Product Name	ECO Complex Blue
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	5.24
Parts Per Pallet	96
EAN Code Single Part	5412386001734
Part Dimension - Width (mm)	188
Part Dimension - Depth (mm)	141.5
Part Dimension - Height (mm)	296
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Causes serious eye damage.
GHS - Hazard Pictograms	GHS05
Intrastat / Tariff Code	34024200
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

20123-AA | ECO Complex Blue FPS 20 L en,de,nl,fr,es,pt,it,el

Product Name	ECO Complex Blue
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	21.005
Parts Per Pallet	24
EAN Code Single Part	5412386001765
Part Dimension - Width (mm)	285
Part Dimension - Depth (mm)	380
Part Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Causes serious eye damage.
GHS - Hazard Pictograms	GHS05
Intrastat / Tariff Code	34024200
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

30431-AA | ECO Complex Blue FPS 200 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs

Product Name	ECO Complex Blue
Packaging Description	Bulk
Net Volume (Liter)	200
Part Gross Weight (Kilogram)	212.005
Parts Per Pallet	2
EAN Code Single Part	5412386005541
Part Dimension - Width (mm)	590
Part Dimension - Depth (mm)	960
Part Dimension - Height (mm)	590
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Causes serious eye damage.
GHS - Hazard Pictograms	GHS05
Intrastat / Tariff Code	34024200
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

33418-AA | ECO Complex Blue FPS 6x1 L en,de,nl,fr,es,pt,it,el

Product Name	ECO Complex Blue
Packaging Description	Bottle
Net Volume (Liter)	1
Part Gross Weight (Kilogram)	1.125
Parts Per Pallet	342
EAN Code Single Part	5412386071782
Part Dimension - Width (mm)	256
Part Dimension - Depth (mm)	314
Part Dimension - Height (mm)	171
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Causes serious eye irritation.
GHS - Hazard Pictograms	GHS07
Intrastat / Tariff Code	34024200
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

33418-AB | ECO Complex Blue FPS 6x1 L sv,fi,da,no,pl,et,lv,lt

Product Name	ECO Complex Blue
Packaging Description	Bottle
Net Volume (Liter)	1
Part Gross Weight (Kilogram)	1.125
Parts Per Pallet	342
EAN Code Single Part	5412386071799
Part Dimension - Width (mm)	256
Part Dimension - Depth (mm)	314
Part Dimension - Height (mm)	171
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Causes serious eye irritation.
GHS - Hazard Pictograms	GHS07
Intrastat / Tariff Code	34024200
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

33418-AC | ECO Complex Blue FPS 6x1 L hu,cs,sk,tr,ru,ro,bg,uk

Product Name	ECO Complex Blue
Packaging Description	Bottle
Net Volume (Liter)	1
Part Gross Weight (Kilogram)	1.125
Parts Per Pallet	360
EAN Code Single Part	5412386071805
Part Dimension - Width (mm)	256
Part Dimension - Depth (mm)	314
Part Dimension - Height (mm)	171
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Causes serious eye irritation.
GHS - Hazard Pictograms	GHS07
Intrastat / Tariff Code	34024200
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>