

Краски

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>

ACRYLIC PRIMER - PLASTIC

Paints

Acrylic Plastic Primer is specifically designed as a primer for hard plastic, such as polyurethane, polystyrene, polyamide, hard polyvinyl chloride (PVC),...

- Very fast-drying: Topcoat can be applied after +/- 15 minutes
- Results in a smooth surface
- For indoor and outdoor use
- Adjustable direction and output thanks to flexible nozzle



	Ref.	Description	TDS
	<u>33274-AA</u> 1032619	ACRYLIC PRIMER Plastic 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>33274-AB</u> 1032620	ACRYLIC PRIMER Plastic 6x400 ML sv,fi,da,no	MSDS

Public Data - A

33274-AA | ACRYLIC PRIMER Plastic 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PRIMER
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386070174
EAN Code Carton	5412386867477
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

33274-AB | ACRYLIC PRIMER Plastic 6x400 ML sv,fi,da,no

Product Name	ACRYLIC PRIMER
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386070075
EAN Code Carton	5412386867484
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

ACRYLIC PRIMER - METAL

Paints

Acrylic Metal Primer is specifically designed as a primer for metal but can also be used on a wide variety of materials, such as wood, ceramics, eternit, cardboard,...

- Fast-drying: dust-dry after +/- 15 minutes
- High filling properties
- Protects against corrosion
- For indoor and outdoor use
- Adjustable direction and output thanks to flexible nozzle



	Ref.	Description	TDS
	<u>31091-AA</u> 1030891	ACRYLIC PRIMER Metal - Grey 6x400 ML en,de,nl,fr,es,pt	MSDS

Public Data - A

31091-AA | ACRYLIC PRIMER Metal - Grey 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PRIMER
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386203015
EAN Code Carton	5412386867446
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

ACRYLIC EFFECT - METALLIC

Paints

Metallic effect spray for a glossy and sparkling metallic look.

Can be used on a wide variety of surfaces, such as metal, coatable hard plastics, wood, stone, glass, cardboard, ceramics,...

- Long-lasting shine and intensive colour
- Very good coverage
- Fast-drying: dust-dry after +/- 10 minutes
- Shock- and scratch-proof
- Suitable for use on a wide variety of hard surfaces through industries
- Weather resistant when coated with CRC Acrylic Varnish.
- For indoor and outdoor use



	Ref.	Description	TDS
	<u>11688-AA</u> 1030231	ACRYLIC EFFECT Metallic Silver 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>11688-AB</u> 1030230	ACRYLIC EFFECT Metallic Silver 6x400 ML sv,fi,da,no	MSDS
	<u>31093-AA</u> 1030893	ACRYLIC EFFECT Metallic Black 6x400 ML en,de,nl,fr,es,pt	MSDS

Public Data - A

11688-AA | ACRYLIC EFFECT Metallic Silver 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC EFFECT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386204012
EAN Code Carton	5412386861802
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11688-AB | ACRYLIC EFFECT Metallic Silver 6x400 ML sv,fi,da,no

Product Name	ACRYLIC EFFECT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386070051
EAN Code Carton	5412386861192
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31093-AA | ACRYLIC EFFECT Metallic Black 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC EFFECT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386204036
EAN Code Carton	5412386861895
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

ACRYLIC HITEMP PAINT

Paints

CRC Acrylic Hitemp Paint protects metal from high temperatures up to 800° C, which makes it ideal for painting engines, pipelines, heat shields, ovens, pipes,...

It can be used on metal, cast iron and aluminium. For full temperature-resistance, the coating should be gradually heated up to 160°C to 200°C and stay at that temperature for +/- 30 minutes.

- Fast-drying: dust-dry after +/- 10 minutes
- Resistant to very high heat (up to 800°C)
- Very good coverage and filling properties
- Scratch-proof
- Weather-resistant
- For indoor and outdoor use



Ref.		Description	TDS
	30483-AA 1030660	ACRYLIC HITEMP PAINT Black 6x400 ML sv,fi,da,no	MSDS
	31096-AA 1030896	ACRYLIC HITEMP PAINT Silver 6x400 ML en,de,nl,fr,es,pt	MSDS

Public Data - A

30483-AA | ACRYLIC HITEMP PAINT Black 6x400 ML sv,fi,da,no

Product Name	ACRYLIC HITEMP PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386006210
EAN Code Carton	5412386867392
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31096-AA | ACRYLIC HITEMP PAINT Silver 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC HITEMP PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.380
Weight Per Carton (Kilogram)	2.28
Parts Per Pallet	696
EAN Code Single Part	5412386206023
EAN Code Carton	5412386861901
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

ACRYLIC EFFECT - CHROME

Paints

Chrome effect spray of high-grade acrylic quality that offers a long-lasting decorative chrome finish.

Can be used on all smooth surfaces, such as metal, coatable plastics, wood, glass,... Apply CRC Acrylic Primer on absorbing surfaces for optimal result.

- Long-lasting look similar to polished chrome
- Very good coverage
- Fast-drying: dust-dry after +/- 10 minutes
- Resistant to water and common cleaners
- Suitable for use on a wide variety of smooth surfaces through industries
- For indoor and outdoor use



	Ref.	Description	TDS
	30481-AA 1030657	ACRYLIC EFFECT Chrome effect silver 6x400 ML en,de,nl,fr,es,pt	MSDS

Public Data - A

30481-AA | ACRYLIC EFFECT Chrome effect silver 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC EFFECT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386205026
EAN Code Carton	5412386861819
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure .
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

ACRYLIC PAINT

Paints

CRC Acrylic Paint is a high quality paint that protects your surface while giving it an intensive, long-lasting colour.

Thanks to its unique combination of flexibility and hardness, CRC Acrylic Paint is very resistant to external influences, making it an excellent protection paint for a wide variety of hard surfaces throughout industries. It can be used on metal, paintable hard plastics, wood, concrete, paper, glass,...

- Fast-drying: dust-dry after +/- 15 minutes
- Very good coverage
- Adjustable spray direction thanks to flexible nozzle
- Weather- and UV-resistant
- Shock- and scratch-proof
- For indoor and outdoor use



	Ref.	Description	TDS
	11678-AA 1030203	ACRYLIC PAINT 3000 Flame Red 6x400 ML en,de,nl,fr,es,pt	MSDS
	11681-AA	ACRYLIC PAINT 5002 Ultramarine Blue 6x400 ML en,de,nl,fr,es,pt	MSDS
	11683-AA 1030220	ACRYLIC PAINT 9016 White 6x400 ML en,de,nl,fr,es,pt	MSDS
	11686-AA 1030229	ACRYLIC PAINT 9011 Black Mat 6x400 ML en,de,nl,fr,es,pt	MSDS
	12017-AA 1030241	ACRYLIC PAINT 7032 Pebble Grey 6x400 ML en,de,nl,fr,es,pt	MSDS
	30477-AB 1030652	ACRYLIC PAINT 6011 Reseda Green 6x400 ML en,de,nl,fr,es,pt	MSDS
	30478-AA 1030654	ACRYLIC PAINT 6024 Traffic Green 6x400 ML sv,fi,da,no	MSDS
	30479-AB 1030656	ACRYLIC PAINT 7021 Black Grey 6x400 ML en,de,nl,fr,es,pt	MSDS
	31062-AA 1030808	ACRYLIC PAINT 9005 Black Silky Matt 6x400 ML en,de,nl,fr,es,pt	MSDS
	31063-AA 1030813	ACRYLIC PAINT 9005 Jet Black 6x400 ML en,de,nl,fr,es,pt	MSDS
	31064-AA 1030818	ACRYLIC PAINT 9010 Pure White 6x400 ML en,de,nl,fr,es,pt	MSDS
	31065-AA 1030822	ACRYLIC PAINT 9006 Silver Metallic 6x400 ML en,de,nl,fr,es,pt	MSDS
	31066-AA 1030828	ACRYLIC PAINT 9010 White Matt 6x400 ML en,de,nl,fr,es,pt	MSDS
	31072-AA 1030845	ACRYLIC PAINT 8011 Nut Brown 6x400 ML en,de,nl,fr,es,pt	MSDS
	31075-AA 1030852	ACRYLIC PAINT 9005 Black Matt 6x400 ML en,de,nl,fr,es,pt	MSDS

	<u>31076-AA</u> 1030855	ACRYLIC PAINT 9002 Grey White 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>31078-AA</u> 1030861	ACRYLIC PAINT 7016 Anthracite Grey 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>31079-AA</u> 1030866	ACRYLIC PAINT 7035 Light Grey 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>31088-AA</u> 1030887	ACRYLIC PAINT 7040 WINDOW GREY 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32149-AA</u> 1031290	ACRYLIC PAINT 9010 White Silky Mat 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32155-AA</u> 1031304	ACRYLIC PAINT 5017 Traffic Blue 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32158-AA</u> 1031311	ACRYLIC PAINT 8016 Mahogany Brown 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32159-AA</u> 1031313	ACRYLIC PAINT 9001 Cream White 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32162-AA</u> 1031321	ACRYLIC PAINT 7004 Signal Grey 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32163-AA</u> 1031323	ACRYLIC PAINT 7031 Blue Grey 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32165-AA</u> 1031325	ACRYLIC PAINT 9003 SIGNAL WHITE 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>33273-AA</u> 1032613	ACRYLIC PAINT 8001 Ocher Brown 6x400 ML en,de,nl,fr,es,pt	MSDS

Public Data - A

11678-AA | ACRYLIC PAINT 3000 Flame Red 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201042
EAN Code Carton	5412386867606
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11681-AA | ACRYLIC PAINT 5002 Ultramarine Blue 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201134
EAN Code Carton	5412386866562
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11683-AA | ACRYLIC PAINT 9016 White 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201226
EAN Code Carton	5412386866579
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11686-AA | ACRYLIC PAINT 9011 Black Mat 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201417
EAN Code Carton	5412386866609
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

12017-AA | ACRYLIC PAINT 7032 Pebble Grey 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201264
EAN Code Carton	5412386861338
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30477-AB | ACRYLIC PAINT 6011 Reseda Green 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201240
EAN Code Carton	5412386866647
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30478-AA | ACRYLIC PAINT 6024 Traffic Green 6x400 ML sv,fi,da,no

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386006173
EAN Code Carton	5412386867057
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30479-AB | ACRYLIC PAINT 7021 Black Grey 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201608
EAN Code Carton	5412386866654
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31062-AA | ACRYLIC PAINT 9005 Black Silky Matt 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201011
EAN Code Carton	5412386867613
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31063-AA | ACRYLIC PAINT 9005 Jet Black 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201028
EAN Code Carton	5412386867644
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31064-AA | ACRYLIC PAINT 9010 Pure White 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201035
EAN Code Carton	5412386867651
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31065-AA | ACRYLIC PAINT 9006 Silver Metallic 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201059
EAN Code Carton	5412386866661
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31066-AA | ACRYLIC PAINT 9010 White Matt 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201066
EAN Code Carton	5412386867668
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31072-AA | ACRYLIC PAINT 8011 Nut Brown 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201189
EAN Code Carton	5412386866715
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31075-AA | ACRYLIC PAINT 9005 Black Matt 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201219
EAN Code Carton	5412386867576
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31076-AA | ACRYLIC PAINT 9002 Grey White 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201233
EAN Code Carton	5412386866739
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31078-AA | ACRYLIC PAINT 7016 Anthracite Grey 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201721
EAN Code Carton	5412386867699
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31079-AA | ACRYLIC PAINT 7035 Light Grey 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201288
EAN Code Carton	5412386867705
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31088-AA | ACRYLIC PAINT 7040 WINDOW GREY 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386054327
EAN Code Carton	5412386866791
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32149-AA | ACRYLIC PAINT 9010 White Silky Mat 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201431
EAN Code Carton	5412386866814
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32155-AA | ACRYLIC PAINT 5017 Traffic Blue 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201530
EAN Code Carton	5412386866845
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32158-AA | ACRYLIC PAINT 8016 Mahogany Brown 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201646
EAN Code Carton	5412386866999
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32159-AA | ACRYLIC PAINT 9001 Cream White 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201653
EAN Code Carton	5412386867002
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32162-AA | ACRYLIC PAINT 7004 Signal Grey 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	
EAN Code Single Part	5412386201592
EAN Code Carton	5412386867026
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32163-AA | ACRYLIC PAINT 7031 Blue Grey 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201615
EAN Code Carton	5412386867033
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32165-AA | ACRYLIC PAINT 9003 SIGNAL WHITE 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201660
EAN Code Carton	5412386867040
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

33273-AA | ACRYLIC PAINT 8001 Ocher Brown 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386070167
EAN Code Carton	5412386861727
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

ACRYLIC VARNISH

Paints

CRC Acrylic Varnish offers an extra protective layer for surfaces that are painted with CRC Acrylic Paint.

It makes the top coat even more resistant against external influences, like scratches, bumps, (UV) light, corrosion,.... Not only does it offer extra protection, it also gives your surface a glossy or matt finish for that perfect finishing touch.

- Fast-drying: dust-dry after +/- 10 minutes
- Protective layer for Acrylic Paint
- Glossy or matt finish
- Excellent adhesion
- Shock-and scratch-proof
- Weather- and UV-resistant
- For indoor and outdoor use



	Ref.	Description	TDS
	<u>11682-AA</u> 1030217	ACRYLIC VARNISH Clear Brilliant 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>11682-AB</u> 1030216	ACRYLIC VARNISH Clear Brilliant 6x400 ML sv,fi,da,no	MSDS
	<u>31087-AA</u> 1030885	ACRYLIC VARNISH Silky Matt 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>31087-AB</u> 1030884	ACRYLIC VARNISH Silky Matt 6x400 ML sv,fi,da,no	MSDS

Public Data - A

11682-AA | ACRYLIC VARNISH Clear Brilliant 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC VARNISH
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201172
EAN Code Carton	5412386861796
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11682-AB | ACRYLIC VARNISH Clear Brilliant 6x400 ML sv,fi,da,no

Product Name	ACRYLIC VARNISH
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386070082
EAN Code Carton	5412386861222
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31087-AA | ACRYLIC VARNISH Silky Matt 6x400 ML en,de,nl,fr,es,pt

Product Name	ACRYLIC VARNISH
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386201400
EAN Code Carton	5412386861871
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

31087-AB | ACRYLIC VARNISH Silky Matt 6x400 ML sv,fi,da,no

Product Name	ACRYLIC VARNISH
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.35
Weight Per Carton (Kilogram)	2.1
Parts Per Pallet	696
EAN Code Single Part	5412386070242
EAN Code Carton	5412386861956
Part Dimension - Width (mm)	213
Part Dimension - Depth (mm)	217
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	213
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	217
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32082090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

AQUA MARKER PEN

Paints

Water based.

Marker pens for multi surface use. Xylene Free.



Ref.	Description	TDS
32468-AA 1031467	Aqua Marker Pen Blue 12x en,de,nl,fr,es,pt,sv,fi,da,no,pl,et,lv,lt,cs,sk,ru,ro	MSDS
32469-AA 1031469	Aqua Marker Pen Yellow 12x en,de,nl,fr,es,pt,sv,fi,da,no,pl,et,lv,lt,cs,sk,ru,ro	MSDS

Public Data - B

32468-AA | Aqua Marker Pen Blue 12x en,de,nl,fr,es,pt,sv,fi,da,no,pl,et,lv,lt,cs,sk,ru,ro

Product Name	Aqua Marker Pen
Packaging Description	Pencil
Net Volume (Liter)	0.008
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	99999
EAN Code Single Part	5412386060977
Part Dimension - Width (mm)	
Part Dimension - Depth (mm)	
Part Dimension - Height (mm)	
GHS - Signal Word	
GHS - Hazard & Precautionary Statements	
GHS - Hazard Pictograms	
Intrastat / Tariff Code	96082000
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

32469-AA | Aqua Marker Pen Yellow 12x en,de,nl,fr,es,pt,sv,fi,da,no,pl,et,lv,lt,cs,sk,ru,ro

Product Name	Aqua Marker Pen
Packaging Description	Pencil
Net Volume (Liter)	0.008
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	99999
EAN Code Single Part	5412386060984
Part Dimension - Width (mm)	
Part Dimension - Depth (mm)	
Part Dimension - Height (mm)	
GHS - Signal Word	
GHS - Hazard & Precautionary Statements	
GHS - Hazard Pictograms	
Intrastat / Tariff Code	96082000
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

AQUA PAINT MARKER

Paints

Water based paint for manual marking and signaling.

A special water based paint formulated for signaling and marking jobs for all types of outdoor and indoor works. Due to the special resin the product has a very good adherence to any type of substrate (asphalt, rock, ground, concrete), even under severe weather conditions (humidity, cold,...). The special formula ensures a good (fluorescent) aspect over light and dark areas. Ecological paint.



	Ref.	Description	TDS
	<u>30009-AA</u> 1030418	Aqua Paint Marker Fluo Red 12x500 ML en,es,pt,fr,nl,de	MSDS
	<u>30010-AA</u> 1030420	Aqua Paint Marker Fluo Yellow 12x500 ML en,es,pt,fr,nl,de	MSDS
	<u>30011-AA</u> 1030421	Aqua Paint Marker Orange Fluo 12x500 ML en,es,pt,fr,nl,de	MSDS
	<u>30012-AA</u> 1030422	Aqua Paint Marker Fluo Green 12x500 ML en,es,pt,fr,nl,de	MSDS
	<u>30013-AA</u> 1030423	Aqua Paint Marker Fluo Blue 12x500 ML en,es,pt,fr,nl,de	MSDS
	<u>32461-AA</u> 1031465	Aqua Paint Marker Black 12x500 ML en,es,pt,fr,nl,de	MSDS
	<u>32462-AA</u> 1031466	Aqua Paint Marker Fuchsia 12x500 ML en,es,pt,fr,nl,de	MSDS

Public Data - A

30009-AA | Aqua Paint Marker Fluo Red 12x500 ML en,es,pt,fr,nl,de

Product Name	Aqua Paint Marker
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	0.54
Weight Per Carton (Kilogram)	6.48
Parts Per Pallet	720
EAN Code Single Part	5412386006852
EAN Code Carton	5412386858840
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	213
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	213
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an allergic skin reaction.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30010-AA | Aqua Paint Marker Fluo Yellow 12x500 ML en,es,pt,fr,nl,de

Product Name	Aqua Paint Marker
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	0.54
Weight Per Carton (Kilogram)	6.48
Parts Per Pallet	720
EAN Code Single Part	5412386006869
EAN Code Carton	5412386858833
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	213
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	213
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an allergic skin reaction.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30011-AA | Aqua Paint Marker Orange Fluo 12x500 ML en,es,pt,fr,nl,de

Product Name	Aqua Paint Marker
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	0.54
Weight Per Carton (Kilogram)	6.48
Parts Per Pallet	720
EAN Code Single Part	5412386006876
EAN Code Carton	5412386858857
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	213
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	213
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an allergic skin reaction.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30012-AA | Aqua Paint Marker Fluo Green 12x500 ML en,es,pt,fr,nl,de

Product Name	Aqua Paint Marker
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.54
Weight Per Carton (Kilogram)	6.48
Parts Per Pallet	720
EAN Code Single Part	5412386006883
EAN Code Carton	5412386858864
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	213
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	213
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an allergic skin reaction.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30013-AA | Aqua Paint Marker Fluo Blue 12x500 ML en,es,pt,fr,nl,de

Product Name	Aqua Paint Marker
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	0.54
Weight Per Carton (Kilogram)	6.48
Parts Per Pallet	720
EAN Code Single Part	5412386006906
EAN Code Carton	5412386858871
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	213
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	213
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an allergic skin reaction.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32461-AA | Aqua Paint Marker Black 12x500 ML en,es,pt,fr,nl,de

Product Name	Aqua Paint Marker
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.54
Weight Per Carton (Kilogram)	6.48
Parts Per Pallet	720
EAN Code Single Part	5412386060199
EAN Code Carton	5412386858895
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	213
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	213
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an allergic skin reaction.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32462-AA | Aqua Paint Marker Fuchsia 12x500 ML en,es,pt,fr,nl,de


Product Name	Aqua Paint Marker
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	0.54
Weight Per Carton (Kilogram)	6.48
Parts Per Pallet	720
EAN Code Single Part	5412386060182
EAN Code Carton	5412386858901
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	213
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	213
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an allergic skin reaction.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

AQUA RAL

Paints

Environmentally friendly, acrylic based paint with an optimized use of water as solvent.

Fast drying paint with good flexibility. High UV resistance once the paint is polymerized. Good adhesion on stone, concrete, wood, glass, paintable plastics and metal. Good covering ability. Does not contain any heavy metals. Long lasting, intensive shine. Available in several RAL colors.



	Ref.	Description	TDS
	<u>31457-AA</u> 1030909	Aqua RAL 3020 Traffic Red 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32182-AA</u>	Aqua RAL 1003 Signal Yellow 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32196-AA</u> 1031356	Aqua RAL 8011 Nut Brown 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32197-AA</u> 1031357	Aqua RAL 9005 Black Glossy 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32204-AA</u> 1031362	Aqua RAL 9010 White Glossy 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32205-AA</u> 1031364	Aqua RAL 9005 Black Matt 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32206-AA</u> 1031365	Aqua RAL Clear Brilliant 6x400 ML en,de,nl,fr,es,pt	MSDS
	<u>32418-AA</u> 1031438	Aqua RAL 9006 Silver Metallic 6x400 ML en,de,nl,fr,es,pt	MSDS

Public Data - A

31457-AA | Aqua RAL 3020 Traffic Red 6x400 ML en,de,nl,fr,es,pt

Product Name	Aqua RAL
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.421
Weight Per Carton (Kilogram)	2.526
Parts Per Pallet	696
EAN Code Single Part	5412386008191
EAN Code Carton	5412386836145
Part Dimension - Width (mm)	207
Part Dimension - Depth (mm)	207
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	207
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	207
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32182-AA | Aqua RAL 1003 Signal Yellow 6x400 ML en,de,nl,fr,es,pt

Product Name	Aqua RAL
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.421
Weight Per Carton (Kilogram)	2.526
Parts Per Pallet	696
EAN Code Single Part	5412386056208
EAN Code Carton	5412386868108
Part Dimension - Width (mm)	207
Part Dimension - Depth (mm)	207
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	207
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	207
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32196-AA | Aqua RAL 8011 Nut Brown 6x400 ML en,de,nl,fr,es,pt

Product Name	Aqua RAL
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.421
Weight Per Carton (Kilogram)	2.526
Parts Per Pallet	696
EAN Code Single Part	5412386056345
EAN Code Carton	5412386836275
Part Dimension - Width (mm)	207
Part Dimension - Depth (mm)	207
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	207
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	207
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32197-AA | Aqua RAL 9005 Black Glossy 6x400 ML en,de,nl,fr,es,pt

Product Name	Aqua RAL
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.421
Weight Per Carton (Kilogram)	2.526
Parts Per Pallet	696
EAN Code Single Part	5412386056352
EAN Code Carton	5412386836282
Part Dimension - Width (mm)	207
Part Dimension - Depth (mm)	207
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	207
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	207
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32204-AA | Aqua RAL 9010 White Glossy 6x400 ML en,de,nl,fr,es,pt

Product Name	Aqua RAL
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.421
Weight Per Carton (Kilogram)	2.526
Parts Per Pallet	696
EAN Code Single Part	5412386056383
EAN Code Carton	5412386836312
Part Dimension - Width (mm)	207
Part Dimension - Depth (mm)	207
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	207
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	207
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32205-AA | Aqua RAL 9005 Black Matt 6x400 ML en,de,nl,fr,es,pt

Product Name	Aqua RAL
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.421
Weight Per Carton (Kilogram)	2.526
Parts Per Pallet	696
EAN Code Single Part	5412386056390
EAN Code Carton	5412386836299
Part Dimension - Width (mm)	207
Part Dimension - Depth (mm)	207
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	207
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	207
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32206-AA | Aqua RAL Clear Brilliant 6x400 ML en,de,nl,fr,es,pt

Product Name	Aqua RAL
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	.421
Weight Per Carton (Kilogram)	2.526
Parts Per Pallet	696
EAN Code Single Part	5412386056406
EAN Code Carton	5412386836350
Part Dimension - Width (mm)	207
Part Dimension - Depth (mm)	207
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	207
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	207
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32418-AA | Aqua RAL 9006 Silver Metallic 6x400 ML en,de,nl,fr,es,pt

Product Name	Aqua RAL
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	6
Part Gross Weight (Kilogram)	0.421
Weight Per Carton (Kilogram)	2.526
Parts Per Pallet	696
EAN Code Single Part	5412386059100
EAN Code Carton	5412386836305
Part Dimension - Width (mm)	207
Part Dimension - Depth (mm)	207
Part Dimension - Height (mm)	143
Carton Dimension - Width (mm)	207
Carton Dimension - Depth (mm)	143
Carton Dimension - Height (mm)	207
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

STRIPING PAINT

Paints

Special paint for line marking

CRC Striping Paint is especially developed to trace lines either indoors or outdoors. The chosen resins offer a high resistance to wear and extreme bad weather conditions. Equal and precise line tracing and long lasting coverage over flat surfaces



	Ref.	Description	TDS
	<u>11668-AA</u> 1030191	Striping Paint White 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>11671-AA</u> 1030192	STRIPING PAINT Yellow 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>11673-AA</u> 1030194	STRIPING PAINT Black 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>11675-AA</u> 1030196	STRIPING PAINT Red 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>11676-AA</u> 1030198	STRIPING PAINT Blue 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>11677-AA</u> 1030200	STRIPING PAINT Green 12x500 ML en,de,nl,fr,es,pt	MSDS

Public Data - A

11668-AA | Striping Paint White 12x500 ML en,de,nl,fr,es,pt

Product Name	Striping Paint
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.51
Weight Per Carton (Kilogram)	6.12
Parts Per Pallet	720
EAN Code Single Part	5412386061363
EAN Code Carton	5412386868290
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	250
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	250
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11671-AA | STRIPING PAINT Yellow 12x500 ML en,de,nl,fr,es,pt

Product Name	STRIPING PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.51
Weight Per Carton (Kilogram)	6.12
Parts Per Pallet	720
EAN Code Single Part	5412386061370
EAN Code Carton	5412386835728
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	250
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	250
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11673-AA | STRIPING PAINT Black 12x500 ML en,de,nl,fr,es,pt

Product Name	STRIPING PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.51
Weight Per Carton (Kilogram)	6.12
Parts Per Pallet	720
EAN Code Single Part	5412386061325
EAN Code Carton	5412386835674
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	250
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	250
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11675-AA | STRIPING PAINT Red 12x500 ML en,de,nl,fr,es,pt

Product Name	STRIPING PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.51
Weight Per Carton (Kilogram)	6.12
Parts Per Pallet	720
EAN Code Single Part	5412386061356
EAN Code Carton	5412386835704
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	250
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	250
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11676-AA | STRIPING PAINT Blue 12x500 ML en,de,nl,fr,es,pt

Product Name	STRIPING PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.51
Weight Per Carton (Kilogram)	6.12
Parts Per Pallet	720
EAN Code Single Part	5412386061332
EAN Code Carton	5412386835681
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	250
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	250
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

11677-AA | STRIPING PAINT Green 12x500 ML en,de,nl,fr,es,pt

Product Name	STRIPING PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.51
Weight Per Carton (Kilogram)	6.12
Parts Per Pallet	720
EAN Code Single Part	5412386061349
EAN Code Carton	5412386835698
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	250
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	250
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

MARKER PAINT

Paints

Special multi position paint for manual marking and signaling.

A fast drying paint, formulated for temporary signaling and marking jobs for all types of outdoor works. CRC Marker Paint can be used in all positions, no need to purge after use. Due to the special resin the product has a very good adherence to any type of substrate (asphalt, rock, concrete, wood, ...), even under severe weather conditions (humidity, cold,...). The special formula ensures a good (fluorescent) aspect over light and dark areas.



	Ref.	Description	TDS
	<u>10154-AA</u> 1030025	MARKER PAINT Yellow 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>10155-AA</u> 1030028	MARKER PAINT Fluo Red 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>10157-AA</u> 1030033	MARKER PAINT Fluo Green 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>10158-AA</u> 1030038	MARKER PAINT Fluo Yellow 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>10160-AA</u> 1030044	MARKER PAINT Fluo Blue 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>10162-AA</u> 1030049	MARKER PAINT White 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>10162-AB</u> 1030050	MARKER PAINT Vit 12x500 ML sv,no,da,fi,pl,cs	MSDS
	<u>10163-AA</u> 1030054	MARKER PAINT Fuchsia Fluo 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>10163-AB</u>	MARKER PAINT Fuchsia Fluo 12x500 ML sv,no,da,fi,pl,cs	MSDS
	<u>10164-AA</u> 1030059	MARKER PAINT Black 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>10164-AB</u> 1030060	MARKER PAINT Svart 12x500 ML sv,no,da,fi,pl,cs	MSDS
	<u>10165-AA</u> 1030064	MARKER PAINT Orange Fluo 12x500 ML en,de,nl,fr,es,pt	MSDS
	<u>10165-AB</u>	MARKER PAINT Orange Fluo 12x500 ML sv,no,da,fi,pl,cs	MSDS
	<u>10167-AA</u> 1030069	MARKER PAINT Fluo Violet 12x500 ML en,de,nl,fr,es,pt	MSDS

Public Data - A

10154-AA | MARKER PAINT Yellow 12x500 ML en,de,nl,fr,es,pt

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.34
Weight Per Carton (Kilogram)	4.08
Parts Per Pallet	540
EAN Code Single Part	5412386060663
EAN Code Carton	5412386831676
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10155-AA | MARKER PAINT Fluo Red 12x500 ML en,de,nl,fr,es,pt

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386060458
EAN Code Carton	5412386867156
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10157-AA | MARKER PAINT Fluo Green 12x500 ML en,de,nl,fr,es,pt

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386060434
EAN Code Carton	5412386867187
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10158-AA | MARKER PAINT Fluo Yellow 12x500 ML en,de,nl,fr,es,pt

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386060472
EAN Code Carton	5412386867194
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10160-AA | MARKER PAINT Fluo Blue 12x500 ML en,de,nl,fr,es,pt

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386060410
EAN Code Carton	5412386867217
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10162-AA | MARKER PAINT White 12x500 ML en,de,nl,fr,es,pt

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386060489
EAN Code Carton	5412386831706
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10162-AB | MARKER PAINT Vit 12x500 ML sv,no,da,fi,pl,cs

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	0.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386031052
EAN Code Carton	5412386831751
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10163-AA | MARKER PAINT Fuchsia Fluo 12x500 ML en,de,nl,fr,es,pt

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386060427
EAN Code Carton	5412386867231
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10163-AB | MARKER PAINT Fuchsia Fluo 12x500 ML sv,no,da,fi,pl,cs

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386031069
EAN Code Carton	5412386867316
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10164-AA | MARKER PAINT Black 12x500 ML en,de,nl,fr,es,pt

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386060373
EAN Code Carton	5412386831607
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10164-AB | MARKER PAINT Svart 12x500 ML sv,no,da,fi,pl,cs

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386031076
EAN Code Carton	5412386831775
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10165-AA | MARKER PAINT Orange Fluo 12x500 ML en,de,nl,fr,es,pt

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386060441
EAN Code Carton	5412386867255
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10165-AB | MARKER PAINT Orange Fluo 12x500 ML sv,no,da,fi,pl,cs

Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386031083
EAN Code Carton	5412386867330
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10167-AA | MARKER PAINT Fluo Violet 12x500 ML en,de,nl,fr,es,pt


Product Name	MARKER PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.486
Weight Per Carton (Kilogram)	5.832
Parts Per Pallet	540
EAN Code Single Part	5412386060465
EAN Code Carton	5412386867262
Part Dimension - Width (mm)	270
Part Dimension - Depth (mm)	260
Part Dimension - Height (mm)	205
Carton Dimension - Width (mm)	270
Carton Dimension - Depth (mm)	205
Carton Dimension - Height (mm)	260
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32100010
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

STRIPING PAINT - LONG LIFE

Paints

Striping Paint Long Life

Long Life Striping Paint. Fast drying, for permanent lines in- and outdoors. High weather and traffic resistance. Manual application (white button) or with a machine (yellow button).



	Ref.	Description	TDS
	30473-AA 1030633	STRIPING PAINT White 12x750 ML en,de,nl,fr,es,pt	MSDS
	30474-AA 1030636	STRIPING PAINT Yellow 12x750 ML en,de,nl,fr,es,pt	MSDS

Public Data - A

30473-AA | STRIPING PAINT White 12x750 ML en,de,nl,fr,es,pt

Product Name	STRIPING PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.75
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.85
Weight Per Carton (Kilogram)	10.2
Parts Per Pallet	540
EAN Code Single Part	5412386061394
EAN Code Carton	5412386835735
Part Dimension - Width (mm)	275
Part Dimension - Depth (mm)	352
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	275
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	352
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30474-AA | STRIPING PAINT Yellow 12x750 ML en,de,nl,fr,es,pt

Product Name	STRIPING PAINT
Packaging Description	Aerosol
Net Volume (Liter)	.75
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.85
Weight Per Carton (Kilogram)	10.2
Parts Per Pallet	540
EAN Code Single Part	5412386061400
EAN Code Carton	5412386835742
Part Dimension - Width (mm)	275
Part Dimension - Depth (mm)	352
Part Dimension - Height (mm)	210
Carton Dimension - Width (mm)	275
Carton Dimension - Depth (mm)	210
Carton Dimension - Height (mm)	352
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

GALVACOLOR

Paints

Aerosol paint that protects the metal from corroding.

Zinc-phosphate protective coating. Ideal for identification of utility conduits. Primer and topcoat in one. Short drying time. Official RAL identification colors. Conform to the protect category C3 (ISO 12944-2).



	Ref.	Description	TDS
	20563-AD 1030359	GalvaColor 1004 Gold Yellow 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	20566-AD 1030361	GalvaColor 3000 Flame Red 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	20572-AD 1030364	GalvaColor 5012 Light Blue 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	20581-HO 1030370	GalvaColor 9005 Jet Black 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	20584-HO 1030375	GalvaColor 9006 Silver Metallic 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	20587-HO 1030380	GalvaColor 9010 Pure White 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	32079-AA 1031260	GalvaColor 5005 Signal Blue 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	32080-AA 1031266	GalvaColor 7035 Light Grey 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	32170-AB 1031334	GalvaColor 2011 Deep Orange 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	32702-HO 1031726	GalvaColor 7016 Anthracite Grey 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS
	33351-AA 1032713	GalvaColor 6005 Moss Green 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS

Public Data - A

20563-AD | GalvaColor 1004 Gold Yellow 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.514
Weight Per Carton (Kilogram)	6.168
Parts Per Pallet	720
EAN Code Single Part	5412386065422
EAN Code Carton	5412386870835
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

20566-AD | GalvaColor 3000 Flame Red 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.516
Weight Per Carton (Kilogram)	6.192
Parts Per Pallet	720
EAN Code Single Part	5412386065446
EAN Code Carton	5412386870750
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

20572-AD | GalvaColor 5012 Light Blue 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.514
Weight Per Carton (Kilogram)	6.168
Parts Per Pallet	720
EAN Code Single Part	5412386065453
EAN Code Carton	5412386870774
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

20581-HO | GalvaColor 9005 Jet Black 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.528
Weight Per Carton (Kilogram)	6.336
Parts Per Pallet	720
EAN Code Single Part	5412386007873
EAN Code Carton	5412386869877
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer . Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

20584-HO | GalvaColor 9006 Silver Metallic 12x500 ML
en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.526
Weight Per Carton (Kilogram)	6.312
Parts Per Pallet	720
EAN Code Single Part	5412386007880
EAN Code Carton	5412386870804
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

20587-HO | GalvaColor 9010 Pure White 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.516
Weight Per Carton (Kilogram)	6.192
Parts Per Pallet	720
EAN Code Single Part	5412386007897
EAN Code Carton	5412386869891
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer . Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32079-AA | GalvaColor 5005 Signal Blue 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.5244
Weight Per Carton (Kilogram)	6.2928
Parts Per Pallet	720
EAN Code Single Part	5412386032844
EAN Code Carton	5412386870811
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32080-AA | GalvaColor 7035 Light Grey 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.5234
Weight Per Carton (Kilogram)	6.2808
Parts Per Pallet	720
EAN Code Single Part	5412386032875
EAN Code Carton	5412386870828
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32170-AB | GalvaColor 2011 Deep Orange 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.5183
Weight Per Carton (Kilogram)	6.2196
Parts Per Pallet	
EAN Code Single Part	5412386065439
EAN Code Carton	5412386871078
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32702-HO | GalvaColor 7016 Anthracite Grey 12x500 ML
en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.5134
Weight Per Carton (Kilogram)	6.1608
Parts Per Pallet	
EAN Code Single Part	5412386063183
EAN Code Carton	5412386871085
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

33351-AA | GalvaColor 6005 Moss Green 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	GalvaColor
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.5164
Weight Per Carton (Kilogram)	6.1968
Parts Per Pallet	
EAN Code Single Part	5412386070921
EAN Code Carton	5412386871092
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

MARKER BALL

Paints



Indelible paint. Industrial use only.

Tip with steel ball. For all types of surfaces. Functions on wet, oily, greasy and rusted surfaces. UV resistant. Excellent water resistance. Functional over a wide temperature range.

	Ref.	Description	TDS
	<u>30158-AB</u> <u>1030451</u>	Marker Ball White 12x50 ML en,de,nl,fr,es,pt	MSDS
	<u>30159-AB</u> <u>1030453</u>	Marker Ball Black 12x50 ML en,de,nl,fr,es,pt	MSDS
	<u>30160-AB</u> <u>1030455</u>	Marker Ball Yellow 12x50 ML en,de,nl,fr,es,pt	MSDS
	<u>30161-AB</u> <u>1030457</u>	Marker Ball Red 12x50 ML en,de,nl,fr,es,pt	MSDS
	<u>30162-AB</u> <u>1030459</u>	Marker Ball Green 12x50 ML en,de,nl,fr,es,pt	MSDS
	<u>30163-AB</u> <u>1030461</u>	Marker Ball Blue 12x50 ML en,de,nl,fr,es,pt	MSDS

Public Data - B

30158-AB | Marker Ball White 12x50 ML en,de,nl,fr,es,pt

Product Name	Marker Ball
Packaging Description	Tube
Net Volume (Liter)	.05
Part Gross Weight (Kilogram)	0.08
Parts Per Pallet	3000
EAN Code Single Part	5412386007675
Part Dimension - Width (mm)	145
Part Dimension - Depth (mm)	178
Part Dimension - Height (mm)	113
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96081099
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

30159-AB | Marker Ball Black 12x50 ML en,de,nl,fr,es,pt

Product Name	Marker Ball
Packaging Description	Tube
Net Volume (Liter)	.05
Part Gross Weight (Kilogram)	.08
Parts Per Pallet	3000
EAN Code Single Part	5412386007682
Part Dimension - Width (mm)	113
Part Dimension - Depth (mm)	12.083333333333333
Part Dimension - Height (mm)	179
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96081099
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

30160-AB | Marker Ball Yellow 12x50 ML en,de,nl,fr,es,pt

Product Name	Marker Ball
Packaging Description	Tube
Net Volume (Liter)	.05
Part Gross Weight (Kilogram)	.08
Parts Per Pallet	3000
EAN Code Single Part	5412386007699
Part Dimension - Width (mm)	113
Part Dimension - Depth (mm)	12.083333333333333
Part Dimension - Height (mm)	179
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96081099
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

30161-AB | Marker Ball Red 12x50 ML en,de,nl,fr,es,pt

Product Name	Marker Ball
Packaging Description	Tube
Net Volume (Liter)	.05
Part Gross Weight (Kilogram)	.08
Parts Per Pallet	3000
EAN Code Single Part	5412386007705
Part Dimension - Width (mm)	113
Part Dimension - Depth (mm)	12.083333333333333
Part Dimension - Height (mm)	179
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96081099
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

30162-AB | Marker Ball Green 12x50 ML en,de,nl,fr,es,pt

Product Name	Marker Ball
Packaging Description	Tube
Net Volume (Liter)	.05
Part Gross Weight (Kilogram)	.08
Parts Per Pallet	3000
EAN Code Single Part	5412386007712
Part Dimension - Width (mm)	113
Part Dimension - Depth (mm)	12.083333333333333
Part Dimension - Height (mm)	179
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96081099
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

30163-AB | Marker Ball Blue 12x50 ML en,de,nl,fr,es,pt

Product Name	Marker Ball
Packaging Description	Tube
Net Volume (Liter)	.05
Part Gross Weight (Kilogram)	.08
Parts Per Pallet	3000
EAN Code Single Part	5412386007729
Part Dimension - Width (mm)	113
Part Dimension - Depth (mm)	12.083333333333333
Part Dimension - Height (mm)	179
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96081099
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

MARKER PEN

Paints

Marker Pens for multi surface use.

Excellent coverage thanks to the use of correction fluid technology. Can be used on wood, metal, rubber, glass, textile, paper, enamel, plastic, cardboard, tiles, ... Easy and clean application.



Ref.	Description	TDS
20365-AA 1030306	MARKER PEN Black 12x en,de,nl,fr	MSDS
20365-AB 1030305	MARKER PEN Black 12x cs,sk,ru,ro	MSDS
20365-AC 1030307	MARKER PEN Svart 12x sv,fi,da,no	MSDS
20365-AD 1030308	MARKER PEN Negro 12x es,pt	MSDS
20369-AA 1030311	MARKER PEN Blue 12x en,de,nl,fr	MSDS
20369-AC 1030312	MARKER PEN Blå 12x sv,fi,da,no	MSDS

	<u>20369-AD</u> 1030313	MARKER PEN Azul 12x es,pt	MSDS
	<u>20380-AA</u> 1030316	MARKER PEN Green 12x en,de,nl,fr	MSDS
	<u>20380-AD</u> 1030317	MARKER PEN Verde 12x es,pt	MSDS
	<u>20384-AA</u> 1030320	MARKER PEN Orange 12x en,de,nl,fr	MSDS
	<u>20384-AD</u> 1030321	MARKER PEN Naranja 12x es,pt	MSDS
	<u>20388-AA</u> 1030324	MARKER PEN Red 12x en,de,nl,fr	MSDS
	<u>20388-AC</u> 1030326	MARKER PEN Röd 12x sv,fi,da,no	MSDS
	<u>20388-AD</u> 1030325	MARKER PEN Rojo 12x es,pt	MSDS
	<u>20395-AA</u> 1030329	MARKER PEN White 12x en,de,nl,fr	MSDS
	<u>20395-AB</u> 1030330	MARKER PEN White 12x cs,sk,ru,ro	MSDS
	<u>20395-AC</u> 1030332	MARKER PEN Vít 12x sv,fi,da,no	MSDS
	<u>20395-AD</u> 1030331	MARKER PEN Blanco 12x es,pt	MSDS
	<u>20400-AA</u> 1030335	MARKER PEN Yellow 12x en,de,nl,fr	MSDS
	<u>20400-AC</u> 1030336	MARKER PEN Gul 12x sv,fi,da,no	MSDS
	<u>20400-AD</u> 1030337	MARKER PEN Amarillo 12x es,pt	MSDS
	<u>30210-AA</u> 1030478	MARKER PEN Brown 12x en,de,nl,fr	MSDS
	<u>30211-AA</u> 1030479	MARKER PEN Violet 12x en,de,nl,fr	MSDS

Public Data - B

20365-AA | MARKER PEN Black 12x en,de,nl,fr

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.008888888888888888889
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002748
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20365-AB | MARKER PEN Black 12x cs,sk,ru,ro

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.0088888888888888888889
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002755
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20365-AC | MARKER PEN Svart 12x sv,fi,da,no

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.0088888888888888888889
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002762
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20365-AD | MARKER PEN Negro 12x es,pt

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.0088888888888888888889
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386036071
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20369-AA | MARKER PEN Blue 12x en,de,nl,fr

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002687
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20369-AC | MARKER PEN Blå 12x sv,fi,da,no

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002700
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20369-AD | MARKER PEN Azul 12x es,pt

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386036040
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20380-AA | MARKER PEN Green 12x en,de,nl,fr

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002656
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20380-AD | MARKER PEN Verde 12x es,pt

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386036026
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20384-AA | MARKER PEN Orange 12x en,de,nl,fr

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002779
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20384-AD | MARKER PEN Naranja 12x es,pt

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386036088
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20388-AA | MARKER PEN Red 12x en,de,nl,fr

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002625
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20388-AC | MARKER PEN Röd 12x sv,fi,da,no

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002649
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20388-AD | MARKER PEN Rojo 12x es,pt

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386036019
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20395-AA | MARKER PEN White 12x en,de,nl,fr

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002717
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20395-AB | MARKER PEN White 12x cs,sk,ru,ro

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002724
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20395-AC | MARKER PEN Vit 12x sv,fi,da,no

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002731
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20395-AD | MARKER PEN Blanco 12x es,pt

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386036057
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20400-AA | MARKER PEN Yellow 12x en,de,nl,fr

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002595
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20400-AC | MARKER PEN Gul 12x sv,fi,da,no

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386002618
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

20400-AD | MARKER PEN Amarillo 12x es,pt

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386036002
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

30210-AA | MARKER PEN Brown 12x en,de,nl,fr

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386008085
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

30211-AA | MARKER PEN Violet 12x en,de,nl,fr

Product Name	MARKER PEN
Packaging Description	Pencil
Net Volume (Liter)	.006106870229007633588
Part Gross Weight (Kilogram)	0.0215
Parts Per Pallet	11520
EAN Code Single Part	5412386008092
Part Dimension - Width (mm)	91
Part Dimension - Depth (mm)	150
Part Dimension - Height (mm)	30
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	96082000
UN Hazard Code	PAINT
Road Tunnel Code	(D/E)
Hazard Class	3



Part No. 18419

Item# 1005248

CRC® Rust Converter, 1 Gal

Description

A unique fast drying milky white vinyl/acrylic coating that is applied to any rusted metal surface in order to stop rust in its tracks. It neutralizes rust and converts it to a tough, black primer in one easy step.

Applications

- Vehicles
- Trailers
- Railings
- Bridges
- Equipment
- Overhead Cranes
- Pipelines
- Storage Tanks
- Transmission Towers
- Fences Chairs
- Tables
- Dumpsters
- And More

Appearance Cream White Liquid

Brand CRC

Case# 1005247

Coverage Not Determined

DOT Proper Shipping Name Not Regulated

Dry Time Fully Dry 24 Hours

Dry Time Tack Free 1 Hour

Evaporation Rate Slow

Film Type Iron Tannate

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Rust Converter

I 2 of 5 Code 30078254184198

Item Number 18419

Net Fill 1 Gal

PH 2.5 to 3.5

Plastic Safe Yes

Propellant None

Recoat After 24 Hours

Specific Gravity 1.12

UPC Code 078254184197

Unit Dimensions 10.25H x 5W x 6.13D in

Unit Package Description 1 Gallon Bottle

Units per Case 4

VOC % (Consumer Product def) 1

VOC % (Federal) 53.79

VOC Category Flat Architectural Coating

VOC Lbs./Gal. (Federal) 7

VOC g/L (Consumer Product def) 11.2

VOC g/L (Federal) 834.1

VOC lbs/gal (Consumer Prod def) 0.09

Working Temp (C) Up to 121

Working Temp (F) Up to 250



Part No. 18421

Item# 1005252

CRC® Rust Remover, 1 Gal

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A safe, effective, fast acting formula. Removes rust, not metal. No sand blasting or heavy wire brushing required. Leaves metal clean and ready to paint, plate or powder coat.

Applications

- Removes Rust From Tools
- Machine Parts
- Etc
- Engine Components
- Fasteners

Appearance Pale Yellow Liquid

Brand CRC

Case# 1005251

DOT Proper Shipping Name Not Regulated

Evaporation Rate Like Water

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Rust Remover

I 2 of 5 Code 30078254184211

Item Number 18421

Net Fill 1 Gal

PH 0.45 to 1.0

Plastic Safe May Harm Sensitive Plastics

Product Lifecycle Status DSEL

Propellant None

Removal (How To) Remove with water.

Specific Gravity 0.96

UPC Code 078254184210

Unit Dimensions 10.25H x 5W x 6.13D in

Unit Package Description 1 Gallon Bottle

Units per Case 4

VOC % (Consumer Product def) 0.12

VOC % (Federal) 0.1

VOC Category Not Regulated

VOC Lbs./Gal. (Federal) 0.01

VOC g/L (Consumer Product def) 1.15

VOC g/L (Federal) 1.6

VOC lbs/gal (Consumer Prod def) 0.01



Part No. 18005

Item# 1005170

CRC® All Purpose Enamel Spray Paint-Gloss Black, 10 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile, general-purpose, quick drying, non-fading coating for use in exterior and interior applications. Recommended for general use in every day factory and contractor applications.

Applications

- Interior and Exterior Use on Wood
- Plaster
- Glass
- Wicker
- Cloth
- Metal
- Masonry
- Pottery
- Paper

Appearance _____ Black Liquid

Brand _____ CRC

Case# _____ 1005169

Color _____ Gloss Black

Coverage _____ 15 to 20 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 1 Hour

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ All Purpose Enamel Spray Paint

I 2 of 5 Code _____ 30078254180053

Item Number _____ 18005

MIR Limit (CA) _____ 0.95

MIR Limit (EPA) _____ 1.4

MIR Value _____ 0.79

Net Fill _____ 10 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 72 Hours

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254180052

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 47.6

VOC Category _____ Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) _____ 552.7

VOC lbs/gal (Consumer Product def) _____ 4.61



Part No. 18004

Item# 1005168

CRC® All Purpose Enamel Spray Paint-Orange, 10 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile, general-purpose, quick drying, non-fading coating for use in exterior and interior applications. Recommended for general use in every day factory and contractor applications.

Applications

- Interior and Exterior Use on Wood
- Plaster
- Glass
- Wicker
- Cloth
- Metal
- Masonry
- Pottery
- Paper

Appearance _____ Orange Liquid

Brand _____ CRC

Case# _____ 1005167

Color _____ Orange

Coverage _____ 15 to 20 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 1 Hour

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ All Purpose Enamel Spray Paint

I 2 of 5 Code _____ 30078254180046

Item Number _____ 18004

MIR Limit (CA) _____ 0.95

MIR Limit (EPA) _____ 1.4

MIR Value _____ 0.7

Net Fill _____ 10 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 72 Hours

Removal (How To) _____ DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254180045

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 45.4

VOC Category _____ Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) _____ 531.4

VOC lbs/gal (Consumer Product def) _____ 443



Part No. 18001

Item# 1005164

CRC® All Purpose Enamel Spray Paint-Yellow, 10 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile, general-purpose, quick drying, non-fading coating for use in exterior and interior applications. Recommended for general use in every day factory and contractor applications.

Applications

- Interior and Exterior Use on Wood
- Plaster
- Glass
- Wicker
- Cloth
- Metal
- Masonry
- Pottery
- Paper

Appearance Yellow Liquid

Brand CRC

Case# 1005163

Color Yellow

Coverage 15 to 20 Sq Ft

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry 1 Hour

Dry Time Tack Free 30 Minutes

Flammability Class - CPSC Extremely Flammable

Flash point (C) -19°C

Flash point (F) -2.2°F

Generic Description All Purpose Enamel Spray Paint

I 2 of 5 Code 30078254180015

Item Number 18001

MIR Limit (CA) 0.95

MIR Limit (EPA) 1.4

MIR Value 0.7

Net Fill 10 Wt Oz

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Hydrocarbon

Recoat Before 1 Hour or After 72 Hours

Removal (How To) DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity 0.77 to 0.85

UPC Code 078254180014

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 6

VOC % (Consumer Product def) 45

VOC Category Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) 533.2

VOC lbs/gal (Consumer Product def) 4.45



Part No. 18419

Item# 1005248

CRC® Rust Converter, 1 Gal

Description

A unique fast drying milky white vinyl/acrylic coating that is applied to any rusted metal surface in order to stop rust in its tracks. It neutralizes rust and converts it to a tough, black primer in one easy step.

Applications

- Vehicles
- Trailers
- Railings
- Bridges
- Equipment
- Overhead Cranes
- Pipelines
- Storage Tanks
- Transmission Towers
- Fences Chairs
- Tables
- Dumpsters
- And More

Appearance Cream White Liquid

Brand CRC

Case# 1005247

Coverage Not Determined

DOT Proper Shipping Name Not Regulated

Dry Time Fully Dry 24 Hours

Dry Time Tack Free 1 Hour

Evaporation Rate Slow

Film Type Iron Tannate

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description Rust Converter

I 2 of 5 Code 30078254184198

Item Number 18419

Net Fill 1 Gal

PH 2.5 to 3.5

Plastic Safe Yes

Propellant None

Recoat After 24 Hours

Specific Gravity 1.12

UPC Code 078254184197

Unit Dimensions 10.25H x 5W x 6.13D in

Unit Package Description 1 Gallon Bottle

Units per Case 4

VOC % (Consumer Product def) 1

VOC % (Federal) 53.79

VOC Category Flat Architectural Coating

VOC Lbs./Gal. (Federal) 7

VOC g/L (Consumer Product def) 11.2

VOC g/L (Federal) 834.1

VOC lbs/gal (Consumer Prod def) 0.09

Working Temp (C) Up to 121

Working Temp (F) Up to 250



Part No. 18211

Item# 1005234

CRC® Steel Re-Nu® Stainless Steel Coating, 13 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

A coating containing 316L Stainless Steel pigment to provide corrosion resistance and protection against sunlight, oil, and water. Authorized for use in food processing plants.

Applications

- On Threads
- Fasteners
- Strapping
- Fencing
- Grates
- Breaker Panel Housings
- Signs
- Trailers
- Catwalks
- Exposed Edges
- Conduit
- Welds
- Railings
- Electrical Poles
- Rain Spouts
- Doors
- Waste Containers
- Guard Rails

Appearance _____ Gray Viscous Liquid

Brand _____ CRC

Case# _____ 1005233

Color _____ Gray

Coverage _____ 28 to 32 Sq Ft at 3 Mil Dry

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 20 Minutes

Dry Time Tack Free _____ 20 Minutes

Federal Specification Number _____ DOD-P-21035A

Film Thickness _____ 2 to 3 Mils

Film Type _____ Dry, Gray, Matte Finish

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ 316L Stainless Steel Coating

I 2 of 5 Code _____ 30078254182118

Item Number _____ 18211

MIR Limit (CA) _____ 1.25

MIR Limit (EPA) _____ 1.9

MIR Value _____ 1.24

NSF Category Code _____ R2

NSF Number _____ 150841

Net Fill _____ 13 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Anytime

Removal (How To) _____ Remove with aromatic solvents, Xylene. Toluene can be used, but is not recommended.

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254182117

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 59.3

VOC % (Federal) _____ 58.2

VOC Category _____ Aerosol Coating: Metallic

VOC Lbs./Gal. (Federal) _____ 7.5

VOC g/L (Consumer Product def) _____ 619

VOC g/L (Federal) _____ 902.4

VOC lbs/gal (Consumer Prod def) _____ 5.2

Working Temp (C) _____ 54.4°C (Continuous) / 65.6°C (Intermittent)

Working Temp (F) _____ 130°F (Continuous) / 150°F (Intermittent)



Part No. 18411

Item# 1005238

CRC® Seal Coat® Clear Urethane Coating, 11 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

It provides a conformal polyurethane coating that insulates electrical equipment and seals out water and moisture. This product allows clear visualization of whatever it is sprayed upon. It is an excellent insulator of PC boards, since it allows visualization of circuit paths. It dries quickly to a hard, durable, flexible film.

Applications

- On Motor Windings
- Bus Bars
- Stator Coils
- Terminals
- Commutator Ends
- PC Boards

Appearance	Clear Viscous Liquid	Brand	CRC
Case#	1005237	Color	Clear
Coverage	20 to 25 Sq Ft	DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
Dielectric Strength	3,000 Volts/Mil	Dry Time Fully Dry	72 Hours
Dry Time Tack Free	15 to 30 Minutes	Evaporation Rate	Moderate
Film Type	Dry	Flammability Class - CPSC	Extremely Flammable
Flash point (C)	-20°C	Flash point (F)	-4°F
Generic Description	Urethane Coating	I 2 of 5 Code	30078254184112
Item Number	18411	MIR Limit (CA)	2.0
MIR Limit (EPA)	None	MIR Value	1.46
Net Fill	11 Wt Oz	Plastic Safe	Yes
Product Lifecycle Status	DISC	Propellant	Hydrocarbon
Removal (How To)	Extremely difficult to remove, scraping is recommended.	Specific Gravity	0.717
UPC Code	078254184111	Unit Dimensions	7.75H x 2.63W x 2.63D in
Unit Package Description	16 Ounce Aerosol	Units per Case	12
VOC % (Consumer Product def)	63.9	VOC % (Federal)	63.86
VOC Category	Aerosol Coating: Electrical Coating	VOC Lbs./Gal. (Federal)	8.3
VOC g/L (Consumer Product def)	457.8	VOC g/L (Federal)	990.2
VOC lbs/gal (Consumer Prod def)	3.8	Working Temp (C)	-67.8 to 121.1°C
Working Temp (F)	-90 to 250°F		



Part No. 18000

Item# 1005162

CRC® All Purpose Enamel Spray Paint-Swift Red, 10 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile, general-purpose, quick drying, non-fading coating for use in exterior and interior applications. Recommended for general use in every day factory and contractor applications.

Applications

- Interior and Exterior Use on Wood
- Plaster
- Glass
- Wicker
- Cloth
- Metal
- Masonry
- Pottery
- Paper

Appearance Red Liquid

Brand CRC

Case# 1005161

Color Swift Red

Coverage 15 to 20 Sq Ft

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry 1 Hour

Dry Time Tack Free 30 Minutes

Flammability Class - CPSC Extremely Flammable

Flash point (C) -19°C

Flash point (F) -2.2°F

Generic Description All Purpose Enamel Spray Paint

I 2 of 5 Code 30078254180008

Item Number 18000

MIR Limit (CA) 0.95

MIR Limit (EPA) 1.4

MIR Value 0.71

Net Fill 10 Wt Oz

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Hydrocarbon

Recoat Before 1 Hour or After 72 Hours

Removal (How To) DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity 0.77 to 0.85

UPC Code 078254180007

Unit Dimensions 7.75H x 2.63W x 2.63D in

Unit Package Description 16 Ounce Aerosol

Units per Case 6

VOC % (Consumer Product def) 45.9

VOC Category Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) 535

VOC lbs/gal (Consumer Product def) 4.46



Part No. 18006

Item# 1005172

CRC® All Purpose Enamel Spray Paint-Gloss White, 10 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile, general-purpose, quick drying, non-fading coating for use in exterior and interior applications. Recommended for general use in every day factory and contractor applications.

Applications

- Interior and Exterior Use on Wood
- Plaster
- Glass
- Wicker
- Cloth
- Metal
- Masonry
- Pottery
- Paper

Appearance _____ White Liquid

Brand _____ CRC

Case# _____ 1005171

Color _____ Gloss White

Coverage _____ 15 to 20 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 1 Hour

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ All Purpose Enamel Spray Paint

I 2 of 5 Code _____ 30078254180060

Item Number _____ 18006

MIR Limit (CA) _____ 0.95

MIR Limit (EPA) _____ 1.4

MIR Value _____ 0.69

Net Fill _____ 10 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 72 Hours

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254180069

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 44.8

VOC Category _____ Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) _____ 529.4

VOC lbs/gal (Consumer Product def) _____ 4.42



Part No. 18008

Item# 1005174

CRC® All Purpose Enamel Spray Paint-Flat Black, 10 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile, general-purpose, quick drying, non-fading coating for use in exterior and interior applications. Recommended for general use in every day factory and contractor applications.

Applications

- Interior and Exterior Use on Wood
- Plaster
- Glass
- Wicker
- Cloth
- Metal
- Masonry
- Pottery
- Paper

Appearance _____ Black Liquid

Brand _____ CRC

Case# _____ 1005173

Color _____ Flat Black

Coverage _____ 15 to 20 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 1 Hour

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ All Purpose Enamel Spray Paint

I 2 of 5 Code _____ 30078254180084

Item Number _____ 18008

MIR Limit (CA) _____ 0.8

MIR Limit (EPA) _____ 1.2

MIR Value _____ 0.65

Net Fill _____ 10 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 72 Hours

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254180083

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 46.6

VOC Category _____ Aerosol Coating: Flat Paint

VOC g/L (Consumer Product def) _____ 546.3

VOC lbs/gal (Consumer Product def) _____ 4.56



Part No. 18002

Item# 1005166

CRC® All Purpose Enamel Spray Paint-Astro Blue, 10 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Versatile, general-purpose, quick drying, non-fading coating for use in exterior and interior applications. Recommended for general use in every day factory and contractor applications.

Applications

- Interior and Exterior Use on Wood
- Plaster
- Glass
- Wicker
- Cloth
- Metal
- Masonry
- Pottery
- Paper

Appearance _____ Blue Liquid

Brand _____ CRC

Case# _____ 1005165

Color _____ Astro Blue

Coverage _____ 15 to 20 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 1 Hour

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ All Purpose Enamel Spray Paint

I 2 of 5 Code _____ 30078254180022

Item Number _____ 18002

MIR Limit (CA) _____ 0.95

MIR Limit (EPA) _____ 1.4

MIR Value _____ 0.7

Net Fill _____ 10 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 72 Hours

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254180021

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 45.5

VOC Category _____ Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) _____ 539.4

VOC lbs/gal (Consumer Product def) _____ 4.5



Part No. 18100

Item# 1005200

CRC® Rust Proof Enamel Spray Paint-OSHA Red, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Rust resistant, premium quality alkyd enamel. Designed for moderate to severe corrosive environments & is specially formulated to resist rusting, peeling & fading. Fights weathering, salt spray, & the most severe & demanding industrial conditions.

Applications

- Iron
- Steel
- Wood
- Aluminum

Appearance _____ Red Liquid

Brand _____ CRC

Case# _____ 1005199

Color _____ OSHA Red

Coverage _____ 25 to 40 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 2 Hours

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ Rust Proof Enamel Spray Paint

I 2 of 5 Code _____ 30078254181005

Item Number _____ 18100

MIR Limit (CA) _____ 0.95

MIR Limit (EPA) _____ 1.4

MIR Value _____ 0.69

Net Fill _____ 15 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 48 Hours

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254181004

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 45.6

VOC Category _____ Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) _____ 532.7

VOC lbs/gal (Consumer Product def) _____ 4.45



Part No. 18109

Item# 1005210

CRC® Rust Proof Enamel Spray Paint-Flat Black, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Rust resistant, premium quality alkyd enamel. Designed for moderate to severe corrosive environments & is specially formulated to resist rusting, peeling & fading. Fights weathering, salt spray, & the most severe & demanding industrial conditions.

Applications

- Iron
- Steel
- Wood
- Aluminum

Appearance _____ Black Liquid

Brand _____ CRC

Case# _____ 1005209

Color _____ Flat Black

Coverage _____ 25 to 40 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 2 Hours

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ Rust Proof Enamel Spray Paint

I 2 of 5 Code _____ 30078254181098

Item Number _____ 18109

MIR Limit (CA) _____ 0.8

MIR Limit (EPA) _____ 1.2

MIR Value _____ 0.69

Net Fill _____ 15 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 48 Hours

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254181097

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 48

VOC Category _____ Aerosol Coating: Flat Paint

VOC g/L (Consumer Product def) _____ 544

VOC lbs/gal (Consumer Product def) _____ 4.54



Part No. 18106

Item# 1005208

CRC® Rust Proof Enamel Spray Paint-OSHA White, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Rust resistant, premium quality alkyd enamel. Designed for moderate to severe corrosive environments & is specially formulated to resist rusting, peeling & fading. Fights weathering, salt spray, & the most severe & demanding industrial conditions.

Applications

- Iron
- Steel
- Wood
- Aluminum

Appearance _____ White Liquid

Brand _____ CRC

Case# _____ 1005207

Color _____ OSHA White

Coverage _____ 25 to 40 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 2 Hours

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ Rust Proof Enamel Spray Paint

I 2 of 5 Code _____ 30078254181067

Item Number _____ 18106

MIR Limit (CA) _____ 0.95

MIR Limit (EPA) _____ 1.4

MIR Value _____ 0.68

Net Fill _____ 15 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 48 Hours

Removal (How To) _____ DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254181066

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 44.6

VOC Category _____ Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) _____ 528.1

VOC lbs/gal (Consumer Product def) _____ 4.41



Part No. 18150

Item# 1005214

CRC® Rust Proof Primers-Gray, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Seal out moisture and fill hairline cracks and other slight imperfections to provide a uniform basecoat for CRC Rust Proof Enamels.

Applications

- Iron
- Steel
- Wood
- Aluminum

Appearance _____ Gray Liquid

Brand _____ CRC

Case# _____ 1005213

Color _____ Gray

Coverage _____ 25 to 40 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 2 Hours

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2.2°F

Generic Description _____ Rust Proof Primers

I 2 of 5 Code _____ 30078254181500

Item Number _____ 18150

MIR Limit (CA) _____ 0.7

MIR Limit (EPA) _____ 1.2

MIR Value _____ 0.68

Net Fill _____ 15 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 48 Hours

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254181509

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 51.6

VOC Category _____ Aerosol Coating: Primer

VOC g/L (Consumer Product def) _____ 530.4

VOC lbs/gal (Consumer Product def) _____ 4.43



Part No. 18410

Item# 1005236

CRC® Seal Coat® Red Urethane Coating, 11 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Polyurethane coating that insulates electrical equipment and seals out water and moisture. The red formula allows for visualization of equipment.

Applications

- On Motor Windings
- Bus Bars
- Stator Coils
- Terminals
- Commutator Ends
- PC Boards

Appearance _____ Red Viscous Liquid

Brand _____ CRC

Case# _____ 1005235

Color _____ Red

Coverage _____ 20 to 25 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dielectric Strength _____ 3,100 Volts/Mil

Dry Time Fully Dry _____ 72 Hours

Dry Time Tack Free _____ 15 to 30 Minutes

Evaporation Rate _____ Moderate

Film Type _____ Dry

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -20°C

Flash point (F) _____ -4°F

Generic Description _____ Urethane Coating

I 2 of 5 Code _____ 30078254184105

Item Number _____ 18410

MIR Limit (CA) _____ 2.0

MIR Limit (EPA) _____ None

MIR Value _____ 1.37

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DSEL

Propellant _____ Hydrocarbon

Removal (How To) _____ DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.731

UPC Code _____ 078254184104

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 57.1

VOC % (Federal) _____ 57.03

VOC Category _____ Aerosol Coating: Electrical Coating

VOC Lbs./Gal. (Federal) _____ 7.4

VOC g/L (Consumer Product def) _____ 417.4

VOC g/L (Federal) _____ 884.3

VOC lbs/gal (Consumer Prod def) _____ 3.5

Working Temp (C) _____ -67.8 to 121.1°C

Working Temp (F) _____ -90 to 250°F



Part No. 18210

Item# 1005232

CRC® Upside Down Marking Paints-Red/Orange Fluorescent, 17 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

Applications

To Identify and Code Surfaces Such as

- Metal
- Asphalt
- Soil
- Utility
- Municipal and Landscaping Sites
- Nurseries and Surveying
- Concrete
- Gravel
- Trees and Grass For Construction
- Recreational
- Golf Courses

Appearance RedOrange Fluorescent Liquid

Brand CRC

Case# 1005231

Color Red/Orange Fluorescent

Coverage 0 to 700 Linear Feet

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry 1 Hour

Dry Time Tack Free 30 Minutes

Flammability Class - CPSC Extremely Flammable

Flash point (C) -19°C

Flash point (F) -2°F

Generic Description Upside Down Marking Paints

I 2 of 5 Code 30078254182101

Item Number 18210

MIR Limit (CA) 0.85

MIR Limit (EPA) 1.2

MIR Value 0.57

Net Fill 17 Wt Oz

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Hydrocarbon

Removal (How To) DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity 0.77 to 0.85

UPC Code 078254182100

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 6

VOC % (Consumer Product def) 50.6

VOC Category Aerosol Coating: Ground Traffic/Marking

VOC g/L (Consumer Product def) 528

VOC lbs/gal (Consumer Prod def) 4.41



Part No. 18114

Item# 1005212

CRC® Rust Proof Enamel Spray Paint-Machinery Light Gray, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Rust resistant, premium quality alkyd enamel. Designed for moderate to severe corrosive environments & is specially formulated to resist rusting, peeling & fading. Fights weathering, salt spray, & the most severe & demanding industrial conditions.

Applications

- Iron
- Steel
- Wood
- Aluminum

Appearance _____ Gray Liquid

Brand _____ CRC

Case# _____ 1005211

Color _____ Machinery Light Gray

Coverage _____ 25 to 40 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 2 Hours

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Rust Proof Enamel Spray Paint

I 2 of 5 Code _____ 30078254181142

Item Number _____ 18114

MIR Limit (CA) _____ 0.95

MIR Limit (EPA) _____ 1.4

MIR Value _____ 0.7

Net Fill _____ 15 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 48 Hours

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254181141

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 44.5

VOC Category _____ Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) _____ 533.1

VOC lbs/gal (Consumer Product def) _____ 4.45



Part No. 18101

Item# 1005202

CRC® Rust Proof Enamel Spray Paint-OSHA Yellow, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Rust resistant, premium quality alkyd enamel. Designed for moderate to severe corrosive environments & is specially formulated to resist rusting, peeling & fading. Fights weathering, salt spray, & the most severe & demanding industrial conditions.

Applications

- Iron
- Steel
- Wood
- Aluminum

Appearance Yellow Liquid

Brand CRC

Case# 1005201

Color OSHA Yellow

Coverage 25 to 40 Sq Ft

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry 2 Hours

Dry Time Tack Free 30 Minutes

Flammability Class - CPSC Extremely Flammable

Flash point (C) -19°C

Flash point (F) -2.2°F

Generic Description Rust Proof Enamel Spray Paint

I 2 of 5 Code 30078254181012

Item Number 18101

MIR Limit (CA) 0.95

MIR Limit (EPA) 1.4

MIR Value 0.7

Net Fill 15 Wt Oz

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Hydrocarbon

Recoat Before 1 Hour or After 48 Hours

Removal (How To) DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity 0.77 to 0.85

UPC Code 078254181011

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 6

VOC % (Consumer Product def) 45.9

VOC Category Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) 531

VOC lbs/gal (Consumer Product def) 4.43



Part No. 18102

Item# 1005204

CRC® Rust Proof Enamel Spray Paint-OSHA Blue, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Rust resistant, premium quality alkyd enamel. Designed for moderate to severe corrosive environments & is specially formulated to resist rusting, peeling & fading. Fights weathering, salt spray, & the most severe & demanding industrial conditions.

Applications

- Iron
- Steel
- Wood
- Aluminum

Appearance _____ Blue Liquid

Brand _____ CRC

Case# _____ 1005203

Color _____ OSHA Blue

Coverage _____ 25 to 40 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 2 Hours

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Rust Proof Enamel Spray Paint

I 2 of 5 Code _____ 30078254181029

Item Number _____ 18102

MIR Limit (CA) _____ 0.95

MIR Limit (EPA) _____ 1.4

MIR Value _____ 0.71

Net Fill _____ 15 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 48 Hours

Removal (How To) _____ DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254181028

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 44.9

VOC Category _____ Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) _____ 535.8

VOC lbs/gal (Consumer Product def) _____ 4.47



Part No. 18105

Item# 1005206

CRC® Rust Proof Enamel Spray Paint-OSHA Black, 15 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Rust resistant, premium quality alkyd enamel. Designed for moderate to severe corrosive environments & is specially formulated to resist rusting, peeling & fading. Fights weathering, salt spray, & the most severe & demanding industrial conditions.

Applications

- Iron
- Steel
- Wood
- Aluminum

Appearance _____ Black Liquid

Brand _____ CRC

Case# _____ 1005205

Color _____ OSHA Black

Coverage _____ 25 to 40 Sq Ft

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 2 Hours

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Rust Proof Enamel Spray Paint

I 2 of 5 Code _____ 30078254181050

Item Number _____ 18105

MIR Limit (CA) _____ 0.95

MIR Limit (EPA) _____ 1.4

MIR Value _____ 0.79

Net Fill _____ 15 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ Before 1 Hour or After 48 Hours

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254181059

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 47.6

VOC Category _____ Aerosol Coating: Non-Flat Paint

VOC g/L (Consumer Product def) _____ 552.9

VOC lbs/gal (Consumer Product def) _____ 4.61



Part No. 18207

Item# 1005228

CRC® Upside Down Marking Paints-Red Fluorescent, 17 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

Applications

To Identify and Code Surfaces Such as

- Metal
- Asphalt
- Soil
- Utility
- Municipal and Landscaping Sites
- Nurseries and Surveying
- Concrete
- Gravel
- Trees and Grass For Construction
- Recreational
- Golf Courses

Appearance _____ Red Fluorescent Liquid

Brand _____ CRC

Case# _____ 1005227

Color _____ Red Fluorescent

Coverage _____ 0 to 700 Linear Feet

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 1 Hour

Dry Time Tack Free _____ 30 Minutes

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Upside Down Marking Paints

I 2 of 5 Code _____ 30078254182071

Item Number _____ 18207

MIR Limit (CA) _____ 0.85

MIR Limit (EPA) _____ 1.2

MIR Value _____ 0.57

Net Fill _____ 17 Wt Oz

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Removal (How To) _____ DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254182070

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 50.5

VOC Category _____ Aerosol Coating: Ground Traffic/Marking

VOC g/L (Consumer Product def) _____ 524.7

VOC lbs/gal (Consumer Prod def) _____ 4.38



Part No. 18200

Item# 1005216

CRC® Upside Down Marking Paints-Safety Red, 17 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

Applications

To Identify and Code Surfaces Such as

- Metal
- Asphalt
- Soil
- Utility
- Municipal and Landscaping Sites
- Nurseries and Surveying
- Concrete
- Gravel
- Trees and Grass For Construction
- Recreational
- Golf Courses

Appearance _____ Red Liquid

Brand _____ CRC

Case# _____ 1005215

Color _____ Safety Red

Coverage _____ 0 to 700 Linear Feet

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dielectric Strength _____ Not Determined

Dry Time Fully Dry _____ 30 Minutes

Dry Time Tack Free _____ 15 minutes

Evaporation Rate _____ Moderate

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Upside Down Marking Paints

I 2 of 5 Code _____ 30078254182002

Item Number _____ 18200

MIR Limit (CA) _____ 0.85

MIR Limit (EPA) _____ 1.20

MIR Value _____ 0.54

Net Fill _____ 17 Wt Oz

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ As needed

Removal (How To) _____ DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254182001

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC Category _____ Aerosol Coating: Ground Traffic/Marking



Part No. 18204

Item# 1005224

CRC® Upside Down Marking Paints-Alert Orange, 17 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

Applications

To Identify and Code Surfaces Such as

- Metal
- Asphalt
- Soil
- Utility
- Municipal and Landscaping Sites
- Nurseries and Surveying
- Concrete
- Gravel
- Trees and Grass For Construction
- Recreational
- Golf Courses

Appearance _____ Orange Liquid

Brand _____ CRC

Case# _____ 1005223

Color _____ Alert Orange

Coverage _____ 0 to 700 Linear Feet

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dielectric Strength _____ Not Determined

Dry Time Fully Dry _____ 30 Minutes

Dry Time Tack Free _____ 15 minutes

Evaporation Rate _____ Moderate

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Upside Down Marking Paints

I 2 of 5 Code _____ 30078254182040

Item Number _____ 18204

MIR Limit (CA) _____ 0.85

MIR Limit (EPA) _____ 1.20

MIR Value _____ 0.50

Net Fill _____ 17 Wt Oz

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ As needed

Removal (How To) _____ DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254182049

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 51.2

VOC Category _____ Aerosol Coating: Ground Traffic/Marking

VOC g/L (Consumer Product def) _____ 529.4

VOC lbs/gal (Consumer Prod def) _____ 4.42



Discontinued

Description

Applications

- Metal
- Asphalt
- Soil
- Utility
- Municipal and Landscaping Sites
- Nurseries and Surveying
- Concrete
- Gravel
- Trees and Grass For Construction
- Recreational
- Golf Courses

Appearance _____ Yellow Liquid

Brand _____ CRC

Case# _____ 1005217

Color _____ Caution Yellow

Coverage _____ 0 to 700 Linear Feet

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry _____ 1 Hour

Dry Time Tack Free _____ 30 Minutes

Evaporation Rate _____ Moderate

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Upside Down Marking Paints

I 2 of 5 Code _____ 30078254182019

Item Number _____ 18201

MIR Limit (CA) _____ 0.85

MIR Limit (EPA) _____ 1.20

MIR Value _____ 0.52

Net Fill _____ 17 Wt Oz

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ As needed

Removal (How To) _____
DRY paint with lacquer thinner/stripper.,Remove:
WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254182018

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC Category _____ Aerosol Coating: Ground Traffic/Marking

VOC g/L (Consumer Product def) _____ 528.8

VOC lbs/gal (Consumer Prod def) _____ 4.41



Part No. 18206

Item# 1005226

CRC® Upside Down Marking Paints-White, 17 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

Applications

To Identify and Code Surfaces Such as

- Metal
- Asphalt
- Soil
- Utility
- Municipal and Landscaping Sites
- Nurseries and Surveying
- Concrete
- Gravel
- Trees and Grass For Construction
- Recreational
- Golf Courses

Appearance _____ White Liquid

Brand _____ CRC

Case# _____ 1005225

Color _____ White

Coverage _____ 0 to 700 Linear Feet

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dielectric Strength _____ Not Determined

Dry Time Fully Dry _____ 30 Minutes

Dry Time Tack Free _____ 15 minutes

Evaporation Rate _____ Moderate

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Upside Down Marking Paints

I 2 of 5 Code _____ 30078254182064

Item Number _____ 18206

MIR Limit (CA) _____ 0.85

MIR Limit (EPA) _____ 1.20

MIR Value _____ 0.49

Net Fill _____ 17 Wt Oz

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ As needed

Removal (How To) _____ DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254182063

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC % (Consumer Product def) _____ 48.7

VOC Category _____ Aerosol Coating: Ground Traffic/Marking

VOC g/L (Consumer Product def) _____ 515.9

VOC lbs/gal (Consumer Prod def) _____ 4.31



Part No. 18202

Item# 1005220

CRC® Upside Down Marking Paints-Caution Blue, 17 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

Applications

To Identify and Code Surfaces Such as

- Metal
- Asphalt
- Soil
- Utility
- Municipal and Landscaping Sites
- Nurseries and Surveying
- Concrete
- Gravel
- Trees and Grass For Construction
- Recreational
- Golf Courses

Appearance _____ Blue Liquid

Brand _____ CRC

Case# _____ 1005219

Color _____ Caution Blue

Coverage _____ 0 to 700 Linear Feet

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited Quantity

Dielectric Strength _____ Not Determined

Dry Time Fully Dry _____ 30 Minutes

Dry Time Tack Free _____ 15 minutes

Evaporation Rate _____ Moderate

Flammability Class - CPSC _____ Extremely Flammable

Flash point (C) _____ -19°C

Flash point (F) _____ -2°F

Generic Description _____ Upside Down Marking Paints

I 2 of 5 Code _____ 30078254182026

Item Number _____ 18202

MIR Limit (CA) _____ 0.85

MIR Limit (EPA) _____ 1.20

MIR Value _____ 0.54

Net Fill _____ 17 Wt Oz

Product Lifecycle Status _____ DISC

Propellant _____ Hydrocarbon

Recoat _____ As needed

Removal (How To) _____ DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity _____ 0.77 to 0.85

UPC Code _____ 078254182025

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 6

VOC Category _____ Aerosol Coating: Ground Traffic/Marking

VOC g/L (Consumer Product def) _____ 534

VOC lbs/gal (Consumer Prod def) _____ 4.45



Part No. 18208

Item# 1005230

CRC® Upside Down Marking Spray Paints - Fluorescent Orange, 17 Wt Oz

Discontinued

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

Applications

To Identify and Code Surfaces Such as

- Metal
- Asphalt
- Soil
- Utility
- Municipal and Landscaping Sites
- Nurseries and Surveying
- Concrete
- Gravel
- Trees and Grass For Construction
- Recreational
- Golf Courses

Appearance Orange Fluorescent Liquid

Brand CRC

Case# 1005229

Color Orange Fluorescent

Coverage 0 to 700 Linear Feet

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

Dry Time Fully Dry 1 Hour

Dry Time Tack Free 30 Minutes

Flammability Class - CPSC Extremely Flammable

Flash point (C) -19°C

Flash point (F) -2°F

Generic Description Upside Down Marking Paints

I 2 of 5 Code 30078254182088

Item Number 18208

MIR Limit (CA) 0.85

MIR Limit (EPA) 1.2

MIR Value 0.57

Net Fill 17 Wt Oz

Plastic Safe Yes

Product Lifecycle Status DISC

Propellant Hydrocarbon

Removal (How To) DRY paint with lacquer thinner/stripper.,Remove: WET paint with mineral spirits or turpentine

Specific Gravity 0.77 to 0.85

UPC Code 078254182087

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 6

VOC % (Consumer Product def) 50.5

VOC Category Aerosol Coating: Ground Traffic/Marking

VOC g/L (Consumer Product def) 525.6

VOC lbs/gal (Consumer Prod def) 4.39

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>