

Очистители кабеля

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cse@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>



Part No. 02066

Item# 1003193

CRC® Cable Clean® Degreaser, 1 Gal

Discontinued

alternate available Product No. 02152 ITEM# 1003232

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Non-chlorinated, non-flammable formula helps prevent current leakage, excessive resistance, reduced performance & arcing by quickly removing contaminants. Not subject to the reporting requirements of RCRA. NSF K2 Registered.

Applications

- For Cable Cleaning: Semi-Conductive Cores of High Voltage Cables When Splicing & Terminating Cables

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003192

DOT Proper Shipping Name Not Regulated

Dielectric Strength 26,800 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC None

Flash point (C) None

Flash point (F) None

Generic Description High Voltage Splice Cleaner
Plus Heavy Duty Degreaser

I 2 of 5 Code 30078254020663

Item Number 02066

KB Value 125

NSF Category Code K2

NSF Number 017212

Net Fill 1 Gal

Plastic Safe No

Product Lifecycle Status DISC

Propellant None

Replacement Legacy Num 02152

Replacement Product SKU 1003232

Specific Gravity 1.33

UPC Code 078254020662

Unit Dimensions 11H x 4W x 6.5D in

Unit Package Description 1 Gallon Can

Units per Case 4

VOC % (Consumer Product def) 100

VOC % (Federal) 100

VOC Category Single Purpose Cleaner/Degreaser

VOC Lbs./Gal. (Federal) 12.9

VOC g/L (Consumer Product def) 1300

VOC g/L (Federal) 1550.6

VOC lbs/gal (Consumer Prod def) 11



Part No. 02064

Item# 1003191

CRC® Cable Clean® Degreaser, 18 Wt Oz

Description

Non-flammable formula helps prevent current leakage, excessive resistance, reduced performance & arcing by quickly removing contaminants. Not subject to the reporting requirements of RCRA. NSF K2 Registered.

Applications

- For Cable Cleaning: Semi-Conductive Cores of High Voltage Cables When Splicing & Terminating Cables

Appearance Clear Colorless Liquid

Brand CRC

Case# 1003190

DOT Proper Shipping Name Aerosols, Non- Flammable, LIMITED QUANTITY

Dielectric Strength 26,800 Volts

Dry Time Fully Dry 30 Seconds

Evaporation Rate Fast

Flammability Class - CPSC Not a Consumer Product

Flash point (C) None

Flash point (F) None

Generic Description High Voltage Splice Cleaner Plus Heavy Duty Degreaser

I 2 of 5 Code 30078254020649

Item Number 02064

KB Value 125

NSF Category Code K2

NSF Number 017211

Net Fill 18 Wt Oz

Plastic Safe No

Propellant Carbon Dioxide

Specific Gravity 1.33

Timken OK Load [Lbs.] 2817.3 hPa

UPC Code 078254020648

Unit Dimensions 9.25H x 2.63W x 2.63D in

Unit Package Description 20 Ounce Aerosol

Units per Case 12

VOC % (Consumer Product def) 67.1

VOC % (Federal) 67.1

VOC Category Single Purpose Cleaner/Degreaser

VOC Lbs./Gal. (Federal) 7.17

VOC g/L (Consumer Product def) 859

VOC g/L (Federal) 859

VOC lbs/gal (Consumer Prod def) 7.17



Part No. 02170

Item# 1003234

CRC® Cable Clean® HF™ High Voltage Cleaner (High Flash), 11 Wt Oz

Description

Splice & termination cleaner with the benefits of a high flashpoint of 205°F. An alternative to chlorinated cable cleaning products.

Applications

- Semi-Conductive Cores of High Voltage Cables When Splicing & Terminating Cables

Appearance _____ Clear Liquid

Brand _____ CRC

Case# _____ 1003233

Color _____ None

DOT Proper Shipping Name _____ Aerosols, Flammable, Limited
Quantity

Dielectric Strength _____ 45,700 Volts

Dry Time Fully Dry _____ >10 Minutes

Elastomer Compatibility _____ Buna, Viton, Neoprene

Evaporation Rate _____ Slow

Flammability Class - CPSC _____ Flammable

Flash point (C) _____ 96°C

Flash point (F) _____ 204°F

Generic Description _____ High Voltage Splice Cleaner

I 2 of 5 Code _____ 30078254021707

Item Number _____ 02170

KB Value _____ 25

Net Fill _____ 11 Wt Oz

Plastic Safe _____ Safe on Most Plastics (Test small
area)

Propellant _____ Carbon Dioxide

Specific Gravity _____ 0.79

UPC Code _____ 078254021706

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 0

VOC % (Federal) _____ 97.16


VOC Category _____ Single Purpose
Cleaner/Degreaser

VOC Lbs./Gal. (Federal) _____ 12.6

VOC g/L (Consumer Product def) _____ 0

VOC g/L (Federal) _____ 1506.6

VOC lbs/gal (Consumer Prod def) _____ 0



Part No. 02069

Item# 1003195

CRC® Cable Clean® High Voltage Splice Cleaner, 19 Wt Oz

Description

A proprietary formula splice and termination cleaner that aggressively removes contaminants from high voltage cables. It is non-conductive, non-corrosive and non-staining.

Applications

Recommended For The Removal of

- Dirt
- Adhesives
- Silicones
- Anti-Oxidation Compounds
- Other Contaminants

From The Semi-Conductive Cores of High Voltage Cables When Splicing & Terminating Cables

Appearance _____ Clear Colorless Liquid

Brand _____ CRC

Case# _____ 1003194

DOT Proper Shipping Name _____ Aerosols, Flammable, LIMITED
QUANTITY

Dielectric Strength _____ 29010 Volts

Dry Time Fully Dry _____ 30 Seconds

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ None

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ High Voltage Splice Cleaner

I 2 of 5 Code _____ 30078254020694

Item Number _____ 02069

KB Value _____ 91

Net Fill _____ 19 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Specific Gravity _____ 1.28

UPC Code _____ 078254020693

Unit Dimensions _____ 9.25H x 2.63W x 2.63D in

Unit Package Description _____ 20 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 81.6

VOC % (Federal) _____ 81.6

VOC Category _____ Single Purpose
Cleaner/Degreaser

VOC Lbs./Gal. (Federal) _____ 8.58

VOC g/L (Consumer Product def) _____ 1028

VOC g/L (Federal) _____ 1028

VOC lbs/gal (Consumer Prod def) _____ 8.58



Part No. 02152

Item# 1003232

CRC® Cable Clean® RD™ High Voltage Cleaner (Rapid Dry), 1 Gal

Discontinued

alternate available Product No. 02150 ITEM# 1003230

Discontinued product number may still be available for a limited time through your local supplier or retailer.

Description

Removes contaminants from the semi-conductive core of high voltage cables. Replaces 1,1,1-Trichloroethane without sacrificing performance. Non-flammable, no residue and fast evaporation. NSF K2 Registered.

Applications

- Semi-Conductive Cores of High Voltage Cables When Splicing & Terminating Cables

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003231

Color _____ None

DOT Proper Shipping Name _____ Toxic Liquid, Organic, N.O.S.
(Tetrachloroethylene, n-Propyl
Bromide), Limited Quantity
(Marine Pollutant)

Dielectric Strength _____ 41,100 Volts

Dry Time Fully Dry _____ 3 to 4 Minutes

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ High Voltage Splice Cleaner

I 2 of 5 Code _____ 30078254021523

Item Number _____ 02152

KB Value _____ 96

NSF Category Code _____ K2

NSF Number _____ 119564

Net Fill _____ 1 Gal

Plastic Safe _____ Yes

Product Lifecycle Status _____ DISC

Propellant _____ None

Replacement Legacy Num _____ 02150

Replacement Product SKU _____ 1003230

Restricted From Sale In _____ CA

Specific Gravity _____ 1.62

UPC Code _____ 078254021522

Unit Dimensions _____ 11H x 4W x 6.5D in

Unit Package Description _____ 1 Gallon Bottle

Units per Case _____ 4

VOC % (Consumer Product def) _____ 2

VOC % (Federal) _____ 2

VOC Category _____ Single Purpose Cleaner/Degreaser

VOC Lbs./Gal. (Federal) _____ 0.26

VOC g/L (Consumer Product
def) _____ 32.9

VOC g/L (Federal) _____ 31

VOC lbs/gal (Consumer Prod
def) _____ 0.27



Part No. 02150

Item# 1003230

CRC® Cable Clean® RD™ High Voltage Cleaner (Rapid Dry), 16 Wt Oz

Description

Removes contaminants from the semi-conductive core of high voltage cables. Replaces 1,1,1-Trichloroethane without sacrificing performance. Non-flammable, no residue and fast evaporation. NSF K2 Registered.

Applications

- Semi-Conductive Cores of High Voltage Cables When Splicing & Terminating Cables

Appearance _____ Colorless Liquid

Brand _____ CRC

Case# _____ 1003229

Color _____ None

DOT Proper Shipping Name _____ AEROSOLS, poison, LTD.QTY.

Dielectric Strength _____ 41,100 Volts

Dry Time Fully Dry _____ 3 to 4 Minutes

Evaporation Rate _____ Fast

Flammability Class - CPSC _____ Not a Consumer Product

Flash point (C) _____ None

Flash point (F) _____ None

Generic Description _____ High Voltage Splice Cleaner

I 2 of 5 Code _____ 30078254021509

Item Number _____ 02150

KB Value _____ 96

NSF Category Code _____ K2

NSF Number _____ 119563

Net Fill _____ 16 Wt Oz

Plastic Safe _____ No

Propellant _____ Carbon Dioxide

Restricted From Sale In _____ CA

Specific Gravity _____ 1.62

UPC Code _____ 078254021508

Unit Dimensions _____ 7.75H x 2.63W x 2.63D in

Unit Package Description _____ 16 Ounce Aerosol

Units per Case _____ 12

VOC % (Consumer Product def) _____ 2

VOC % (Federal) _____ 2

VOC Category _____ Single Purpose
Cleaner/Degreaser

VOC Lbs./Gal. (Federal) _____ 0.37

VOC g/L (Consumer Product def) _____ 31.8

VOC g/L (Federal) _____ 31.8

VOC lbs/gal (Consumer Prod def) _____ 0.37

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>