

Высокопроизводительные очистители

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>

BRAKLEEN VOC FREE

Cleaners - Heavy duty

Safe Brake Parts Degreaser

Characteristics:

- Quickly and safely removes brake fluid, grease, oil, hardened deposits and other contaminants from brake and clutch parts.
- Free of any VOC's as found in hydrocarbon solvents.
- Works as efficiently as typical hydrocarbon solvents.

Benefits:

- Non Flammable.
- Readily Biodegradable ($\geq 60\%$ by OECD 301).
- Easy to handle 360° spray technology.
- Easily flushed away with water.

Discover More: [Interactive Leaflet](#)



	Ref.	Description	TDS
	33428-AA 1755361	Brakleen VOC Free 12x400 ML en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	33428-AB 1755363	Brakleen VOC Free 12x400 ML sv,fi,da,no,pl,et,lv,lt >>> IDS	MSDS

Public Data - A

33428-AA | Brakleen VOC Free 12x400 ML en,de,nl,fr,es,pt,it,el

Product Name	Brakleen VOC Free
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4871
Weight Per Carton (Kilogram)	5.8452
Parts Per Pallet	72050
EAN Code Single Part	5412386071881
EAN Code Carton	5412386871825
Part Dimension - Width (mm)	66
Part Dimension - Depth (mm)	66
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Pressurised container: May burst if heated.
GHS - Hazard Pictograms	
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(E)
Hazard Class	2.2

Public Data - A

33428-AB | Brakleen VOC Free 12x400 ML sv,fi,da,no,pl,et,lv,lt

Product Name	Brakleen VOC Free
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4871
Weight Per Carton (Kilogram)	5.8452
Parts Per Pallet	72050
EAN Code Single Part	5412386072024
EAN Code Carton	5412386872143
Part Dimension - Width (mm)	66
Part Dimension - Depth (mm)	66
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Pressurised container: May burst if heated.
GHS - Hazard Pictograms	
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(E)
Hazard Class	2.2

BRAKLEEN PRO

Cleaners - Heavy duty


Powerful and fast-drying brake parts cleaner.

Characteristics:

- Multiple active components
- Effectively removes brake fluid, grease and oil
- Reduces squeaking from disc brakes
- Safe on all metal surfaces, does not stain

Benefits:

- Cleans up to 40 brake discs
- Fast evaporation and high cleaning power to minimize downtime
- Pleasant citrus smell
- Easy to handle 360° spray technology



	Ref.	Description	TDS
	32694-AA 1031695	Brakleen Pro 12x500 ML en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	32694-AB 1031696	Brakleen Pro 12x500 ML sv,fi,da,no,pl,et,lv,lt >>> IDS	MSDS
	32694-AC 1031697	Brakleen Pro 12x500 ML hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS
	32694-DE 1031698	Brakleen Pro 24x500 ML de,fr >>> IDS	MSDS
	32758-AA 1031874	Brakleen Pro 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS
	32787-AA 1031911	Brakleen Pro 2x5 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS
	32788-AA 1031913	Brakleen Pro 60 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs >>> IDS	MSDS
	32789-AA 1031914	Brakleen Pro 200 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no >>> IDS	MSDS

Public Data - A

32694-AA | Brakleen Pro 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Brakleen Pro
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4701
Weight Per Carton (Kilogram)	5.6412
Parts Per Pallet	720
EAN Code Single Part	5412386062995
EAN Code Carton	5412386846717
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32694-AB | Brakleen Pro 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	Brakleen Pro
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4701
Weight Per Carton (Kilogram)	5.6412
Parts Per Pallet	720
EAN Code Single Part	5412386063008
EAN Code Carton	5412386846724
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32694-AC | Brakleen Pro 12x500 ML hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Brakleen Pro
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4601
Weight Per Carton (Kilogram)	5.5212
Parts Per Pallet	720
EAN Code Single Part	5412386063015
EAN Code Carton	5412386846731
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32694-DE | Brakleen Pro 24x500 ML de,fr

Product Name	Brakleen Pro
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	24
Part Gross Weight (Kilogram)	.4621
Weight Per Carton (Kilogram)	11.0904
Parts Per Pallet	768
EAN Code Single Part	5412386063022
EAN Code Carton	5412386846748
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	238
Carton Dimension - Width (mm)	379
Carton Dimension - Depth (mm)	289
Carton Dimension - Height (mm)	238
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - B

32758-AA | Brakleen Pro 20 L

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Brakleen Pro
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	16.0
Parts Per Pallet	22
EAN Code Single Part	5412386065132
Part Dimension - Width (mm)	273
Part Dimension - Depth (mm)	377
Part Dimension - Height (mm)	273
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

32787-AA | Brakleen Pro 2x5 L

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Brakleen Pro
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	3.968
Parts Per Pallet	114
EAN Code Single Part	5412386065309
Part Dimension - Width (mm)	170
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

32788-AA | BRAKLEEN PRO 60 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs

Product Name	BRAKLEEN PRO
Packaging Description	Bulk
Net Volume (Liter)	60
Part Gross Weight (Kilogram)	48
Parts Per Pallet	6
EAN Code Single Part	5412386065408
Part Dimension - Width (mm)	
Part Dimension - Depth (mm)	
Part Dimension - Height (mm)	
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

32789-AA | Brakleen Pro 200 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no

Product Name	Brakleen Pro
Packaging Description	Bulk
Net Volume (Liter)	200
Part Gross Weight (Kilogram)	161.423
Parts Per Pallet	2
EAN Code Single Part	5412386065415
Part Dimension - Width (mm)	590
Part Dimension - Depth (mm)	900
Part Dimension - Height (mm)	590
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

BRAKLEEN H2O

Cleaners - Heavy duty

Water based brake parts cleaner

Characteristics:

- Quickly and safely removes brake fluid, grease, oil, hardened deposits and other contaminants from brake and clutch parts.
- Water based.
- Free of hydrocarbon solvents.
- Removes squeaking from disc brakes.

Benefits:

- Safe on all materials around the brake parts such as rubbers and plastics.
- Non Flammable.
- Readily Biodegradable ($\geq 60\%$ by OECD 301).



	Ref.	Description	TDS
	33429-AA 1755343	Brakleen H2O 12x400 ML en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	33429-AB 1755344	Brakleen H2O 12x400 ML sv,fi,da,no,pl,et,lv,lt >>> IDS	MSDS

Public Data - A

33429-AA | Brakleen H2O 12x400 ML en,de,nl,fr,es,pt,it,el

Product Name	Brakleen H2O
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.507
Weight Per Carton (Kilogram)	6.084
Parts Per Pallet	720
EAN Code Single Part	5412386072031
EAN Code Carton	5412386872150
Part Dimension - Width (mm)	66
Part Dimension - Depth (mm)	66
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Pressurised container: May burst if heated.
GHS - Hazard Pictograms	
Intrastat / Tariff Code	34024900
UN Hazard Code	AEROSOLS
Road Tunnel Code	(E)
Hazard Class	2.2

Public Data - A

33429-AB | Brakleen H2O 12x400 ML sv,fi,da,no,pl,et,lv,lt

Product Name	Brakleen H2O
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.507
Weight Per Carton (Kilogram)	6.084
Parts Per Pallet	720
EAN Code Single Part	5412386072048
EAN Code Carton	5412386872174
Part Dimension - Width (mm)	66
Part Dimension - Depth (mm)	66
Part Dimension - Height (mm)	246
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	246
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Pressurised container: May burst if heated.
GHS - Hazard Pictograms	
Intrastat / Tariff Code	34024900
UN Hazard Code	AEROSOLS
Road Tunnel Code	(E)
Hazard Class	2.2

BRAKLEEN 20

Cleaners - Heavy duty

Cleans up to 20 brake disks

Brake cleaner for the easy cleaning of oil, grease, dirt and brake dust on brake parts. High spray pressure, fast drying without residue.



	Ref.	Description	TDS
	32757-AA 1031870	Brakleen 20 12x500 ML en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	32757-AB 1031871	Brakleen 20 12x500 ML sv,fi,da,no,pl,et,lv,lt >>> IDS	MSDS
	32757-AC	Brakleen 20 12x500 ML hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS
	32757-IC 1031873	Brakleen 20 12x500 ML pl,ro,lt,cs,sk,uk,hr,lv,hu,bg >>> IDS	MSDS

Public Data - A

32757-AA | Brakleen 20 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Brakleen 20
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4481
Weight Per Carton (Kilogram)	5.3772
Parts Per Pallet	720
EAN Code Single Part	5412386064432
EAN Code Carton	5412386849022
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	27101225
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32757-AB | Brakleen 20 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	Brakleen 20
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4461
Weight Per Carton (Kilogram)	5.3532
Parts Per Pallet	720
EAN Code Single Part	5412386064449
EAN Code Carton	5412386849039
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	27101225
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32757-AC | Brakleen 20 12x500 ML hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Brakleen 20
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4561
Weight Per Carton (Kilogram)	5.4732
Parts Per Pallet	720
EAN Code Single Part	5412386064807
EAN Code Carton	5412386850004
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	27101225
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32757-IC | Brakleen 20 12x500 ML pl,ro,it,cs,sk,uk,hr,lv,hu,bg


Product Name	Brakleen 20
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4461
Weight Per Carton (Kilogram)	5.3532
Parts Per Pallet	720
EAN Code Single Part	5412386064852
EAN Code Carton	5412386850110
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	27101225
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

BRAKE DEGREASER

Cleaners - Heavy duty

Brake degreaser

Degreaser for brake parts during maintenance or overhaul.



	Ref.	Description	TDS
	<u>32727-AB</u> 1031801	Brake Degreaser 12x500 ML sv,fi,da,no,pl,et,lv,lt >>> <u>IDS</u>	<u>MSDS</u>
	<u>32918-AA</u>	Brake Degreaser 2x5 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk >>> <u>IDS</u>	<u>MSDS</u>
	<u>32919-AA</u> 1032054	Brake Degreaser 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk,hr >>> <u>IDS</u>	<u>MSDS</u>
	<u>32920-AA</u> 1032055	Brake Degreaser 60 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,ro,bg >>> <u>IDS</u>	<u>MSDS</u>

Public Data - A

32727-AB | Brake Degreaser 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	Brake Degreaser
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4461
Weight Per Carton (Kilogram)	5.3532
Parts Per Pallet	720
EAN Code Single Part	5412386063947
EAN Code Carton	5412386848209
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	27101225
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - B

32918-AA | Brake Degreaser 2x5 L

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Brake Degreaser
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	3.804
Parts Per Pallet	114
EAN Code Single Part	5412386065330
Part Dimension - Width (mm)	170
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	27101225
UN Hazard Code	HYDROCARBONS, LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

32919-AA | Brake Degreaser 20 L

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk,hr

Product Name	Brake Degreaser
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	15.634
Parts Per Pallet	22
EAN Code Single Part	5412386065491
Part Dimension - Width (mm)	273
Part Dimension - Depth (mm)	377
Part Dimension - Height (mm)	273
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	27101225
UN Hazard Code	HYDROCARBONS, LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

32920-AA | Brake Degreaser 60 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,ro,bg

Product Name	Brake Degreaser
Packaging Description	Bulk
Net Volume (Liter)	60
Part Gross Weight (Kilogram)	42.804
Parts Per Pallet	6
EAN Code Single Part	5412386065507
Part Dimension - Width (mm)	380
Part Dimension - Depth (mm)	610
Part Dimension - Height (mm)	380
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	27101225
UN Hazard Code	HYDROCARBONS, LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

FERROKLEEN

Cleaners - Heavy duty

Cleans painted and bare metal surfaces contaminated with rust, lime, algae, oils and tar.

Takes rust and rust stains on painted or plastic surfaces away. Effective against a wide range of scales. Non flammable. Slightly foaming. Composed of > 90% anorganic components and biodegradable organic components. Not classified as dangerous for the aquatic environment.



	Ref.	Description	TDS
	30089-AA 1030444	Ferrokleen 2x5 KG en,de,nl,fr,es,pt,it,el,sv,fi,da,no >>> IDS	MSDS
	30112-AA 1030449	Ferrokleen 6x1 KG es,pt,en,fr,de,nl,el,pl,ro >>> IDS	MSDS
	30199-AA 1030469	Ferrokleen 20 KG en,de,nl,fr,es,pt,it,el,sv,fi,da,no >>> IDS	MSDS

Public Data - B

30089-AA | Ferrokleen 2x5 KG en,de,nl,fr,es,pt,it,el,sv,fi,da,no

Product Name	Ferrokleen
Packaging Description	Bulk
Net Volume (Liter)	4.071661237785016287
Part Gross Weight (Kilogram)	5.2
Parts Per Pallet	96
EAN Code Single Part	5412386008283
Part Dimension - Width (mm)	190
Part Dimension - Depth (mm)	250
Part Dimension - Height (mm)	145
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
GHS - Hazard Pictograms	GHS05 GHS07
Intrastat / Tariff Code	28111980
UN Hazard Code	PHOSPHORIC ACID SOLUTION
Road Tunnel Code	(E)
Hazard Class	8

Public Data - B

30112-AA | Ferrokleen 6x1 KG es,pt,en,fr,de,nl,el,pl,ro

Product Name	Ferrokleen
Packaging Description	Bulk
Net Volume (Liter)	.8143322475570032573
Part Gross Weight (Kilogram)	1.3
Parts Per Pallet	270
EAN Code Single Part	5412386070983
Part Dimension - Width (mm)	260
Part Dimension - Depth (mm)	190
Part Dimension - Height (mm)	225
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
GHS - Hazard Pictograms	GHS05 GHS07
Intrastat / Tariff Code	38249945
UN Hazard Code	PHOSPHORIC ACID SOLUTION
Road Tunnel Code	(E)
Hazard Class	8

Public Data - B

30199-AA | Ferrokleen 20 KG en,de,nl,fr,es,pt,it,el,sv,fi,da,no

Product Name	Ferrokleen
Packaging Description	Bulk
Net Volume (Liter)	16.28664495114006515
Part Gross Weight (Kilogram)	21
Parts Per Pallet	24
EAN Code Single Part	5412386008306
Part Dimension - Width (mm)	280
Part Dimension - Depth (mm)	370
Part Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
GHS - Hazard Pictograms	GHS05 GHS07
Intrastat / Tariff Code	38249945
UN Hazard Code	PHOSPHORIC ACID SOLUTION
Road Tunnel Code	(E)
Hazard Class	8

FAST DRY DEGREASER

Cleaners - Heavy duty

Effective cleaner and degreaser for precision work

Characteristics:

- Removes stubborn contaminants like oils, attached or re-heated greases, adhesives, tar & others
- Fast drying to minimize downtime
- Optimal spray pattern for improved coverage
- 95% active product
- Excellent plastic compatibility
- Easy to handle 360° spray technology
- Does not contain chlorinated solvents or silicone
- Does not leave residues



	Ref.	Description	TDS
	10227-AT 1030075	Fast Dry Degreaser 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu >>> IDS	MSDS
	10227-AV 1030077	Fast Dry Degreaser 12x500 ML en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	10227-AW 1030078	Fast Dry Degreaser 12x500 ML sv,fi,da,no,pl,et,lv,lt >>> IDS	MSDS
	10227-AX 1030079	Fast Dry Degreaser 12x500 ML hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS
	10230-AA 1030081	FAST DRY DEGREASER 2x5 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS
	10233-AA 1030082	Fast Dry Degreaser 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS
	31927-AA 1031175	Fast Dry Degreaser 200 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no >>> IDS	MSDS
	33262-AA 1032595	Fast Dry Degreaser 60 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs >>> IDS	MSDS

Public Data - A

10227-AT | Fast Dry Degreaser 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Fast Dry Degreaser
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.46
Weight Per Carton (Kilogram)	5.52
Parts Per Pallet	720
EAN Code Single Part	5412386057298
EAN Code Carton	5412386821585
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	255
Carton Dimension - Width (mm)	278
Carton Dimension - Depth (mm)	217
Carton Dimension - Height (mm)	255
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10227-AV | Fast Dry Degreaser 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Fast Dry Degreaser
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.475
Weight Per Carton (Kilogram)	5.7
Parts Per Pallet	720
EAN Code Single Part	5412386059117
EAN Code Carton	5412386826573
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	255
Carton Dimension - Width (mm)	278
Carton Dimension - Depth (mm)	217
Carton Dimension - Height (mm)	255
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10227-AW | Fast Dry Degreaser 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	Fast Dry Degreaser
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.475
Weight Per Carton (Kilogram)	5.7
Parts Per Pallet	720
EAN Code Single Part	5412386059612
EAN Code Carton	5412386837692
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	255
Carton Dimension - Width (mm)	278
Carton Dimension - Depth (mm)	217
Carton Dimension - Height (mm)	255
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10227-AX | Fast Dry Degreaser 12x500 ML hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Fast Dry Degreaser
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.46
Weight Per Carton (Kilogram)	5.52
Parts Per Pallet	720
EAN Code Single Part	5412386059629
EAN Code Carton	5412386831492
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	255
Carton Dimension - Width (mm)	278
Carton Dimension - Depth (mm)	217
Carton Dimension - Height (mm)	255
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - B

10230-AA | FAST DRY DEGREASER 2x5 L

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	FAST DRY DEGREASER
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	3.967
Parts Per Pallet	114
EAN Code Single Part	5412386071324
Part Dimension - Width (mm)	170
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

10233-AA | Fast Dry Degreaser 20 L

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Fast Dry Degreaser
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	16.186
Parts Per Pallet	22
EAN Code Single Part	5412386071355
Part Dimension - Width (mm)	273
Part Dimension - Depth (mm)	377
Part Dimension - Height (mm)	273
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

31927-AA | Fast Dry Degreaser 200 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no

Product Name	Fast Dry Degreaser
Packaging Description	Drum
Net Volume (Liter)	200
Part Gross Weight (Kilogram)	161.418
Parts Per Pallet	2
EAN Code Single Part	5412386008405
Part Dimension - Width (mm)	590
Part Dimension - Depth (mm)	900
Part Dimension - Height (mm)	590
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

33262-AA | Fast Dry Degreaser 60 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs

Product Name	Fast Dry Degreaser
Packaging Description	Bulk
Net Volume (Liter)	60
Part Gross Weight (Kilogram)	48.2
Parts Per Pallet	6
EAN Code Single Part	5412386136368
Part Dimension - Width (mm)	280
Part Dimension - Depth (mm)	610
Part Dimension - Height (mm)	380
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

CITRUS HANDCLEANER

Cleaners - Heavy duty

Professional solvent-free hand cleaner with Aloe Vera, Jojoba and an environmentally friendly abrasive.

Mild for the skin. Fresh fragrance. Removing easily: lubricants, grease, tar, brake fluids and bitumen. Integrated pump.



	Ref.	Description	TDS
	<u>32321-AA</u> 1031393	Citrus Handcleaner 4x3,8 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,cs >>> IDS	MSDS

Public Data - B

32321-AA | Citrus Handcleaner 4x3,8 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,cs

Product Name	Citrus Handcleaner
Packaging Description	Bulk
Net Volume (Liter)	3.8
Part Gross Weight (Kilogram)	3.975
Parts Per Pallet	144
EAN Code Single Part	5412386057458
Part Dimension - Width (mm)	295
Part Dimension - Depth (mm)	385
Part Dimension - Height (mm)	295
GHS - Signal Word	
GHS - Hazard & Precautionary Statements	
GHS - Hazard Pictograms	
Intrastat / Tariff Code	34029090
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

CITRO CLEANER

Cleaners - Heavy duty

Heavy duty cleaner based on natural orange terpenes for safe cleaning of machinery and equipment during maintenance activities.

An ideal alternative to traditional solvents and highly alkaline cleaning agents. Safe on all metal surfaces and on most rubbers, plastics and coatings. Will quickly remove numerous different types of soiling and contamination. Suitable for use on a wide variety of hard surfaces throughout the industry. Pleasant citrus smell.



	Ref.	Description	TDS
	<u>32436-AA</u> 1031447	Citro Cleaner 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu >>> <u>IDS</u>	MSDS
	<u>32437-AA</u> 1031449	Citro Cleaner 2x5 L en,de,nl,fr,es,pt,it,el >>> <u>IDS</u>	MSDS

Public Data - A

32436-AA | Citro Cleaner 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Citro Cleaner
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.515
Weight Per Carton (Kilogram)	6.18
Parts Per Pallet	720
EAN Code Single Part	5412386059773
EAN Code Carton	5412386828560
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - B

32437-AA | Citro Cleaner 2x5 L en,de,nl,fr,es,pt,it,el

Product Name	Citro Cleaner
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	4.417
Parts Per Pallet	114
EAN Code Single Part	5412386059780
Part Dimension - Width (mm)	170
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

CARB & EGR CLEANER

Cleaners - Heavy duty


Powerful solvent blend to remove gum, carbon and sludge from carburetors, EGR, PCV and throttle valves in combustion engines.

Characteristics:

- Active ingredient mixture with high solvency power
- Cleans the carburetor and fuel dispensing system
- Compatible with both diesel and gasoline engines
- Dissolves gum and resin

Benefits:

- Rapid and effective cleaning without disassembly
- Cleaning without disassembly, better fuel economy
- Engine runs more smoothly
- Sprays also overhead



	Ref.	Description	TDS
	<u>32744-AB</u> 1754392	Carb & EGR Cleaner 12x500 ML en,de,es,sv,fi,pl,hr,bg,ro,sl,sk,uk,et,lv,lt,da,no,cs,hu,pt,it,fr,nl >>> IDS	MSDS

Public Data - A

32744-AB | Carb & EGR Cleaner 12x500 ML

en,de,es,sv,fi,pl,hr,bg,ro,sl,sk,uk,et,lv,lt,da,no,cs,hu,pt,it,fr,nl

Product Name	Carb & EGR Cleaner
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.481
Weight Per Carton (Kilogram)	5.772
Parts Per Pallet	720
EAN Code Single Part	5412386071690
EAN Code Carton	5412386871498
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

INDUSTRIAL DEGREASER

Cleaners - Heavy duty

Solvent cleaner for heavy contaminants on mechanical parts.

Powerful, fast evaporating cleaner with a flash point of 25°C. Removes greases, oil, lubricants, non-cured adhesives and dirt from equipment, machines and metal parts. When applying to large surfaces or in dip baths, ensure explosion prevention. Test on plastics before use.



	Ref.	Description	TDS
	<u>10321-AG</u> 1030111	Industrial Degreaser FPS 12x500 ML en,de,fr,nl,sv,fi,ma,zh,th,ko,hr,bs,sr,be,ru,ro,sl,tr,da,no,es,pt,it,el,pl,cs,hu,sk,et,lv,lt >>> <u>IDS</u>	MSDS
	<u>10321-AI</u> 1030109	Industrial Degreaser FPS 12x500 ML en,de,nl,fr,es,pt,it,el >>> <u>IDS</u>	MSDS
	<u>10321-AJ</u> 1030110	Industrial Degreaser FPS 12x500 ML sv,fi,da,no,pl,et,lv,lt >>> <u>IDS</u>	MSDS
	<u>10325-AA</u> 1030114	Industrial Degreaser FPS 2x5 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk >>> <u>IDS</u>	MSDS
	<u>10326-AA</u> 1030116	Industrial Degreaser FPS 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk >>> <u>IDS</u>	MSDS

Public Data - A

10321-AG | Industrial Degreaser FPS 12x500 ML

en,de,fr,nl,sv,fi,ma,zh,th,ko,hr,bs,sr,be,ru,ro,sl,tr,da,no,es,pt,it,el,pl,cs,hu,sk,et,lv,lt

Product Name	Industrial Degreaser
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.511
Weight Per Carton (Kilogram)	6.132
Parts Per Pallet	720
EAN Code Single Part	5412386057304
EAN Code Carton	5412386839320
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10321-AI | Industrial Degreaser FPS 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Industrial Degreaser
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.526
Weight Per Carton (Kilogram)	6.312
Parts Per Pallet	720
EAN Code Single Part	5412386059124
EAN Code Carton	5412386826580
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

10321-AJ | Industrial Degreaser FPS 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	Industrial Degreaser
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.526
Weight Per Carton (Kilogram)	6.312
Parts Per Pallet	720
EAN Code Single Part	5412386059605
EAN Code Carton	5412386827679
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - B

10325-AA | Industrial Degreaser FPS 2x5 L

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Industrial Degreaser
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	4.557
Parts Per Pallet	114
EAN Code Single Part	5412386001673
Part Dimension - Width (mm)	174
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

10326-AA | Industrial Degreaser FPS 20 L

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Industrial Degreaser
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	18.545
Parts Per Pallet	22
EAN Code Single Part	5412386001703
Part Dimension - Width (mm)	273
Part Dimension - Depth (mm)	377
Part Dimension - Height (mm)	273
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Flammable liquid and vapour. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

GRAFFITI REMOVER

Cleaners - Heavy duty

Removes all traces of paint and ink.

Dissolves and loosens unwanted paint and inks from aerosols, pens and markers. Safe to be used on most substrates. In case of doubt, test prior to application. Prevents damage to the original surface due to excessive scratching. Does not leave an acid or alkaline residue, which could damage concrete, plaster or cement.



	Ref.	Description	TDS
	<u>20717-AD</u> 1030404	Graffiti Remover 12x400 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu >>> IDS	MSDS

Public Data - A

20717-AD | Graffiti Remover 12x400 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Graffiti Remover
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.477
Weight Per Carton (Kilogram)	5.724
Parts Per Pallet	720
EAN Code Single Part	5412386059452
EAN Code Carton	5412386827204
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

GDI VALVE CLEANER

Cleaners - Heavy duty

Dissolves baked-on carbon deposits, increases power and reduces rough idle.

Characteristics:

- Excellent GDI (Gasoline Direct Injection) valve deposit removal
- Cleans carbon and gum deposits on the back of the air intake valves
- Dissolves and lifts deposits from all types of gasoline powered engines
- 150 times more concentrated than premium fuel additives

Benefits:

- Increases power and torque
- Reduces emissions and improves fuel economy
- No top-engine disassembly
- Safe on turbos and intercoolers
- Stabilizes rough idle



	Ref.	Description	TDS
	<u>32548-AB</u> 1754395	GDI Valve Cleaner 12x500 ML en,de,es,sv,fi,pl,hr,bg,ro,sl,sk,uk,et,lv,lt,da,no,cs,hu,pt,it,fr,nl >>> IDS	MSDS

Public Data - A

32548-AB | GDI Valve Cleaner 12x500 ML

en,de,es,sv,fi,pl,hr,bg,ro,sl,sk,uk,et,lv,lt,da,no,cs,hu,pt,it,fr,nl

Product Name	GDI Valve Cleaner
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.481
Weight Per Carton (Kilogram)	5.772
Parts Per Pallet	720
EAN Code Single Part	5412386071720
EAN Code Carton	5412386871528
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	34025090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

GASKET REMOVER

Cleaners - Heavy duty

Blend of powerful solvents, formulated for a fast removal of gasket cement, adhesives and sealants.

Characteristics:

- Highly effective and specifically formulated for sealing and baked-on adhesives
- Easy removal of filling adhesives, binders and sealants
- High penetration • No acids or alkalis

Benefits:

- Fast and gentle removal without scratching the surface
- Sticks to vertical surfaces
- Does not attack metal surfaces



	Ref.	Description	TDS
	<u>32747-AB</u> 1754394	Gasket Remover 12x400 ML en,de,es,sv,fi,pl,hr,bg,ro,sl,sk,uk,et,lv,lt,da,no,cs,hu,pt,it,fr,nl >>> IDS	MSDS

Public Data - A

32747-AB | Gasket Remover 12x400 ML

en,de,es,sv,fi,pl,hr,bg,ro,sl,sk,uk,et,lv,lt,da,no,cs,hu,pt,it,fr,nl

Product Name	Gasket Remover
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.528
Weight Per Carton (Kilogram)	6.336
Parts Per Pallet	720
EAN Code Single Part	5412386071713
EAN Code Carton	5412386871672
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable aerosol. Pressurised container: May burst if heated. Suspected of causing cancer . Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

LABEL OFF SUPER

Cleaners - Heavy duty

Label remover.

Solvent mixture, free of CFC's and HCFC's. Removes self-adhesive paper labels from most surfaces in 2-3 minutes after wetting (test on plastics prior to use). NSF listed as an adhesive and glue remover (NSF K3).



	Ref.	Description	TDS
	<u>32314-AA</u> 1031377	Label Off Super FPS 12x400 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu >>> IDS	MSDS
	<u>32668-AA</u> 1031627	Label Off Super FPS 12x250 ML en,de,nl,fr >>> IDS	MSDS
	<u>32668-AB</u> 1031628	Label Off Super FPS 12x250 ML es,pt,it,el >>> IDS	MSDS
	<u>32668-AC</u> 1031629	Label Off Super FPS 12x250 ML sv,fi,da,no >>> IDS	MSDS

Public Data - A

32314-AA | Label Off Super FPS 12x400 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Label Off Super
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.398
Weight Per Carton (Kilogram)	4.776
Parts Per Pallet	720
EAN Code Single Part	5412386057342
EAN Code Carton	5412386864759
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32668-AA | Label Off Super FPS 12x250 ML en,de,nl,fr

Product Name	Label Off Super
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.255
Weight Per Carton (Kilogram)	3.06
Parts Per Pallet	1440
EAN Code Single Part	5412386063190
EAN Code Carton	5412386864780
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32668-AB | Label Off Super FPS 12x250 ML es,pt,it,el

Product Name	Label Off Super
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.255
Weight Per Carton (Kilogram)	3.06
Parts Per Pallet	1440
EAN Code Single Part	5412386063206
EAN Code Carton	5412386864803
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

32668-AC | Label Off Super FPS 12x250 ML sv,fi,da,no

Product Name	Label Off Super
Packaging Description	Aerosol
Net Volume (Liter)	.25
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.255
Weight Per Carton (Kilogram)	3.06
Parts Per Pallet	1440
EAN Code Single Part	5412386063213
EAN Code Carton	5412386864810
Part Dimension - Width (mm)	52
Part Dimension - Depth (mm)	52
Part Dimension - Height (mm)	197
Carton Dimension - Width (mm)	223
Carton Dimension - Depth (mm)	168
Carton Dimension - Height (mm)	197
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

MULTI-SURFACE CITRO COVKLEEN

Cleaners - Heavy duty

Multi-functional cleaner & disinfectant 2 in 1

Multi-Surface Citro COVKleen is a powerful, versatile, professional grade , extremely high alcohol content spray for cleaning and disinfecting all common surfaces. It has been formulated specifically for use on high touch-point surfaces such as work benches, tool cases, tools, and as a general workplace cleaner. It quickly removes grime, dirt, oils, viruses, bacteria and germs from most surfaces, including metal, stone, fabrics and most plastics.

FEATURES

- Multi-functional cleaner & disinfectant 2 in 1
- Bactericide ac. EN 1276, Fungicide ac. EN 1650, Anti-viral ac. EN 14476 (immediate action)
- Alcohol Purity (IPA) > 99,9 %
- IPA complies with the European Pharmacopoeia, ASTM D770 and DIN 53245.
- Extremely high alcohol content: >80%
- Easy to use: spray & go
- Leaves treated surfaces clean, dry & residue free
- Evaporates quickly, with no need to rinse with water or a cloth
- Pressurized container with non-flammable CO2 propellant, giving an active product content of 95%.
- Pleasant citrus smell.

APPLICATIONS

INDUSTRY

- Working clothes, Shoes
- Containers, Tanks
- Fences, Access panels
- Control displays
- Air conditioning housings, Extractor hoods
- Scanners material handling equipment
- Transportation belts, Stair handles, Parts, Tools
- Forklifts, Trailers
- Door handles, Driveway, Floors

TRANSPORT (CAR, BUS, TRAIN)

- Dashboard, Gear stick, Window buttons, Locks
- Steering wheel, Leather and Fabric seats, Mirrors, Windscreen
- On-board control systems, Door handles, Arm rests, Radio buttons, Indicators

OFFICE

- Light switches, Mouse, Keyboards, Desks
- Phones, Tablets, Touch screens, Remote controls
- Reception, Sales & Trade Counters
- Toilets, Tables, Chairs, Door handles
- Leather and Fabric sofas
- Kitchen appliances



Ref.		Description	TDS
	33342-AA 1032693	Multi-Surface Citro CovKleen 12x500 ML en,fr,de,sv,fi >>> IDS	MSDS
	33360-AA 1032732	Multi-Surface Citro CovKleen 2x5 L en,de,sv,fi,da,no >>> IDS	MSDS

Public Data - A

33342-AA | Multi-Surface Citro CovKleen 12x500 ML en,fr,de,sv,fi

Product Name	Multi-Surface Citro CovKleen
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.519
Weight Per Carton (Kilogram)	6.228
Parts Per Pallet	720
EAN Code Single Part	5412386070839
EAN Code Carton	5412386864490
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - B

33360-AA | Multi-Surface Citro CovKleen 2x5 L en,de,sv,fi,da,no

Product Name	Multi-Surface Citro CovKleen
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	4.382
Parts Per Pallet	114
EAN Code Single Part	5412386070952
Part Dimension - Width (mm)	170
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

MOULD CLEAN

Cleaners - Heavy duty

General cleaner for injection mould tools.

A powerful solvent blend formulated to remove a wide range of common soiling from moulds, tools and dies.

- Quickly and easily removes oils, grease, old protective films
- Perfect for removing old release agents. Takes away old build ups in the mould
- Leaves a clean, dry and residue free surface
- Dissolves residues of polymers



	Ref.	Description	TDS
	32840-AA 1031996	Mould Clean 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu	MSDS

Public Data - A

32840-AA | Mould Clean 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Mould Clean
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.524
Weight Per Carton (Kilogram)	6.288
Parts Per Pallet	720
EAN Code Single Part	5412386064944
EAN Code Carton	5412386850325
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if swallowed. Causes serious eye irritation.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

LECTRA CLEAN II

Cleaners - Heavy duty

Solvent cleaner with high flashpoint for heavy contaminants on mechanical parts.

Heavy-duty cleaner with a high flashpoint of over 60°C for improved application safety. The extended drying time allows the product to act during a longer period and to dissolve heavy contaminations. Suitable for use in dip baths and ultrasonic dip tanks.



	Ref.	Description	TDS
	10314-AA 1030104	Lectra Clean II 2x5 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS
	10315-AA 1030106	Lectra Clean II 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no >>> IDS	MSDS
	30449-AH 1030626	Lectra Clean II 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,tr,da,no,es,pt,it,el,pl,cs,hu,sk,et,lv,lt >>> IDS	MSDS
	30449-AK 1030624	Lectra Clean II 12x500 ML en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	30450-AA 1030627	Lectra Clean II 200 L en,de,nl,fr,es,pt,it,el >>> IDS	MSDS

Public Data - B

10314-AA | Lectra Clean II 2x5 L

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Lectra Clean II
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	4.560
Parts Per Pallet	114
EAN Code Single Part	5412386107320
Part Dimension - Width (mm)	174
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be fatal if swallowed and enters airways.
GHS - Hazard Pictograms	GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

10315-AA | Lectra Clean II 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no

Product Name	Lectra Clean II
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	18.644
Parts Per Pallet	22
EAN Code Single Part	5412386107351
Part Dimension - Width (mm)	273
Part Dimension - Depth (mm)	377
Part Dimension - Height (mm)	273
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be fatal if swallowed and enters airways.
GHS - Hazard Pictograms	GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - A

30449-AH | Lectra Clean II 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,tr,da,no,es,pt,it,el,pl,cs,hu,sk,et,lv,lt

Product Name	Lectra Clean II
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.513
Weight Per Carton (Kilogram)	6.156
Parts Per Pallet	720
EAN Code Single Part	5412386004889
EAN Code Carton	5412386837920
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

30449-AK | Lectra Clean II 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Lectra Clean II
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.528
Weight Per Carton (Kilogram)	6.336
Parts Per Pallet	720
EAN Code Single Part	5412386059179
EAN Code Carton	5412386826634
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS - Hazard Pictograms	GHS02
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - B

30450-AA | Lectra Clean II 200 L en,de,nl,fr,es,pt,it,el

Product Name	Lectra Clean II
Packaging Description	Drum
Net Volume (Liter)	200
Part Gross Weight (Kilogram)	186.016
Parts Per Pallet	2
EAN Code Single Part	5412386057137
Part Dimension - Width (mm)	590
Part Dimension - Depth (mm)	900
Part Dimension - Height (mm)	590
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be fatal if swallowed and enters airways.
GHS - Hazard Pictograms	GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

INOX WELD KLEEN

Cleaners - Heavy duty

Restores the original characteristics of Stainless Steel after welding.

CRC Inox Weld Kleen is a pickling paste that restores the original characteristics of stainless steel after welding or heat treatment. Degreasing, cleaning, pickling and passivating of austenitic and duplex stainless steel 303, 304, 316,... , nickel and aluminum. Fastworking, very efficient, economical and practical to use.



	Ref.	Description	TDS
	30379-AA 1030588	INOX WELD KLEEN 2x2 KG en,de,nl,fr,es,pt,sv,fi,da,no	MSDS

Public Data - B

30379-AA | INOX WELD KLEEN 2x2 KG en,de,nl,fr,es,pt,sv,fi,da,no

Product Name	INOX WELD KLEEN
Packaging Description	Bulk
Net Volume (Liter)	1.479289940828402367
Part Gross Weight (Kilogram)	2
Parts Per Pallet	224
EAN Code Single Part	5412386035463
Part Dimension - Width (mm)	
Part Dimension - Depth (mm)	
Part Dimension - Height (mm)	
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	May be corrosive to metals. Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage.
GHS - Hazard Pictograms	GHS05 GHS07
Intrastat / Tariff Code	32089091
UN Hazard Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Road Tunnel Code	(E)
Hazard Class	8

INDUSTRIAL ECO DEGREASER

Cleaners - Heavy duty

A fast drying and powerful degreasing product and still compatible with most plastics and biodegradable.

The Industrial ECO degreaser penetrates quickly dissolving and removing grease, oil, lubricants, tar, adhesives and other contaminants. Leaves no residue and enhances overall performance. Adapted for use in every industry, including food processing (NSF certified A8 & K1). Readily biodegradable according to OECD 301B : 62%.



	Ref.	Description	TDS
	33344-AA 1032701	Industrial ECO Degreaser FPS 12x500 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu >>> IDS	MSDS
	33345-AA 1032704	Industrial ECO Degreaser FPS 2x5 L en,de,nl,fr,es,pt,it,el >>> IDS	MSDS
	33348-AA 1032708	Industrial ECO Degreaser FPS 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs >>> IDS	MSDS

Public Data - A

33344-AA | Industrial ECO Degreaser FPS 12x500 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Industrial ECO Degreaser
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.509
Weight Per Carton (Kilogram)	6.108
Parts Per Pallet	720
EAN Code Single Part	5412386070860
EAN Code Carton	5412386864667
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	255
Carton Dimension - Width (mm)	278
Carton Dimension - Depth (mm)	217
Carton Dimension - Height (mm)	255
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - B

33345-AA | Industrial ECO Degreaser FPS 2x5 L en,de,nl,fr,es,pt,it,el

Product Name	Industrial ECO Degreaser
Packaging Description	Bulk
Net Volume (Liter)	5
Part Gross Weight (Kilogram)	4.477
Parts Per Pallet	114
EAN Code Single Part	5412386070877
Part Dimension - Width (mm)	170
Part Dimension - Depth (mm)	130.5
Part Dimension - Height (mm)	322
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

Public Data - B

33348-AA | Industrial ECO Degreaser FPS 20 L en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,hu,cs

Product Name	Industrial ECO Degreaser
Packaging Description	Bulk
Net Volume (Liter)	20
Part Gross Weight (Kilogram)	18.22
Parts Per Pallet	22
EAN Code Single Part	5412386070891
Part Dimension - Width (mm)	273
Part Dimension - Depth (mm)	377
Part Dimension - Height (mm)	273
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	FLAMMABLE LIQUID, N.O.S.
Road Tunnel Code	(D/E)
Hazard Class	3

WIPE CLEAN & PROTECT

Cleaners - Heavy duty

Leaves the surfaces cleaned and highly protected against contaminants re-accumulation.

CRC Wipes Clean & Protect are professional strength wipes that are capable of cleaning and protecting the surface quickly and efficiently.

CRC Wipes Clean & Protect are impregnated with an effective cleaning and conditioning solution designed to be gentle to the surfaces but tough on the contaminants.

CRC Wipes Clean & Protect have an exceptional cleaning power, are extra absorbent and they are highly economical in use as they stay wet for longer.

Adapted for use in every industry, including food processing (NSF certified).



Ref.	Description	TDS
33381-AA 1032752	Wipes Clean & Protect 50 Pieces 12xBOX en,de,nl,fr,es,pt,it,pl >>> IDS	MSDS

Public Data - B

33381-AA | Wipes Clean & Protect 50 Pieces 12xBOX en,de,nl,fr,es,pt,it,pl

Product Name	Wipes Clean & Protect
Packaging Description	WIPE
Net Volume (Liter)	0.30
Part Gross Weight (Kilogram)	0.56
Parts Per Pallet	396
EAN Code Single Part	5412386071096
Part Dimension - Width (mm)	335
Part Dimension - Depth (mm)	405
Part Dimension - Height (mm)	232
GHS - Signal Word	
GHS - Hazard & Precautionary Statements	
GHS - Hazard Pictograms	
Intrastat / Tariff Code	34011900
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

WIPES PRO

Cleaners - Heavy duty



Multipurpose industrial strength cleaning wipes.

Removes oil, grease, paint, ink and adhesives of different surfaces. The textured side of the wipe will gently but efficiently remove all contamination. The smooth side of the wipe will effectively retain contamination.

High absorbency cleaning wipes layered with an effective polymer web to give all the cleaning power of pumice without the scratching. Highly effective on a range of soiling types adhesives, tar, bitumen, resins, silicone grease, oils, petrochemicals, paints, and more. Cleaner and towel together in one convenient wipe. Contains skin conditioner to replace natural oils removed in cleaning. No contamination from heavy perfumes.

Ref.	Description	TDS
12006-AA 1030238	Wipes Pro 100 pieces 4xBOX en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk >>> IDS	MSDS
20246-AA 1030287	Wipes Pro 50 Pieces 12xBOX en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt >>> IDS	MSDS

Public Data - B

12006-AA | Wipes Pro 100 pieces 4xBOX

en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt,hu,cs,sk,tr,ru,ro,bg,uk

Product Name	Wipes Pro
Packaging Description	WIPE
Net Volume (Liter)	1
Part Gross Weight (Kilogram)	1
Parts Per Pallet	144
EAN Code Single Part	5412386004919
Part Dimension - Width (mm)	395
Part Dimension - Depth (mm)	350
Part Dimension - Height (mm)	205
GHS - Signal Word	
GHS - Hazard & Precautionary Statements	
GHS - Hazard Pictograms	
Intrastat / Tariff Code	34011900
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

Public Data - B

20246-AA | Wipes Pro 50 Pieces 12xBOX en,de,nl,fr,es,pt,it,el,sv,fi,da,no,pl,et,lv,lt

Product Name	Wipes Pro
Packaging Description	WIPE
Net Volume (Liter)	.3
Part Gross Weight (Kilogram)	0.56
Parts Per Pallet	396
EAN Code Single Part	5412386002212
Part Dimension - Width (mm)	335
Part Dimension - Depth (mm)	405
Part Dimension - Height (mm)	232
GHS - Signal Word	
GHS - Hazard & Precautionary Statements	
GHS - Hazard Pictograms	
Intrastat / Tariff Code	34011900
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

SUPER HANDCLEANER

Cleaners - Heavy duty

Handcleaner for heavily contaminated hands.

Characteristics:

- Contains mild solvents and biodegradable surfactants
- Also contains small friction parts from natural sources
- Very effective on grease, carbon and most stubborn contaminations



	Ref.	Description	TDS
	30675-AA 1030733	SUPER HANDCLEANER 12x150 ML en,nl,fr,de,no,da,fi,sv,it,es,pt >>> IDS	MSDS

Public Data - B

30675-AA | SUPER HANDCLEANER 12x150 ML en,nl,fr,de,no,da,fi,sv,it,es,pt

Product Name	SUPER HANDCLEANER
Packaging Description	Tube
Net Volume (Liter)	.15
Part Gross Weight (Kilogram)	.075
Parts Per Pallet	1440
EAN Code Single Part	5412386657061
Part Dimension - Width (mm)	163
Part Dimension - Depth (mm)	18.166666666666667
Part Dimension - Height (mm)	161
GHS - Signal Word	
GHS - Hazard & Precautionary Statements	
GHS - Hazard Pictograms	
Intrastat / Tariff Code	33049900
UN Hazard Code	Not classified as hazardous for transport
Road Tunnel Code	
Hazard Class	

QUICKLEEN PLUS

Cleaners - Heavy duty

Quick dry non-chlorinated cleaner.

A fast drying, powerful degreasing solvent blend free of chlorinated solvents. Penetrates and cuts through dirt, grime and contaminants to improve critical connections and enhance overall performance. Because of the increased flash point of 29°C, the risk for ignition during application is reduced. Quickly dissolves grease, oil, lubricants, tar and adhesives from all metal parts, machines and tools. Efficient wash-away of contaminants. Leaves no residue. Non-staining and non-corrosive to metals. Safe on most plastics, coatings and rubbers.



			TDS
Ref.	Description		MSDS
 <u>32515-AA</u> 1031499	Quickleen Plus 12x500 ML en,de,nl,fr,es,pt,it,el >>> IDS		

Public Data - A

32515-AA | Quickleen Plus 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Quickleen Plus
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.491
Weight Per Carton (Kilogram)	5.892
Parts Per Pallet	720
EAN Code Single Part	5412386061851
EAN Code Carton	5412386841057
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

PROFESSIONAL CLEANER

Cleaners - Heavy duty

General cleaner for use in all departments for fast results

Characteristics:

- Removes oils & general contaminants
- Rapid evaporation for fast results
- Powerful jet for increased cleaning action
- 95% active product
- Works at all angles, even upside down
- Does not contain chlorinated solvents or silicone



			TDS
Ref.	Description		
 <u>33364-AA</u> 1032736	Professional Cleaner 12x500 ML en,de,nl,fr,es,pt,it,el >>> IDS		MSDS
 <u>33364-AB</u> 1032737	Professional Cleaner 12x500 ML sv,fi,da,no,pl,et,lv,lt >>> IDS		MSDS

Public Data - A

33364-AA | Professional Cleaner 12x500 ML en,de,nl,fr,es,pt,it,el

Product Name	Professional Cleaner
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4491
Weight Per Carton (Kilogram)	5.3892
Parts Per Pallet	720
EAN Code Single Part	5412386070990
EAN Code Carton	5412386866234
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Public Data - A

33364-AB | Professional Cleaner 12x500 ML sv,fi,da,no,pl,et,lv,lt

Product Name	Professional Cleaner
Packaging Description	Aerosol
Net Volume (Liter)	.5
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.4491
Weight Per Carton (Kilogram)	5.3892
Parts Per Pallet	720
EAN Code Single Part	5412386071010
EAN Code Carton	5412386866258
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Danger
GHS - Hazard & Precautionary Statements	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS09
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

POLYMER REMOVER

Cleaners - Heavy duty

Heavy duty mould cleaner.

Highly effective and powerful solvent blend developed for use on heavily soiled moulds and dies to remove a variety of moulding deposits.

- Foaming action which clings to the mould surface and facilitates a good contact with the contamination
- Removes: plastics, rubbers and resin residues, even when carbonized
- Thixotropic formulation for maximum efficiency, even on vertical surfaces
- Leaves a clean and dry surface after application



Ref.	Description	TDS
 32961-AA 1032097	Polymer Remover 12x400 ML en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu >>> IDS	MSDS

Public Data - A

32961-AA | Polymer Remover 12x400 ML

en,de,fr,nl,sv,fi,hr,bs,sr,be,ru,ro,sl,sk,et,lv,lt,tr,da,no,es,pt,it,el,pl,cs,hu

Product Name	Polymer Remover
Packaging Description	Aerosol
Net Volume (Liter)	.4
Quantity per Carton (if>1)	12
Part Gross Weight (Kilogram)	.508
Weight Per Carton (Kilogram)	6.096
Parts Per Pallet	720
EAN Code Single Part	5412386065750
EAN Code Carton	5412386852572
Part Dimension - Width (mm)	65
Part Dimension - Depth (mm)	65
Part Dimension - Height (mm)	240
Carton Dimension - Width (mm)	273
Carton Dimension - Depth (mm)	208
Carton Dimension - Height (mm)	240
GHS - Signal Word	Warning
GHS - Hazard & Precautionary Statements	Flammable aerosol. Pressurised container: May burst if heated. Suspected of causing cancer . Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
GHS - Hazard Pictograms	GHS02 GHS07 GHS08
Intrastat / Tariff Code	38140090
UN Hazard Code	AEROSOLS
Road Tunnel Code	(D)
Hazard Class	2.1

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cce@nt-rt.ru || сайт: <https://crc.nt-rt.ru/>